

BBPTM12 Label Printer Laboratory Identification













The BBPTM12 Label Printer is an entry level benchtop label printer for laboratory sample identification that offers great value for money. The **compact** BBP12 offers a high print speed of **100 mm/second** and can handle a **wide range** of highly durable and specialised Brady **identification labels**.

Identifying your laboratory equipment has never been so easy. In laboratories, the compact BBP12 prints Brady's specialised labels for slides, straws, tubes, conicals and bottles which are able to resist liquid nitrogen, freezer, hot water bath or autoclave temperatures and/or a range of typical lab chemicals.

Printer

| Article No. | Order Reference |
|-------------|-------------------|
| 195569 | BBP12-EU+U+LM Pro |
| 195566 | BBP12-EU+Unwinder |
| 195570 | BBP12-UK+U+LM Pro |
| 195567 | BBP12-UK+Unwinder |
| 195571 | BBP12-US+U+LM Pro |
| 195568 | BBP12-US+Unwinder |

Printer kits

| Article No. | Order Reference |
|-------------|------------------|
| 195812 | BBP12-LAB Kit-EU |
| 195813 | BBP12-LAB Kit-UK |
| 195814 | BBP12-LAB Kit-US |

Accessory

| Article No. | Order Reference |
|-------------|----------------------------|
| 361064 | BBP12/BBP11 Peel & Present |

There are a dozen good reasons to choose the compact benchtop entry level BBP™12 Label Printer:

- 1. Prints a wide range of identification labels from 10 mm up to 112 mm wide
- 2. Compact in size, fits on every desk
- 3. Best price/quality in the market for low volume printing
- 4. Standard 300 dpi print quality allowing accurate image & barcode positioning on small labels
- 5. Full colour LCD Display and intuitive software interface are simple to use, so no extensive training is required
- 6. Simple calibration menu with easy 1-2-3 step printing
- 7. Default Ethernet Connectivity, allowing you to work in a network
- 8. Connect any universal keyboard via USB 2.0 to work in stand-alone mode
- 9. Print time and date on to your labels via the "Real time clock feature"
- 10. With its powerful 32 bit processor and its extended memory it can print up to 100 mm / sec
- 11. The printer supports the industry-standard Zebra® and Eltron® programming languages
- 12. Comes with a free unwinder accessory to print larger label rolls

PRINTER Weight 2.50 kg Dimensions Size - Depth: 258 mm Size - Height: 173 mm Size - Width: 202 mm Max. Print Width (mm) 105.60 mm Mode of operation Stand-Alone with external keyboard & Peripheral

| DISPLAY | |
|--------------------|-------------------------|
| Display Type | Full colour LCD display |
| Display Resolution | 300 dpi |

| MATERIALS SUPPORTED | |
|---------------------|--|
| Materials | Nylon Cloth, Paper, Polyester, Polyethylene, Polyimide, Polyolefin (Sleeves), Poly- propylene, Thermoplastic polyether- polyurethane, Vinyl, Vinyl Cloth, Outdoor Vinyl, Self-laminating Vinyl |

| BARCODES | |
|--------------|--------------------|
| Barcode Type | 2D and 1D (Linear) |

| SOFTWARE & CONNECTIVITY | |
|-------------------------|---|
| Connectivity | Serial, USB 2.0, Ethernet |
| Software Compatibility | LabelMark, CodeSoft, Windows® based driver for 3rd party software |

| COMPLIANCE | |
|---------------------|------------------------|
| Approval/Compliance | UL; cUL; CE; RoHS; EAC |




Consult the video of the BBP12 Label Printer on www.bradyeurope.com/BBP12

Ready to print in 1-2-3



Step 1: Insert media



Step 2: Calibrate via Full Colour LCD Display



Step 3: Print



WHEN I EKI OKMANOE MAITEK

Brady EMEA Locations
Africa +27 11 704 3295
Benelux +32 (0) 52 45 78 1

 Benelux
 +32 (0) 52 45 78 11

 Central & Eastern Europe
 +421 2 3300 4800

 Denmark
 +4566 14 44 00

 France
 +33 (0) 3 20 76 94 48

 Germany
 +49 (0) 6103 7598 660

 Hungary
 +36 23 500 275

 Italy
 +39 02 26 00 00 22

Middle East +971 4881 2524 Norway +47 70 13 40 00 Romania +40 21 202 3032 Russia +7 495 225 93 62 Spain & Portugal +34 900 902 993 Sweden +46 (0) 8 590 057 30 Turkey +90 212 264 02 20 UK & Ireland +44 (0) 1295 228 288



24 Norman Way Industrial Estate, Over, Cambridge, CB24 5WE Tel: +44(0)1954 233 100 Fax: +44(0)1954 233 101 Email: sales@camlab.co.uk Web: www.camlab.co.uk

