Product datasheet



Captair 822B Smart Ductless filtering chemical storage cabinets

Safer to operate

- Exclusive Erlab filtration technology
- Filtration performances tested in accordance with AFNOR NF X 15 211
- Secured storage
- Real time sensors to detect main filter saturation with solvents, acids or formaldehyde
- Erlab Safety Program: be guided for the right choice of your secured storage solutions
- Connected device allowing reception of safety notifications and use status

Simpler to use

Real time status communication by light and sound pulses:

- Door left open
- Main filter saturation
- Fan failure

Flexibility

- 2 possible configurations :
 - 2 storage compartments with sliding doors
 - 1 extractible drawer
- Easy and fast relocation

Savings

- No ductwork cost
- Annual energy cost < 35 €
- Low replacement filter cost

Environment

- Pollutants filtered at source



Ask for the highest level of filtration performances



Powerful light quided communication



Connect your equipment and benefit from the remote access thanks to our mobile solutions




Dowload our eGuard application









Underbench 2 compartments storage cabinet / sliding doors






Storage capacity: 50 x 1L bottles

Underbench storage cabinet / 1 storage compartment / extractible drawer







Technical specifications

| Safety Standards | Filtration performances tested according to the AFNOR NF X 15-211:2009 standard : France EN 1822 : 1998 (HEPA H14 & ULPA U17 Filters) - CE Marking | |
|-------------------|--|--|
| Air Flow | 70 m³/h | |
| Voltage/Frequency | 80 - 220 V / 50-60 Hz | |
| Power consumption | 35W | |
| Structure | Corrosion resistant electro-galvanized steel coated with anti-acid polymer | |
| Doors | Clear, chemical resistant acrylic for easy viewing | |
| Filtration Module | Polypropylene | |

Equipments

| Communication interface | Audible and visible alarms by light pulses (LED) in case of: -Door(s) left open -Ventilation problem -Filters saturation (Molecode) | |
|------------------------------------|---|--|
| Carbon filtration | AS : For organic vapours - BE : acid vapours F : For formaldehyde vapours - K : For ammonia vapours | |
| Particulate filtration for powders | HEPA H14:99.995 % efficiency filtration of particles over 0.1 μ m in size | |
| eGuard | App for remote control to monitor the chemical storage cabinet, change the settings, and deliver safety alert immediately to your devices (mobile, tablet and PC) | |
| Doors sensors | Alarm if doors are left open | |
| Chemical Listing | List of approved chemicals | |

Storage configurations

| | Sliding doors | Extractible drawer |
|----------------------|---------------------------|---|
| Storage capacities | 50 x 1L bottles | 25 x 1L bottles (retention tray) 50 x bottles (sliding shelf) |
| Storage compartments | 2 | 1 |
| Delivered with | 2 trays + 2 sliding shelf | 1 tray + 1 sliding shelf |
| Retention trays | 2 | 1 |
| Absorbing mats | 2 | 2 |
| Lock | Key lock | |

Options

| Molecode | Sensors for solvents or acids or formaldehyde |
|----------|---|
|----------|---|

About Erlab



Erlab

Our mission: guarantee your protection in the lab

Erlab invented the first filtration fume hood in 1968. 45 years of expertise in chemicals filtration enable us to guarantee your protection throughout the following aspects:

1 R&D laboratory

A worldwide unique lab as a warrant to Erlab expertise in filtration. Erlab innovates constantly to design highest level of chemical protection technologies.

2 Safety standards

Our products performances are certified in compliance with the AFNOR NF X 15 211 standard .

3 Independent tests

Our filtration technology has been tested multiple times by an independent laboratory according to AFNOR NF X 15 211 requirements. Results prove filters efficiency to maintain concentration in recirculated air at lower than 1% of tested chemicals TLV.

4 Chemical listing

Our unique know-how enable us to communicate on our filters retention capacities over 700 chemicals, following AFNOR NF X 15 211 requirements.

5 Erlab Safety Program

Our safety program is the warrant of your protection at all stages: any project begins with an application analysis to allow our lab to recommend the suitable solution. All installed equipements are then followed-up to guarantee the highest level of protection over time.

6 Our questionnaire

Allows our lab specialists to recommend adapted filtration fume hood, filter type and predictive life-time, such as personnalised assessment.

7 We make your fume hood uses a commitment

Our laboratory provides a usage certificate for each fume hood, in compliance with AFNOR NF X 15 211 requirements.

France +33 (0) 2 32 09 55 80 | ventes@erlab.net Germany 0800 330 47 31 | verkauf@erlab.net USA +1 800-964-4434 | captairsales@erlab.com

United-Kingdom +44 (0) 1722 341 940 | salesuk@erlab.net China +86 (0) 512 5781 4085 | sales.china@erlab.com.cn

Italy +39 (0) 2 89 00 771 | vendite@erlab.net Malaysia +60 (0) 7 3 555 724 | erlab@tm.net.my

+34 93 673 24 74 | ventas@erlab.net



