

G 7804

Laboratory glassware washing machine



G 7804
for laboratory glassware



The G 7804 Lavabor has been designed for cleaning laboratory glassware in schools, industrial, environmental and research laboratories.

Capacity

- 39 narrow necked flasks (E 329) or
- 116 pipettes (E 406) or
- 1600 test tubes (E 103/E 139)

Construction

- H 850 (820), W 600, D 600 mm
- Front loading machine with drop down door
- Suitable for use freestanding or can be fitted under a worktop
- Stainless steel casing and lid
- Space frame construction with side wall insulation
 - low heat and noise emissions
 - easy to recycle
- Wash chamber and spray arms in high grade stainless steel

Features

- Wash chamber with 2 levels
 - high capacity
- Two spray arms (3rd spray arm is in the upper basket)
 - accurate wash
- Direct coupling of upper basket and injector mobile units to water feed
- Profi Monobloc Water softener
 - continual reactivation during the cleaning process
- Water intake controlled by fly wheel counter
 - precise amount of water taken in ensures the correct ratio of water to cleaning and disinfecting agents
 - automatic extension in low pressure installations
 - booster pump not necessary
 - consumption linked reactivation of water softener
- Electro thermal door lock
 - safety for personnel
 - high process safety
- Access to check and control temperatures and temperature holding times

Dispenser system

- One dispenser for powder cleaning agents and two for liquid agents in the door

Options and accessories

- External pump for non-pressurised demineralised water feed
- Dispenser (DOS module G 60) for liquid cleaning agents
- Dispenser (DOS G 10) for neutralising liquids
- Plinth H 300 mm



The GB version of the G 7804 is fitted with a moulded plug for a simple plug-in connection to a 13 A switched socket.

G 7804 controls

Controls

Multitronic Novo Vario

Programmes

- 3 standard cleaning programmes

Programme Control

- Single switch control knob

Display

- Programme sequence display
- Temperature and programme duration
- Programme end, optical and acoustic signal
- Service and fault check lights

Interface

- Optical interface for service technician



Programme chart

Programme	When to use	Pre-wash
A SHORT	For laboratory utensils and glassware with light water soluble contamination. This programme does not include a pre-wash or neutralisation. The final rinse is carried out with de-ionised (AD) water.	
B MEDIUM	For normally soiled laboratory utensils and glassware where the contamination is soluble in water or at higher temperatures where alkaline. This programme does not include a pre-wash. The final rinse is carried out with de-ionised (AD) water.	
C LONG	For heavily soiled laboratory utensils and glassware where the contamination is soluble in water or at higher temperatures where alkaline. This programme includes a pre-wash and neutralisation. The final rinse is carried out with de-ionised (AD) water.	X
DRAIN	For draining water out of the machine, e.g. when a programme has been interrupted. Turn the programme selector to the STOP position (⊖) first!	
PRE-RINSE	For rinsing heavily soiled items (e.g. for removing soiling or disinfectant residue or to prevent soiling drying on to glassware when a complete programme does not yet need to be run).	

X = Sections included in a programme

1) Temperatures/temperature holding times in the main wash and final rinse stages can be used to suit user requirements

2) Rinse 2 has to be activated by the user if required. The machine can be programmed by a service technician to use AD water for this rinse if required.

DOS 1 = For dispensing cleaning agent

DOS 2 = For dispensing rinsing agent

DOS 3 = For dispensing neutralising agent

AD = Aqua destillata (programmable for Rinse stage 2)



	Main wash ¹⁾	Rinse 1	Rinse 2 ²⁾	Final rinse ¹⁾	Drying (optional)
	X DOS 1 70°C / 5'		(X) DOS 3 (AD)	X 70°C / 3' AD (DOS 2)	(X)
	X DOS 1 70°C / 5'	X DOS 3	(X) (AD)	X 70°C / 3' AD (DOS 2)	(X)
	X DOS 1 70°C / 5'	X DOS 3	(X) (AD)	X 70°C / 3' AD (DOS 2)	(X)
		X			

Baskets and inserts

Superb cleaning results using special baskets and inserts

The Miele fresh water circulation system, coupled with the double wide-jet spray arms washes on two levels.

The upper and lower stainless steel baskets, O 188 and U 874 can be fitted with a wide range of inserts to suit individual wash requirements.



O 188/1 upper basket (empty)

- Open at front
- For various inserts
- H 215, W 531, D 475 mm
- Clearance: 165 mm
- Height adjustable +/- 20 mm
- Built-in spray arm


O 190/1 upper basket (empty)

- As O 188/1
- Clearance: 215 mm



U 874/1 lower basket (empty)

- Open at front
- For various inserts
- H 50, W 534, D 515 mm
- Clearance: 270 mm with O 188/1
- Clearance: 220 mm with O 190/1
- Height adjustable +/- 20 mm



E 106 Insert 1/2

- With 28 large and small spring clips
- For lower basket

E 106/1 Insert 1/2

- With 28 x 105 mm small spring clips
- For upper or lower basket

E 106/2 Insert 1/2

- With 15 x 175 mm large spring clips
- For lower basket



E 109 Insert 1/2

- For 21 beakers up to 250 ml, round and conical flasks etc.
- For lower basket

E 110 Insert 1/2

- For 10 beakers 250–600 ml.
- For lower basket

E 111 Insert 1/2

- For 8 beakers 600–1000 ml.
- For lower basket

E 144 Insert 1/2

- For 18 beakers up to 250 ml.
- For upper or lower basket



E 118 Insert 1/1

- For 38 Petri dishes
- For upper or lower basket


E 136 Insert 1/1

- For 56 Petri dishes
- For lower basket

E 137 Insert 1/1

- For 56 Petri dishes
- For use with E 136

Baskets and inserts



Segment inserts

103/1 Insert 1/4

- For approx. 200 x 75 mm long test tubes
- For upper or lower basket

E 104/1 Insert 1/4


- For approx. 200 x 105 mm long test tubes
- For upper or lower basket

E 105/1 Insert 1/4

- For approx. 200 x 165 mm long test tubes
- For lower basket

E 139/1 Insert 1/4

- For approx. 200 x 200 mm long test tubes
- For lower basket




A 11 Insert 1/1

- Stainless steel mesh underlay
450 x 450 mm
- For upper or lower basket

A 12 Insert 1/2

- Stainless steel mesh underlay
450 x 225 mm
- For upper or lower basket



A 13 Lid

- For inserts E 103/1, E 104/1, E 105/1 and
E 139/1
- Stainless steel




E 149 Insert 1/4

- For approx. 80 x 105 mm long test tubes
- For upper or lower basket



AK 12 Insert 1/2


- Mesh basket for funnels, beakers,
wide-necked vessels, etc.
- For upper or lower basket



A 14 Lid


- For insert AK 12
- 210 x 210 mm
- Stainless steel

Baskets and inserts



E 134 Insert 1/2

- For 210 slides
- For upper or lower basket



A2 Cover net 1/2

- 216 x 456 mm plastic coated metal frame with plastic netting for half inserts

A3 Cover net 1/4

- 206 x 206 mm plastic coated metal frame with plastic netting for quarter inserts



E 403 Insert 1/2

- For 105 Petri dishes, 50–60 mm Ø
- For upper or lower basket

E 402 Insert 1/2

- For 44 Petri dishes, 80–125 mm Ø
- For upper or lower basket



E 329 Mobile injector unit 1/1

- For narrow-necked glassware with:
 - 4/5 jets 2.5 mm Ø x 90/110 mm
 - 5/5/5 jets 4 mm Ø x 140/160/180 mm
 - 5/5/5 jets 6 mm Ø x 200/220/240 mm
 - 1 jet for flushing out powder dispenser
- For lower basket



E 340 Mobile injector unit

Multi-purpose

- Half for narrow-necked glassware with:
 - 3/3/3 jets 4 mm Ø x 140/160/180 mm
 - 3/3/4 jets 6 mm Ø x 200/220/240 mm
 - 1 jet for flushing out powder dispenser
- Half for other inserts
- For lower basket



E 350 Mobile injector unit 1/1

- For narrow-necked glassware with:
 - 15 jets 4 mm Ø x 160 mm
 - 15 clips
 - 18 jets 6 mm Ø x 220 mm
 - 18 clips
 - 1 jet for flushing out powder dispenser
- For lower basket

Baskets and inserts

Accessories



E 355 Mobile injector unit

Multi-purpose

- Half for narrow-necked glassware with:
 - 7 jets 4 mm Ø x 160 mm
 - 7 clips
 - 9 jets 6 mm Ø x 220 mm
 - 9 clips
 - 1 jet for flushing out powder dispenser
- Half for other inserts
- For lower basket



E 336 MIBO pipette holders

- Plastic with screw fitting for holding individual pipettes in a mobile injector unit



E 406 Mobile injector unit

- For 116 pipettes up to 450 mm
- Complete with support frame



UE 30-60/60-78 plinth

- H 300 x W 600 x D 600 mm
- Stainless steel
- Can be bolted to the machine




G 60 Liquid detergent dispensing pump

- Shown above with container (not supplied)

Technical data G 7804 Lavior

Controls	
Multitronic Novo Plus	●
Impulse heating for drying, T = 10 min.	●
Water connections	
1 x cold / hot, 0.5–10 bar flow pressure (50–1000 kPa)	●
1 x AD (VE) water, 0.5–10 bar flow pressure (50–1000 kPa)	●
2 inlet hoses 1/2" with 3/4" threaded union, length approx. 1.7 m	●
1 x drain hose, length approx. 1.4 m, internal dia. 22 mm – delivery head: 100 cm	●
Circulation pump Qmax (l/min)	400
Electrical connection	
1 N AC 230 V 50 Hz	●
Heating/Wash cabinet	1.8
Circulation pump [kW]	0.7
Total rated load [kW]	2.5
Fuse rating (GB version) [A]	1 x 13
Fuse rating (AUS version) [A]	1 x 15
Mains connection cable, length approx. 2.0 m, Ø 3 x 1.5 mm ²	●
Dispenser system	
1 powder dispenser in the door	●
2 x liquid dispensers in the door (switched on together)	●
Connections for	
DOS G 10 dispenser for liquid rinsing agents	●
DOS G 60 dispenser for liquid cleaning agent	●
Water softener	
For cold or hot water to max 70°C, Monobloc	●
Dimensions, weight	
External dimensions: H 850 (820), W 598, D 600 mm	●
Weight, unloaded [kg]	70



Other Miele Professional products for different target groups



PW 6065 Plus washer extractor

- 6.5 kg load capacity
- Sluice and thermal disinfection programme
- Dryer can be stacked on top
- Maintenance free motor
- 1400 rpm spin speed



For bigger applications:

Where the throughput demands a greater load capacity than the Little Giants, Miele has the answer. The capacity range extends to 32 kg and even includes barrier washing machines for specialist applications.



Washer disinfectors for dental surgeries G 7831 and G 7881

- Cleans and disinfects
- External dimensions (G 7831)
H 850 (820), W 450, D 600 mm
- External dimensions (G 7881)
H 850 (820), W 600, D 600 mm
- Electrical connection:
3 N AC 400 V 50 Hz
AC 230 V 50 Hz
- Electronic controls with programme buttons for 4 programmes (G 7831) and 5 programmes (G 7881)



For hospitals:

G 7882 and G 7882 CD

Washer disinfector

- Control system: Multitronic Novo plus
- Integrated hot-air drying unit and storage drawer for liquid agent supply containers on CD version
- Capacity: 2 AN sets
or 2 OP sets
or 4 DIN mesh trays
- H 820 (850), W 900, D 700 (600) mm



G 7826 Washer disinfector

- Control system: Freely programmable "Profitronic" controls
- Two door barrier machine
- Wash cabinet with drop down door
- Batch capacity:
10 DIN mesh trays
or 4 AN sets
or 2 MIS sets
- External dimensions (plinth, washer disinfector, drying unit):
H 1975, W 900, D 750 mm

PG 8528 Washer disinfector

- Control system: Freely programmable "Profitronic" controls
- Two door barrier machine
- Wash cabinet with lift-up door
- Batch capacity:
15 DIN mesh trays
or 7 AN sets
or 3 MIS sets
- External dimensions (plinth, washer disinfector, drying unit, and if applicable, steam condenser):
H 2420, W 1150, D 870 mm

Miele Company Limited
Fairacres
Marcham Road
Abingdon
Oxon OX14 1TW

Internet: www.miele.co.uk
E-mail: info@miele.co.uk

Internet: www.miele-professional.co.uk
E-mail: info@miele.co.uk

Miele & Cie. KG
Carl-Miele-Straße 29, 33332 Gütersloh
Postfach, 33325 Gütersloh

www.miele-professional.com
info@miele.de

Telephone: (01235) 554455
Telefax: (01235) 554477

Miele worldwide:

AUSTRALIA

Miele Australia Pty. Ltd.
1 Gilbert Park Drive
Knoxfield, VIC, 3180
Tel. +61(0)3/97 64 71 30
Telefax +61(0)3/97 64 71 49

AUSTRIA

Miele Gesellschaft mbH.
Mielestraße 1
5071 Wals/Salzburg
Tel. +43(0)50 800-81 481
Telefax +43(0)50 800-81 429

BELGIUM

N.V. Miele S.A.
2.5 Mollem 480
Hof te Bollebeeklaan 9
1730 Mollem
Tel. +32(0)2/451.14.11
Telefax +32(0)2/451.14.14

CANADA

Miele Limited
161 Four Valley Drive
Vaughan, ON L4K 4V8
Toll free: (800) 643-5381
Tel. (905) 660-9936
Telefax (905) 532-2290

CHILE

Miele Electrodomesticos Ltda.
Av. Vitacura 3285
Vitacura
Santiago de Chile
Tel. +56 2 2077171
Telefax +56 2 2065676

CHINA

Miele Beijing Rep. Office
3W Suite 512, Oriental Plaza,
1 East Chang An Avenue
Dong Cheng District
Beijing 100738, P.R. China
Tel. +86 10 85151919
Telefax +86 10 85181797

Miele Shanghai Rep. Office
Suite 4105-06, Plaza 66
1266 Nanjing Road West
Shanghai 200040, P.R. China
Tel. +86 21 62884200
Telefax +86 21 62884100

CROATIA

Miele d.o.o.
Buzinski prilaz 32
10000 Zagreb
Tel. +385/1/66 89 000
Telefax +385/1/66 89 090

CZECH REPUBLIC

Miele spol. s.r.o.
Hněvkovského 81B, 61700 Brno
Tel. +420(0)5/4 35 53-1 11
Telefax +420(0)5/4 35 53-1 19

DENMARK

Miele A/S
2600 Glostrup, Erhvervsvej 2
Tel. +45 43 27 11 00
Tel. Salg/Professional
+45 43 27 15 00
Tel. Jylland +45 97 12 70 66
Telefax hovednr. +45 43 27 11 09
Telefax Salg/Professional
+45 43 27 15 09

FINLAND

Miele Oy
Porttikaari 6, 01200 Vantaa
Tel. +358(0)9/87 59 70
Telefax +358(0)9/87 59 72 99

FRANCE

Miele S.A.S.
9 avenue Albert Einstein
93151-Le Blanc-Mesnil (Paris)
Tel. +33(0)1/49 39 34 44
Telefax +33(0)1/49 39 44 38

GERMANY

Miele & Cie. KG
Carl-Miele-Straße 29
33332 Gütersloh
Tel. 0 180 220 21 21 (6 ct)*
Telefax 0 800 225 57 55
*Only in Germany

GREAT BRITAIN

Miele Co. Ltd. Fairacres
Marcham Road, Abingdon
Oxon OX14 1TW
Tel. +44(0)12 35/55 44 55
Telefax +44(0)12 35/55 44 77

GREECE

Miele Hellas GmbH
Mesogion 257
154 51 N. Psychiko-Athen
Tel. national 01/10 6 79 44 44
international 00 30/2/10 6 79 44 44
Telefax 01/10 6 79 42 09
international 00 30/2/10 6 79 42 09

HUNGARY

Miele Kft.
Alsó Törökvezs út 2.
1022 Budapest
Tel. +36 (06) 1 8806-400
Telefax +36 (0) 1 8006-402

HONG KONG

Miele Hong Kong Ltd.
AIA Plaza, Room 24th Floor,
18 Hysan Avenue,
Causeway Bay, Hong Kong
Tel. +852/26101331
Telefax +852/28901266

IRELAND

Miele Ireland Ltd.
Broomhill Road
Tallaght, Dublin 24
Tel. +353(0)1/461 07 10
Telefax +353(0)1/461 07-97

ITALY

Miele Italia S.r.l.
Strada di Circonvallazione, 27
39057 S. Michele-Appiano (BZ)
Tel. +39 04 71/66 61 11
Telefax +39 04 71/66 63 50

JAPAN

Miele Japan Corp.
E Space Tower 11F
3-6 Maruyamacho
Shibuya-ku Tokyo
150-0044 Japan
Tel. +81(3)5784-0030
Telefax +81(3)5784-0035

KOREA

Miele Korea Limited
Miele Haus, 607-10 Yeoksam-dong
Gangnam-gu
Seoul 135-080
Tel. +82 2 3451 9343
Telefax +82 2 3451 9399

LATVIA

Miele SIA
Kr. Valdemāra 21–621
1010 RIGA
Tel. +371 6 7035232
Telefax +371 6 7035252

LUXEMBOURG

Miele s.à r.l.
20, Rue Christophe Plantin
2339 Luxembourg
Tel. +352/4 97 11-25
Telefax +352/4 97 11-39

MEXICO

Miele S.A. de C.V.
Av. Santa Fé 170
German Centre 0-4-2
01210, México, D.F.
Tel. +52/55/85 03 98 70 and
+52/55/85 03 98 73
Telefax +52/55/85 03 98 74

NETHERLANDS

Miele Nederland B.V.
De Limiet 2, 4131 NR Vianen
Tel. +31(0)3 47/37 88 83
Telefax +31(0)3 47/37 84 29

NEW ZEALAND

Miele New Zealand Ltd.
Unit L, 10–20 Sylvia Park Road
Mt. Wellington, 1060 Auckland
Tel. +64(0)9/573 1269
Telefax +64(0)9/573 1268

NORWAY

Miele AS
Loxaveien 13
1351 Rud
Tel. +47/67 17 31 00
Telefax +47/67 17 31 10

POLAND

Miele Sp. z. o. o.
ul. Gotarda 9
02-683 Warszawa
Tel. +48/022/5 48 40 00
Telefax +48/022/5 48 40 10

PORTUGAL

Miele Portuguesa, Lda.
Av. do Forte, 5
2790-073 Carnaxide
Tel. +351/21/42 48-100
Telefax +351/21/42 48-109

ROMANIA

Miele Appliances SRL
Intrarea Narciselor 8
OTOPENI
Jud. Ilfov
Tel. +40 21 3520777
Telefax +40 21 3520776

RUSSIA

000 Miele CIS
Leningradskij Prospekt, 39A
125167 Moscow
Tel. +7(8)495 745-8992
Telefax +7(8)495 745-8680

SINGAPORE

Miele Pte. Ltd.
163 Penang Road #04-02/03
Winsland House II
Singapore 238463
Tel. +65/67 35 11 91
Telefax +65/67 35 11 61

SLOVAKIA

Miele spol. s. r. o.
Plynárenská 1
82109 Bratislava
Tel. +421/2/53 63 37 37
Telefax +421/2/53 63 37 46

SLOVENIA

Miele d.o.o.
Brncičeva 41 g
1000 Ljubljana
Tel. +386 (0)1563 44-80
Telefax +386 (0) 1563 44-90

SOUTH AFRICA

Miele SA (Pty) Ltd.
63 Peter Place
Bryanston 2194
Tel. +27(0)11/5 48-19 00
Telefax +27(0)11/5 48-19 35

SPAIN

Miele S.A.
Carretera de Fuencarral, 20
28108 Alcobendas (Madrid)
Tel. +34/91/6 23 20 00
Telefax +34/91/6 62 02 66

SWEDEN

Miele AB
Industrivägen 20
Box 1397
171 27 Solna
Tel. +46(0)8/5 62 29-000
Telefax +46(0)8/5 62 29-209

SWITZERLAND

Miele AG
Limmatstr. 4
8957 Spreitenbach
Tel. +41(0)56/4 17 20 00
Telefax +41(0)56/4 17-24 69

TURKEY

Miele Elektrikli Aletler
Diş. Tic. ve Paz. Ltd. Şti.
Güvercin Sokak No. 10
34330 Levent-Istanbul
Tel. +90/2 12/3 25 84 40
Telefax +90/2 12/3 25 84 49

UKRAINE

Miele LLC
Spaskaya St., 30 A
04070 Kiev
Tel. +38 (8)044 4960300
Telefax +38 (8)044 4942285

UNITED ARAB EMIRATES

Miele Appliances Ltd.
Gold & Diamond Park
Sheikh Zayed Road
Building No. 6,
Offices Nos. 214–220
Dubai
Tel. +971 4 3418444
Telefax +971 4 3418852

USA

Miele, Inc.
9 Independence Way
Princeton, NJ 08540
Tel. 001-800/843 72 31
Telefax 001-609/419 42 41

OTHER COUNTRIES:

Sales International
Miele & Cie. KG
Carl-Miele-Straße 29
33332 Gütersloh
Tel. +49(0)52 41-89 15 07
Telefax +49(0)52 41-89 15 00