



Product Data Sheet for KLEENGUARD* A40 Light Duty Overshoe With Sole - White /M/L - 98710

Product Information

Product Long Code 09871000 Customer Facing Code 98710

Description KLEENGUARD* A40 Light Duty Overshoe With Sole

- White /M/L

PDS Reference 13/03/2017



Packaging Configuration

Case Contents 200 Overshoes

Outer Pack MaterialPaperCommodity Code62101098

Product Description

Single-use overshoe/boot constructed using the A40 Anti-static base sheet with robust sole, improves safety and comfort in high-risk areas, protects against water-based splashes, liquids or dust particles and provides general protection.

Ideal for: keeping footwear clean and covered; helping to reduce contamination in food processing and light industrial areas; protecting safety footwear from splashes and spills in heavier industrial areas.

Available as: standard and extra-large sizes, with white, breathable, non-absorbent elasticated upper plus vinyl sole.

Features and Benefits

Features Benefits

CE Marked – Category 1 Sign of quality and protection

Single-use light duty overshoe with hard wearing sole ideal for Helps to reduce contamination in food processing and light industrial

keeping footwear clean and covered

Product Specifications

TechnologyFilm laminateLow lintYesBreatheableYesSterileNoLatex FreeYesSilicone FreeYes

Bar Code (Case) 05027375041488 Bar Code (Pack) 5033848035557

Colour White

Product Data Sheet for KLEENGUARD* A40 Light Duty Overshoe With Sole - White /M/L - 98710

International Standards and Symbols

Marketing

Fabric Choice

Technology - Apparel



Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.

Be Safer

Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

Simple - CAT I, Intermediate - CAT II or Complex - CAT III

CE Mark



Trade

ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



ISO 9001:2008

Packaging

Unit Of Sale Case Net Weight(kg) 5.77

Max Weight(kg) 6.88 **Case Dimension** 41.3 x 32.3 x 22

(LXWXH)(cm)

Pallet Type	LxWxH (m)	Cases per Layer	Layers per Pallet	Cases per Pallet
E5	1.20 x 0.80 x 1.46	6	6	36

Related Products

Product Code	Description	
Same product different size		
98720	KLEENGUARD* A40 Light Duty Overshoe With Sole - White	

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.



Product Data Sheet for KLEENGUARD* A40 Light Duty Overshoe With Sole - White /M/L - 98710

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Infofax Details infofax@kcc.com Websites www.kcprofessional.co.uk

Storage conditions Keep dry. Store in a cool dry

place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.

Customer Service Number For more information please contact customer service at +44 1732 594 000

Country of Origin CHINA