

Product Data Sheet for KLEENGUARD* A40 Light Duty Overshoe With Sole - White - 98720

Product Information

Product Long Code	09872000
Customer Facing Code	98720
Description	KLEENGUARD* A40 Light Duty Overshoe With Sole - White
PDS Reference	13/03/2017



Packaging Configuration

Case Contents	200 Overshoes
Outer Pack Material	Paper
Commodity Code	62101098

Product Description

Single-use overshoe/boot constructed using the A40 Anti-static base sheet with robust sole, improves safety and comfort in high-risk areas, protects against water-based splashes, liquids or dust particles and provides general protection.

Ideal for: keeping footwear clean and covered; helping to reduce contamination in food processing and light industrial areas; protecting safety footwear from splashes and spills in heavier industrial areas.

Available as: standard and extra-large sizes, with white, breathable, non-absorbent elasticated upper plus vinyl sole.

Features and Benefits

Features	Benefits
CE Marked – Category 1	Sign of quality and protection
Single-use light duty overshoe with hard wearing sole ideal for keeping footwear clean and covered	Helps to reduce contamination in food processing and light industrial areas

Product Specifications


Technology	Film laminate	Low lint	Yes
Breatheable	Yes	Sterile	No
Latex Free	Yes	Silicone Free	Yes
Bar Code (Case)	05027375041495	Bar Code (Pack)	5033848035564
Colour	White		

Product Data Sheet for KLEENGUARD* A40 Light Duty Overshoe With Sole - White - 98720

International Standards and Symbols

Marketing

Technology – Apparel Fabric Choice



Solution

Safer Workplace We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

CE Mark Simple - CAT I, Intermediate - CAT II or Complex - CAT III



Trade

ISO 9001 This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



Packaging

Unit Of Sale	Case	Net Weight(kg)	5.77
Max Weight(kg)	6.79	Case Dimension (LXWXH)(cm)	41.3 x 32.3 x 22
Inner Pack Material	Plastic		

Pallet Type	LxWxH (m)	Cases per Layer	Layers per Pallet	Cases per Pallet
E5	1.20 x 0.80 x 1.46	6	6	36

Related Products

Product Code	Description
	Same product different size
98710	KLEENGUARD* A40 Light Duty Overshoe With Sole - White /M/L

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.



Product Data Sheet for KLEENGUARD* A40 Light Duty Overshoe With Sole - White - 98720

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Infobox Details	infofax@kcc.com	Websites	www.kcprofessional.co.uk
Storage conditions	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.		
Customer Service Number	For more information please contact customer service at +44 1732 594 000		
Country of Origin	CHINA		