

## Material Safety Data Sheet According to 91/155 EEC

Printing date 01.02.2006

Reviewed on 01.02.2006

### \* 1 Identification of substance:

- **Product details:** Reagent for water analysis
- **Product name:** TPTZ Iron F10 ml
- **Catalogue number:** CW/53.05.70
- **Supplier:**  
Camlab Limited  
Camlab House, Norman Way, Over, Cambridge CB4 5WE  
United Kingdom  
Tel: +44 (0)1954 233100
- **Informing department:** Technical Support
- **Emergency information:**  
National Poisons Information Service, United kingdom  
Tel: 0870 600 6266 (24 hours) • <http://www.npis.org/>

### \* 2 Composition/Data on components:

- **Chemical characterization**
- **Description:** Mixture of organic and anorganic compounds

· **Dangerous components:**

CAS: 7681-57-4 EINECS: 231-673-0 EC Number: 016-063-00-2	disodium disulphite	☒ Xn; R 22-31-41	10-20%
CAS: 7775-14-6 EINECS: 231-890-0 EC Number: 016-028-00-1	sodium dithionite	☒ Xn; R 7-22-31	10-20%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

### 3 Hazards identification

- **Hazard designation:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 22 Harmful if swallowed.

R 31 Contact with acids liberates toxic gas.

R 41 Risk of serious damage to eyes.

- **Classification system**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

# Material Safety Data Sheet

## According to 91/155 EEC

Printing date 01.02.2006

Reviewed on 01.02.2006

---

**Product name: TPTZ Iron F10 ml**

---

(Contd. of page 1)

### 4 First aid measures

- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water.  
Call a doctor immediately.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
Induce vomiting.
- **Information for doctor** Sulphites are strong sensitizers.
- **The following symptoms may occur:**  
after inhalation:  
breathing difficulty  
coughing  
mucous membrane irritation  
after swallowing:  
allergic reactions  
headache  
sickness  
vomiting  
gastric or intestinal trouble  
diarrhoea

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
Fire-extinguishing powder  
Limestone powder  
Dry sand
- **Special hazards caused by the material, its products of combustion or resulting gases:**  
Formation of toxic gases is possible during heating or in case of fire.  
Sulphur oxides (SOx)
- **Protective equipment:**  
Wear self-contained breathing apparatus.  
Wear full protective suit.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Collect contaminated fire fighting water separately. It must not enter drains.

### 6 Accidental release measures

- **Person-related safety precautions:**  
Put on breathing apparatus.  
Wear protective equipment. Keep unprotected persons away.  
Avoid causing dust.
- **Measures for environmental protection:** Do not allow product to reach sewage system or water bodies.
- **Measures for cleaning/collecting:**  
Ensure adequate ventilation.  
Collect mechanically.  
Dispose of contaminated material as waste according to item 13.

---

GB  
(Contd. on page 3)

# Material Safety Data Sheet

## According to 91/155 EEC

Printing date 01.02.2006

Reviewed on 01.02.2006

Product name: TPTZ Iron F10 ml

(Contd. of page 2)

### 7 Handling and storage

- **Handling**
- **Information for safe handling:**
  - Thorough dedusting.
  - Keep containers tightly sealed.
- **Information about protection against explosions and fires:** Dust can combine with air to form an explosive mixture.
- **Storage**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:**
  - Do not store together with acids.
  - Store away from oxidizing agents.
- **Further information about storage conditions:**
  - Protect from heat and direct sunlight.
  - Store under dry conditions.
  - Protect from humidity and keep away from water.
  - Protect from the effects of light.

### \* 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

7681-57-4 disodium disulphite

WEL (Great Britain) Long-term value: 5 mg/m<sup>3</sup>

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **Personal protective equipment**
- **General protective and hygienic measures**
  - Keep away from foodstuffs, beverages and food.
  - Take off immediately all contaminated clothing
  - Wash hands during breaks and at the end of the work.
  - Avoid contact with the eyes.
- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P2
- **Protection of hands:**
  - Only use chemical-protective gloves with CE-labelling of category III.
  - After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
  - nitrile rubber, NBR
  - Recommended thickness of the material:  $\geq 0.11$  mm
- **Penetration time of glove material**
  - Value for the permeation: Level  $\geq 6$  (480 min)
  - The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

### 9 Physical and chemical properties:

- |                                       |                |
|---------------------------------------|----------------|
| · <b>Form:</b>                        | Powder         |
| · <b>Colour:</b>                      | White          |
| · <b>Odour:</b>                       | Odourless      |
| · <b>Melting point/Melting range:</b> | Not determined |
| · <b>Boiling point/Boiling range:</b> | Not determined |
| · <b>Flash point:</b>                 | Not applicable |

(Contd. on page 4)

# Material Safety Data Sheet

## According to 91/155 EEC

Printing date 01.02.2006

Reviewed on 01.02.2006

---

**Product name: TPTZ Iron F10 ml**


---

(Contd. of page 3)

· <b>Danger of explosion:</b>	Product is not explosive.
· <b>Density</b>	Not determined
· <b>Solubility in / Miscibility with Water:</b>	Soluble
· <b>pH-value (10.4 g/l) at 20°C:</b>	3.4
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
· <b>Solids content:</b>	100.0 %

---

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.
  - **Materials to be avoided:**
    - acids
    - sodium nitrite
    - sodium chlorite
    - oxidizing agents
    - > forms heat
  - **Dangerous reactions** Contact with acids releases toxic gases
  - **Dangerous products of decomposition:**
    - Sulphur dioxide
    - carbon monoxide and carbon dioxide
    - Sulphur oxides (SOx)
    - see chapter 5
- 

### 11 Toxicological information

- **Acute toxicity:** Quantitative data on the toxicity of the preparation are not available.

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>7681-57-4 disodium disulphite</b>		
Oral	LD50	1540 mg/kg (rat)
<b>7775-14-6 sodium dithionite</b>		
Oral	LD50	2500 mg/kg (rat)
<b>50-81-7 ascorbic acid</b>		
Oral	LD50	11900 mg/kg (rat)

- **Primary irritant effect:**
    - **on the skin:** Irritant to skin and mucous membranes.
    - **on the eye:** Strong irritant with the danger of severe eye injury.
  - **Sensitization:**
    - Sensitizing effect by inhalation is possible by prolonged exposure.
    - Sensitizing effect by skin contact is possible by prolonged exposure.
  - **Additional toxicological information:**
    - The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
    - Harmful
    - Irritant
- 

— GB —  
(Contd. on page 5)

# Material Safety Data Sheet

## According to 91/155 EEC

Printing date 01.02.2006

Reviewed on 01.02.2006

Product name: TPTZ Iron F10 ml

(Contd. of page 4)

### 12 Ecological information:

- **Information about elimination (persistence and degradability):**
- **Other information:** Quantitative data on the ecological effect of this product are not available.

- **Behaviour in environmental systems:**

**50-81-7 ascorbic acid**

log P(o/w) -2.15 (.)

- **Ecotoxicological effects:**

- **Acquatic toxicity:**

**7681-57-4 disodium disulphite**

EC50 89 mg/l/48h (Daphnia magna)

LC50 150-220 mg/l/96h (Onchorhynchus mykiss)

**50-81-7 ascorbic acid**

LC50 33000 (Merck) mg/l/48h (Leuciscus idus)

1020 mg/l/96h (Onchorhynchus mykiss)

- **Remark:**

- **Algae toxicity:**

CAS No. 7681-57-4 Desmodesmus subspicatus IC50: 48mg/l/72 h

**7681-57-4 disodium disulphite**

IC50 48 mg/l/72h (Desmodesmus subspicatus)

- **Bacterial toxicity:**

CAS No. 7681-57-4 Pseudomonas putida EC50: 56 mg/l/17 h

**7681-57-4 disodium disulphite**

EC50 56 mg/l/17h (Pseudomonas putida)

- **Additional ecological information:**

- **COD-value:**

**7681-57-4 disodium disulphite**

COD 0.168 g/g (.)

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment acc. VwVwS Annex 4): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

### 13 Disposal considerations

- **Product:**

- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

16 05 06 laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### 14 Transport information

- **Land transport ADR/RID (cross-border)**

- **ADR/RID-GGVS/E Class:** -

- **Maritime transport IMDG:**

- **IMDG Class:** -

(Contd. on page 6)

# Material Safety Data Sheet

## According to 91/155 EEC

Printing date 01.02.2006

Reviewed on 01.02.2006

---

**Product name: TPTZ Iron F10 ml**

---

(Contd. of page 5)

· <b>Marine pollutant:</b>	No
----------------------------	----

· <b>Air transport ICAO-TI and IATA-DGR:</b>	
· <b>ICAO/IATA Class:</b>	-

---

· <b>Transport/Additional information:</b> Not dangerous according to the above specifications.
---

---

### 15 Regulatory information

**· Designation according to EC guidelines:**

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

**· Code letter and hazard designation of product:**

Xn Harmful

**· Risk phrases:**

22 Harmful if swallowed.

31 Contact with acids liberates toxic gas.

41 Risk of serious damage to eyes.

**· Safety phrases:**

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/39 Wear suitable protective clothing and eye/face protection.

60 This material and its container must be disposed of as hazardous waste.

**· National regulations****· Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

---

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant R-phrases**

22 Harmful if swallowed.

31 Contact with acids liberates toxic gas.

41 Risk of serious damage to eyes.

7 May cause fire.

**· Department issuing data specification sheet:** Technical Department**· \* Data compared to the previous version altered.**

---