

Material Safety Data Sheet According to 91/155 EEC

Printing date 15.09.2005

Reviewed on 15.09.2005

*** 1 Identification of substance:**

- **Product details:** Reagent for water analysis
- **Product name:** Phosphate No.2 LR
- **Catalog number:** 00513059, (4)513050, (4)513051, 513053
- **Supplier:**
Tintometer GmbH
Schleefstraße 8a-12
D - 44287 Dortmund
Made in Germany phone: +49(0)231 94510-0
- **Informing department:** Department Laboratory
- **Emergency information:**
Poison Center Berlin, Germany
phone: +49(0)30 19240

*** 2 Composition/Data on components:**

· **Description:** Preparation contains anorganic compounds.

· **Dangerous components:**

CAS: 7681-57-4 EINECS: 231-673-0 EC Number: 016-063-00-2	disodium disulphite	<input checked="" type="checkbox"/> Xn; R 22-31-41	10-20%
CAS: 12054-85-2 EINECS: 234-722-4	ammonium heptamolybdate tetrahydrate		5-10%

· **Additional information** For the wording of the listed risk phrases refer to section 16.

*** 3 Hazards identification**

· **Hazard designation:**



Xi Irritant

· **Information pertaining to particular dangers for man and environment**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 31 Contact with acids liberates toxic gas.

R 41 Risk of serious damage to eyes.

· **Classification system**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

*** 4 First aid measures**

- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.

Material Safety Data Sheet

According to 91/155 EEC

Printing date 15.09.2005

Reviewed on 15.09.2005

Product name: Phosphate No.2 LR

(Contd. of page 1)

- **After eye contact**
 - Rinse opened eye for several minutes under running water.
 - Call a doctor immediately.
 - **After swallowing**
 - Seek medical treatment.
 - Drink copious amounts of water, induce vomiting.
 - **The following symptoms may occur:**
 - after inhalation:
 - breathing difficulty
 - coughing
 - after swallowing:
 - sickness
 - vomiting
 - mucous membrane irritation
 - gastric or intestinal trouble
-

* 5 Fire fighting measures

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
 - **Special hazards caused by the material, its products of combustion or resulting gases:**
 - Formation of toxic gases is possible during heating or in case of fire.
 - Nitrogen oxides (NO_x)
 - Sulphur oxides (SO_x)
 - sodium oxide
 - **Protective equipment:**
 - Wear self-contained breathing apparatus.
 - Wear full protective suit.
 - **Additional information**
 - Ambient fire may liberate hazardous vapours.
 - Collect contaminated fire fighting water separately. It must not enter drains.
 - Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
-

* 6 Accidental release measures

- **Person-related safety precautions:**
 - Put on breathing apparatus.
 - Wear protective equipment. Keep unprotected persons away.
 - **Measures for environmental protection:** Do not allow product to reach sewage system or water bodies.
 - **Measures for cleaning/collecting:**
 - Dispose of contaminated material as waste according to item 13.
 - Collect mechanically.
 - Ensure adequate ventilation.
-

* 7 Handling and storage

- **Handling**
 - **Information for safe handling:** No special measures required.
 - **Information about protection against explosions and fires:** No special measures required.
 - **Storage**
 - **Requirements to be met by storerooms and containers:** Store in cool location.
 - **Information about storage in one common storage facility:**
 - Do not store together with acids.
 - Store away from oxidizing agents.
 - **Further information about storage conditions:**
 - Protect from heat and direct sunlight.
-

(Contd. on page 3)

Material Safety Data Sheet

According to 91/155 EEC

Printing date 15.09.2005

Reviewed on 15.09.2005

Product name: Phosphate No.2 LR

(Contd. of page 2)

- Store under dry conditions.
 - Protect from humidity and keep away from water.
 - Protect from the effects of light.
 - **Storage class** Not required.
-

* 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

7681-57-4 disodium disulphite

OES (Great Britain) Long-term value: 5 mg/m³

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **Personal protective equipment**

- **General protective and hygienic measures**

- Take off immediately all contaminated clothing
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes.
- Do not eat, drink or smoke while working.

- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

- **Recommended filter device for short term use:** Filter P2

- **Protection of hands:**

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Preventive skin protection by use of skin-protecting agents is recommended.
- After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

nitrile

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.11 mm

- **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level ≥ 6 (480 min)

- **Eye protection:** Tightly sealed safety glasses.

- **Body protection:** Protective work clothing.
-

* 9 Physical and chemical properties:

· Form:	Tablets
· Colour:	White
· Odour:	Odourless
· Melting point/Melting range:	Not determined
· Boiling point/Boiling range:	300°C
· Flash point:	Not applicable
· Danger of explosion:	Product is not explosive.
· Density at 20°C	1.549 g/cm ³
· Solubility in / Miscibility with Water:	Soluble
· pH-value (10.1 g/l) at 20°C:	4.72

(Contd. on page 4)

— GB —

Material Safety Data Sheet

According to 91/155 EEC

Printing date 15.09.2005

Reviewed on 15.09.2005

Product name: Phosphate No.2 LR

(Contd. of page 3)

· Solvent content:	
Organic solvents:	0.0 %
· Solids content:	100.0 %

* 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.
- **Materials to be avoided:**
 - acids
 - oxidizing agents
 - > forms heat
- **Dangerous reactions** Contact with acids releases toxic gases
- **Dangerous products of decomposition:**
 - Sulphur dioxide
 - Carbon monoxide and carbon dioxide
 - Nitrogen oxides (NOx)
 - Sulphur oxides (SOx)
 - see chapter 5

* 11 Toxicological information

- **Acute toxicity:** Quantitative data on the toxicity of the preparation are not available.

· LD/LC50 values that are relevant for classification:		
10043-35-3 boric acid, crude natural, containing not more than 85 per cent of H3BO3 calculated on the dry weight		
Oral	LD50	2660 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rat)
7681-57-4 disodium disulphite		
Oral	LD50	1540 mg/kg (rat)
12054-85-2 ammonium heptamolybdate tetrahydrate		
Oral	LD50	3883 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)

- **Primary irritant effect:**
 - **on the skin:** Irritant to skin and mucous membranes.
 - **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effect known.
- **Subacute to chronic toxicity:**
 - CAS-No. 10043-35-3:
 - MERCK: Sensitization test (guinea pig): negative (OECD 406)
- **Experience with humans:**
 - molybdenum(VI):
 - Can cause liver damages.
 - Can cause kidney damages.
- **Additional toxicological information:**
 - The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
 - Irritant

* 12 Ecological information:

- **Information about elimination (persistence and degradability):**
- **Other information:** Quantitative data on the ecological effect of this product are not available.

(Contd. on page 5)

Material Safety Data Sheet

According to 91/155 EEC

Printing date 15.09.2005

Reviewed on 15.09.2005

Product name: Phosphate No.2 LR

(Contd. of page 4)

· Behaviour in environmental systems:	
10043-35-3 boric acid, crude natural, containing not more than 85 per cent of H3BO3 calculated on the dry weight	
log P(o/w)	0.76 (25°C) (.)

· Mobility and bioaccumulation potential:	
Depending on the concentration, nitrogen compounds may contribute to the eutrophication of water supplies.	
· Ecotoxic effects:	

· Aquatic toxicity:	
10043-35-3 boric acid, crude natural, containing not more than 85 per cent of H3BO3 calculated on the dry weight	
EC50	133 mg/l/48h (Daphnia magna)
LC50	5600 mg/l/96h (Gambusia affinis)
7681-57-4 disodium disulphite	
EC50	89 mg/l/48h (Daphnia magna)
LC50	150-220 mg/l/96h (Onchorhynchus mykiss)

· Remark:	
Toxic for fish:	
NH ₄ ⁺ > 0.3 mg/l	
molybdenum compounds in general: > 25 mg/l	
· Algal toxicity:	
CAS No. 7681-57-4 Desmodesmus subspicatus IC50: 48mg/l/72 h	
molybdenum compounds: Sc. quadricauda toxic from 54 mg/l	

7681-57-4 disodium disulphite	
IC50	48 mg/l/72h (Desmodesmus subspicatus)

· Bacterial toxicity:	
CAS No. 7681-57-4 Pseudomonas putida EC50: 56 mg/l/17 h	

7681-57-4 disodium disulphite	
EC50	56 mg/l/17h (Pseudomonas putida)

· Protozoa: molybdenum compounds: Microregma toxic from 27 mg/l	
· Additional ecological information:	

· CSB-value:	
7681-57-4 disodium disulphite	
COD	0.168 g/g (.)

· General notes:	
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.	
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.	
Must not reach sewage water or drainage ditch undiluted or unneutralized.	

* 13 Disposal considerations

· Product:	
· Recommendation	
Disposal must be made according to official regulations.	
Hand over to disposers of hazardous waste.	
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.	
· European waste catalogue	
16 05 07	discarded inorganic chemicals consisting of or containing dangerous substances

· Uncleaned packagings:	
· Recommendation: Disposal must be made according to official regulations.	
· Recommended cleaning agent: Water, if necessary with cleaning agent.	

— GB —
(Contd. on page 6)

Material Safety Data Sheet

According to 91/155 EEC

Printing date 15.09.2005

Reviewed on 15.09.2005

Product name: Phosphate No.2 LR

(Contd. of page 5)

* 14 Transport information

- Land transport ADR/RID (cross-border)
- ADR/RID-GGVS/E Class: -

- Maritime transport IMDG:
- IMDG Class: -
- Marine pollutant: No

- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA Class: -

· **Transport/Additional information:** Not dangerous according to the above specifications.

* 15 Regulatory information

- **Designation according to EC guidelines:**
The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)
 - **Code letter and hazard designation of product:**
Xi Irritant
 - **Risk phrases:**
31 Contact with acids liberates toxic gas.
41 Risk of serious damage to eyes.
 - **Safety phrases:**
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
39 Wear eye/face protection.
60 This material and its container must be disposed of as hazardous waste.
-

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant R-phrases**
22 Harmful if swallowed.
31 Contact with acids liberates toxic gas.
41 Risk of serious damage to eyes.
 - **Department issuing data specification sheet:** Technical Department
 - *** Data compared to the previous version altered.**
-