Lovibond

Page 1/5

1 N N

# Material Safety Data Sheet

11

. .

11 A A

According to 91/155 EEC

Printing date 18.03.2005

10 M M

#### **1 Identification of substance:**

· Product details: Reagent for water analysis

. . . . . .

. . . . . . . . . .

- · Product name: <u>Alka-p-Photometer</u>
- · Catalog number: 00513239, (4)513230, (4)513231, 513233

1.1

. . . . . . .

10 A. A. A.

• **Supplier:** Tintometer GmbH Schleefstraße 8a-12 D - 44287 Dortmund Made in Germany

phone: +49(0)231 94510-0

Reviewed on 18.03.2005

- · Informing department: Department Laboratory
- Emergency information: Poison Center Berlin, Germany phone: +49(0)30 19240

### 2 Composition/Data on components:

- · Description: Mixture of organic and anorganic compounds
- · Dangerous components: Void

### **3 Hazards identification**

· Hazard designation: void

#### · Information pertaining to particular dangers for man and environment

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system** 

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

### **4 First aid measures**

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- $\cdot$  After skin contact Instantly rinse with water.
- · After eye contact Rinse opened eye for several minutes under running water.
- $\cdot$  After swallowing Rinse out mouth and then drink plenty of water.
- $\cdot$  The following symptoms may occur:
- After swallowing of large amounts:
- sickness
- vomiting

## 5 Fire fighting measures

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards caused by the material, its products of combustion or resulting gases:
- Formation of toxic gases is possible during heating or in case of fire.

Printing date 18.03.2005

#### Product name: Alka-p-Photometer

· Protective equipment: Wear self-contained breathing apparatus.

#### · Additional information

Ambient fire may liberate hazardous vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter drains.

### **6** Accidental release measures

#### · Person-related safety precautions:

Avoid causing dust.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- · Measures for environmental protection: Do not allow product to reach sewage system or water bodies.
- · Measures for cleaning/collecting:
- Collect mechanically.

Ensure adequate ventilation.

Dispose of contaminated material as waste according to item 13.

· Additional information: No dangerous materials are released.

### 7 Handling and storage

· Handling

- Information for safe handling: No special measures required.
- · Information about protection against explosions and fires: The product is not flammable

· Storage

- Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store under dry conditions.

Protect from humidity and keep away from water.

- Protect from heat and direct sunlight.
- · Storage class Not required.

### 8 Exposure controls and personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists that were valid during the compilation were used as basis.

- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures should be adhered to general rules for handling chemicals.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended.
- · Material of gloves

nitrile

- Recommended thickness of the material:  $\geq 0.11$  mm
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Value for the permeation: Level  $\ge 6$  (480 min)

• Eye protection: Safety glasses

Reviewed on 18.03.2005

(Contd. of page 1)

Printing date 18.03.2005

#### Product name: Alka-p-Photometer

· Body protection: Protective work clothing.

(Contd. of page 2)

Reviewed on 18.03.2005

Physical and chemical p	
Form:	Tablets
Colour:	Pink
Odour:	Odourless
Melting point/Melting range:	Not determined
<b>Boiling point/Boiling range:</b>	1461°C
Flash point:	Not applicable
Self-inflammability:	Product is not selfigniting.
Danger of explosion:	Product is not explosive.
Density at 20°C	2.063 g/cm <sup>3</sup>
Solubility in / Miscibility with	
Water:	Soluble
pH-value (12 g/l) at 20°C:	8.15
Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %

### **10 Stability and reactivity**

• Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

· Materials to be avoided: alkali metals

- · Dangerous reactions No dangerous reactions known
- Dangerous products of decomposition: see chapter 5

# **11 Toxicological information**

• Acute toxicity: Quantitative data on the toxicity of the preparation are not available.

· LD/LC50 values that are relevant for classification:		
7647-14-5 sodium chloride		
Oral	LD50	3000 mg/kg (rat)
Dermal	LD50	> 10000 mg/kg (rabbit)
56-40-6 glycineiron sulphate (1:1)		
Oral	LD50	7930 mg/kg (rat)
144-55-8 sodium hydrogencarbonate		
Oral	LD50	4220 mg/kg (rat)
	LDLo	500 mg/kg (human)

#### · Primary irritant effect:

· on the skin: No irritant effect.

• on the eye: No irritant effect.

 $\cdot$  Sensitization: No sensitizing effect known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

(Contd. on page 4)

Printing date 18.03.2005

#### Product name: Alka-p-Photometer

(Contd. of page 3)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### **12 Ecological information:**

· Information about elimination (persistence and degradability):

- · Other information: Quantitative data on the ecological effect of this product are not available.
- · Ecotoxical effects:
- · Acquatic toxicity:

7647-14-5 sodium chloride

EC50 1000 mg/l/48h (Daphnia magna)

LC50 7650 mg/l/96h (Pimephales promelas)

144-55-8 sodium hydrogencarbonate

EC50 2350 mg/l/48h (Daphnia magna)

LC50 7550 mg/l/96h (Gambusia affinis)

8250 mg/l/96h (Lepomis macrochirus)

#### General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

### **13 Disposal considerations**

· Product:

· Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

### <sup>14</sup> Transport information

· Land transport ADR/RID (cross-border)

· ADR/RID-GGVS/E Class: -

- · Maritime transport IMDG:
- · IMDG Class:

• Marine pollutant:

• Air transport ICAO-TI and IATA-DGR:

· ICAO/IATA Class:

· Transport/Additional information: Not dangerous according to the above specifications.

### \*15 Regulatory information

### · Designation according to EC guidelines:

Observe the normal safety regulations when handling chemicals

No

Printing date 18.03.2005

### Product name: Alka-p-Photometer

(Contd. of page 4)

GB -

Reviewed on 18.03.2005

The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

### **16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data specification sheet: Technical Department

 $\cdot$  \* Data compared to the previous version altered.