

phone: +49(0)231 94510-0

Page 1/7

## Material Safety Data Sheet According to 91/155 EEC

Printing date 15.09.2005 Reviewed on 15.09.2005

#### 1 Identification of substance:

· Product details: Reagent for water analysis

· Product name: Phosphate HR P1

· Catalog number: 00515819, (4)515810, (4)515811, 515813

· Supplier:

Tintometer GmbH Schleefstraße 8a-12 D - 44287 Dortmund Made in Germany

· Informing department: Department Laboratory

· Emergency information:

Poison Center Berlin, Germany phone: +49(0)30 19240

#### \* 2 Composition/Data on components:

· Description: Preparation contains anorganic compounds.

-	· Dangerous components:					
	CAS: 10034-88-5 EINECS: 231-665-7 EC Number: 016-046-00-X		<b>X</b> Xi; R 41	35-40%		
	CAS: 12125-02-9 EINECS: 235-186-4 EC Number: 017-014-00-8	ammonium chloride	Xn; R 22-36	20-25%		

<sup>·</sup> Additional information For the wording of the listed risk phrases refer to section 16.

### \* 3 Hazards identification

· Hazard designation:



Xi Irritant

#### · Information pertaining to particular dangers for man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 41 Risk of serious damage to eyes.

· Classification system

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

#### 4 First aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 2)

Printing date 15.09.2005 Reviewed on 15.09.2005

Product name: Phosphate HR P1

(Contd. of page 1)

· After eye contact

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· After swallowing

Seek medical treatment.

Rinse out mouth and then drink plenty of water.

· The following symptoms may occur:

after swallowing:

irritation

headache

sickness

vomiting

mucous membrane irritation

gastric or intestinal trouble

### \* 5 Fire fighting measures

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards caused by the material, its products of combustion or resulting gases:

Formation of toxic gases is possible during heating or in case of fire.

Hydrogen chloride (HCl)

Sulphur oxides (SOx)

nitrogen oxides

ammonia

sodium oxide

· Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Ambient fire may liberate hazardous vapours.

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### \* 6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- Measures for environmental protection: Do not allow product to reach sewage system or water bodies.
- · Measures for cleaning/collecting:

Dispose of contaminated material as waste according to item 13.

Collect mechanically.

Ensure adequate ventilation.

## 7 Handling and storage

- · Handling
- · Information for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store under dry conditions.

Protect from humidity and keep away from water.

This product is hygroscopic.

(Contd. on page 3)

Printing date 15.09.2005 Reviewed on 15.09.2005

Product name: Phosphate HR P1

(Contd. of page 2)

Protect from the effects of light.

· Storage class Not required.

#### 8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

### 12125-02-9 ammonium chloride

OES (Great Britain) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the compilation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Do not eat, drink or smoke while working.

- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

nitrile

Recommended thickness of the material:  $\geq 0.11$  mm

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level  $\geq 6$  (480 min)

- · Eye protection: Tightly sealed safety glasses.
- · Body protection: Protective work clothing.

#### 9 Physical and chemical properties:

· Form: · Colour: · Odour:	Tablets White Odourless
· Melting point/Melting range: · Boiling point/Boiling range:	Not determined 300°C
· Flash point:	Not applicable
· Danger of explosion:	Product is not explosive.
· Density at 20°C	1.967 g/cm³
· Solubility in / Miscibility with Water:	Soluble
· pH-value (40.6 g/l) at 20°C:	1.1
· Solvent content: Organic solvents:	0.0 %

(Contd. on page 4)

Printing date 15.09.2005 Reviewed on 15.09.2005

Product name: Phosphate HR P1

(Contd. of page 3)

· Solids content:

100.0 %

## \* 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
- · Materials to be avoided:

alkali compounds

alkalis

acids

metals

halogen compounds

alcohols

aluminium

chlorine

oxidizing agents

### · Dangerous reactions

Corrosive action on metals

Corrodes aluminium

Forms hydrogen in aqueous solution with metals

Liberates acid in contact with water or alcohol.

Reacts with metals forming hydrogen

---> Explosive

#### · Dangerous products of decomposition:

Sulphur oxides (SOx)

sodium monoxide

see chapter 5

### \*11 Toxicological information

· Acute toxicity: Quantitative data on the toxicity of the preparation are not available.

· LD/LC	· LD/LC50 values that are relevant for classification:				
12125-0	2125-02-9 ammonium chloride				
Oral LD50 1440 mg/kg (rat)		1440 mg/kg (rat)			
7757-82-6 sodium sulphate					
Oral	LD50	5989 mg/kg (mouse)			
10043-35-3 boric acid, crude natural, containing not more than 85 per cent of H3BO3 calculated on the dry					
Oral	LD50	2660 mg/kg (rat)			
Dermal	LD50	> 2000 mg/kg (rat)			
	D + + + + + 00 +				

#### · Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effect known.
- · Subacute to chronic toxicity:

CAS-No. 10043-35-3:

MERCK: Sensitization test (guinea pig): negative (OECD 406)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Irritant

GB

Printing date 15.09.2005 Reviewed on 15.09.2005

Product name: Phosphate HR P1

(Contd. of page 4)

#### \*12 Ecological information:

- · Information about elimination (persistence and degradability):
- Other information: Quantitative data on the ecological effect of this product are not available.
- · Behaviour in environmental systems:

12125-02-9 ammonium chloride

 $\log P(o/w) -4.37$  (.)

10043-35-3 boric acid, crude natural, containing not more than 85 per cent of H3BO3 calculated on the dry weight

 $\log P(o/w) = 0.76 (25^{\circ}C) (.)$ 

· Ecotoxical effects:

· Acquatic toxicity:

### 12125-02-9 ammonium chloride

EC50 > 100 mg/l/48h (Daphnia magna)

LC50 725 mg/l/96h (Lepomis macrochirus)

7757-82-6 sodium sulphate

EC50 2564 mg/l/48h (Daphnia magna)

LC50 | 13500-14500 mg/l/96h (Pimephales promelas)

10043-35-3 boric acid, crude natural, containing not more than 85 per cent of H3BO3 calculated on the dry weight

EC50 133 mg/l/48h (Daphnia magna)

LC50 5600 mg/l/96h (Gambusia affinis)

· Remark:

Toxic for fish:

 $NH_4^+ > 0.3 \text{ mg/l}$ 

sulphates > 7 g/l

- · Bacterial toxicity: sulphates toxic > 2.5 g/l
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## \* 13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

#### · European waste catalogue

16 05 07 discarded inorganic chemicals consisting of or containing dangerous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

GD.

Printing date 15.09.2005 Reviewed on 15.09.2005

Product name: Phosphate HR P1

(Contd. of page 5)

### $^st$ 14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID-GGVS/E Class: 8 (C2) Corrosive substances.

Kemler Number: 80
UN-Number: 3260
Packaging group: III
Label 8

• Designation of goods: 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (sodium hydrogensulphate)

· Maritime transport IMDG:



· IMDG Class: 8
· UN Number: 3260
· Label 8
· Packaging group: III
· EMS Number: F-A,S-B
· Marine pollutant: No

· Correct technical name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (sodium hydrogensulphate)

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 8
· UN/ID Number: 3260
· Label 8
· Packaging group: III

Correct technical name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (sodium hydrogensulphate)

#### \*15 Regulatory information

· Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

· Code letter and hazard designation of product:

Xi Irritant

· Risk phrases:

41 Risk of serious damage to eyes.

· Safety phrases:

22 Do not breathe dust.

24 Avoid contact with skin.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

39 Wear eye/face protection.

60 This material and its container must be disposed of as hazardous waste.

GB

Printing date 15.09.2005 Reviewed on 15.09.2005

Product name: Phosphate HR P1

(Contd. of page 6)

## 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant R-phrases
- 22 Harmful if swallowed.
- 36 Irritating to eyes.
- 41 Risk of serious damage to eyes.
- · Department issuing data specification sheet: Technical Department
- · \* Data compared to the previous version altered.

CD