

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669 -3050

MSDS No: M00460

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: TanniVer® 3 Tannin -Lignin Reagent
Catalog Number: 256032

HACH LANGE GmbH
Wills tätterstrasse 11
40549 Düsseldorf, Germany
+49 -(0)211 -52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00460

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Determination of Tannin/Lignin

CAS No.: Not applicable

Hazard: Causes burns.

Date of MSDS Preparation:

Day: 12

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32 -(0)70 -245245, France: +33 (0)1 -40370404, Italy: +39 -026101029, Netherlands: +31 -(0)30 -2748888, Switzerland: +41 -(0)1 -2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Lithium Sulfate

EEC Number: 2338204

CAS No.: 10102 -25-7

Percent Range: 10,0 - 20,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

Hydrochloric Acid

EEC Number: 2315957

CAS No.: 764700

Percent Range: 1,0 - 5,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: 5 ppm ceiling

PEL: 5 ppm ceiling

EU Occupational Exposure Limits: Hydrogen chloride: 5 ppm (8 mg/m³); STEL 10 ppm (15 mg/m³)

Sodium Molybdate

EEC Number: 2315517

CAS No.: 10102 -40-6

Percent Range: 1,0 - 5,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: 5 mg/m³ (as Mo)
PEL: 5 mg/m³ (as Mo)
EU Occupational Exposure Limits: 5 mg/m³ as Mo

Demineralized Water

EEC Number: 2317912
CAS No.: 7732185
Percent Range: 60,0 - 70,0
Percent Range Units: volume / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

Other component

EEC Number: Not applicable
CAS No.: Not applicable
Percent Range: < 1,0
Percent Range Units: weight / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

Phosphoric Acid

EEC Number: 2316332
CAS No.: 7664882
Percent Range: 1,0 - 10,0
Percent Range Units: volume / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: 1 mg/m³
PEL: 1 mg/m³
EU Occupational Exposure Limits: 0,2 ppm (1 mg/m³); STEL 0,5 ppm (2 mg/m³)

Sodium Tungstate VI

EEC Number: 2367434
CAS No.: 10213 -10-2
Percent Range: 5,0 - 15,0
Percent Range Units: weight / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: 1 mg/m³ (W)
PEL: 1 mg/m³ (W)
EU Occupational Exposure Limits: 1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, yellow liquid
Odor: None
EU Symbols: Not applicable
R PHRASES: Not applicable

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): None reported

Skin Contact (EC): None reported

Skin Absorption (EC): None Reported

Target Organs (SA E): None Reported

Ingestion (EC): May cause: irritation of the mouth and esophagus drowsiness weakness blurred vision anemia gastrointestinal disturbances nausea diarrhea central nervous system effects respiratory arrest circulatory collapse coma

Target Organs (Ing E): Circulatory system Central nervous system

Inhalation: May cause: irritation of nose and throat difficult breathing drowsiness blurred vision central nervous system effects respiratory arrest circulatory disturbances coma

Target Organs (Inh E): Central nervous system Circulatory system

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Impaired pulmonary function such as obstructive airway diseases.

Chronic Effects: Lithium compounds have been implicated in development of aplastic anemia. Signs of lithium poisoning include dehydration, extreme weight loss, fine tremor of hands, nausea, vomiting and diarrhea. Chronic overexposure may cause central nervous system effects enzyme activity effects pulmonary fibrosis

Cancer / Reproductive Toxicity Information:

IARC Group 3: Non-classifiable

Hydrochloric acid

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Does not burn, but may melt in a fire, releasing toxic fumes.

Hazardous Combustion Products: This material will not burn.

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when any quantity is spilled.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat Keep away from: metals wood
Special Packaging Instructions: Not applicable
Use of the substance/preparation: Determination of Tannin/Lignin

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: heat Keep away from: metals wood

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, yellow liquid

Physical State: Liquid

Odor: None

pH: 1,0

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: ~100 °C (~212° F)

Melting Point: Not determined

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,172

Evaporation Rate (water = 1): 0,59

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n -octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 0.610 in/yr

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Excess moisture Extreme temperatures

Reactivity / Incompatibility: Incompatible with: strong bases metals wood

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: chlorides sulfur oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutatio n Data: None reported

Reproductive Effects Data: None reported

--

Ingredient Toxicological Data: Sodium Tungstate: Oral rat LD50 = 1190 mg/kg; H₃PO₄: Oral rat LD50 = 1530 mg/kg; HCl: Oral rabbit LD50 = 900 mg/kg, Inhal. LC50 = 3124 ppm; Sodium Molybdate: Oral rat LD50 = 4000 mg/kg; Lithium Sulfate: Oral mouse LD50 = 1190 mg/kg

IARC Group 3: Non-classifiable

Hydrochloric acid

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: HCl: LC100 trout 10 mg/l/24 -hr; LC50 shrimp 100 to 330 ppm/48 -hr (salt water); LC50 Starfish 100 to 330 mg/l/48 -hr; LC50 cockle 330 to 1000 mg/l/48 -hr; TLm mosquito fish 28-22 ppm/96 -hr (fresh water); LC50 goldfish 178 mg/l

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(Hydrochloric Acid/Phosphoric Acid Solution)

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN3264

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(Hydrochloric Acid/Phosphoric Acid Solution)

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN3264

I.M.O. Packing Group: II

A.D.R.:

A.D.R. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(Hydrochloric Acid/Phosphoric Acid Solution)

A.D.R. Hazard Class: 8

A.D.R. Subsidiary Risk: NA

A.D.R. UN -Number:: 3264

A.D.R. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: Not applicable
R PHRASES: Not applicable
S PHRASES: Not applicable

16. OTHER INFORMATION

References: TLV's Threshold Limit Values and Biological Exposure Indices for 1992 -1993. American Conference of Governmental Industrial Hygienists, 1992. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332 -2983. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Sax, N. Irving and Richard J. Lewis, Sr., revised by. Hawley's Condensed Chemical Dictionary, Eleventh Ed. New York: Van Nostrand Reinhold Co., 1987. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Technical Judgment.

R PHRASES: Not applicable

Use of the substance/preparation: Determination of Tannin/Lignin

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006