

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

<u>Product</u>	<u>MSDS</u>	<u>Distributor</u>	<u>Format</u>	<u>Language</u>	<u>Quantity</u>
2070242	N/A	Hach Company	EEC	English	1

Total Enclosures: 1

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00306

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Chlorine Dioxide Reagent 3
Catalog Number: 2070242

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00306

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Determination of chlorine dioxide

CAS No.: Not applicable

Hazard: Causes severe eye irritation.

Date of MSDS Preparation:

Day: 12

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: 75,0 - 85,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Aminomethylpropanol

EEC Number: 2047098

CAS No.: 124-68-5

Percent Range: 15,0 - 25,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Xi - IRRITATING

Ingredient R phrase(s) (R phrase details given in Heading 16): R 36/38

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless
Odor: None
EU Symbols: Xi - IRRITATING
R PHRASES: R 36/38: Irritating to eyes and skin.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes irritation
Skin Contact (EC): Causes mild irritation
Skin Absorption (EC): Will be absorbed through the skin.
Target Organs (SA E): None Reported
Ingestion (EC): May cause: irritation of the mouth and esophagus abdominal pain
Target Organs (Ing E): None Reported
Inhalation: May cause: irritation of nose and throat
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: None reported
Chronic Effects: None reported
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Call physician if irritation develops.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.
Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Combustion generates toxic fumes.
Hazardous Combustion Products: Toxic fumes of: nitrogen oxides. carbon monoxide, carbon dioxide.
Fire / Explosion Hazards: Do not expose to flames.
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Alcohol foam. Dry chemical.
Extinguishing Media NOT To Be Used: Not applicable Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.
Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Dike large spills to keep spilled material from entering sewage and drainage systems or bodies of water.
Clean-up Technique: Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution.
Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Store away from: oxidizers Protect from: heat

Special Packaging Instructions: Not applicable
Use of the substance/preparation: Determination of chlorine dioxide

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: heat oxidizers

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless

Physical State: Liquid

Odor: None

pH: 11,6

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 101°C (214°F)

Melting Point: Not determined

Flash Point: >100°C (>212°F)

Method: Closed cup

Autoignition Temperature: Not determined

Flammability Limits:

Lower Explosion Limits: Not determined

Upper Explosion Limits: Not determined

Specific Gravity (water = 1): 0,990

Evaporation Rate (water = 1): 0,46

Volatile Organic Compounds Content: Not determined

Partition Coefficient (n-octanol / water): Not determined

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 0,000 in/yr

Aluminum: 0,035 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Heat

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: Toxic fumes of: nitrogen oxides carbon dioxide carbon monoxide

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: None reported
Reproductive Effects Data: None reported

--
Ingredient Toxicological Data: Aminomethylpropanol: Oral rat LD50 = 2900 mg/kg

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:
I.C.A.O. Proper Shipping Name: Not Currently Regulated

--
ICAO Hazard Class: NA
ICAO Subsidiary Risk: NA
ICAO UN/ID Number: NA
ICAO Packing Group: NA

I.M.O.:
I.M.O. Proper Shipping Name: Not Currently Regulated

--
I.M.O. Hazard Class: NA
I.M.O. Subsidiary Risk: NA
I.M.O. UN Number: NA
I.M.O. Packing Group: NA

A.D.R.:
A.D.R. Proper Shipping Name: Not Currently Regulated

--
A.D.R Hazard Class: NA
A.D.R. Subsidiary Risk: NA
A.D.R. UN-Number:: NA
A.D.R. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:
EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.
EEC Number: Not applicable
EEC LABEL COPY:
EU Symbols: Xi - IRRITATING
R PHRASES: R 36/38: Irritating to eyes and skin.
S PHRASES: Not applicable

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

R PHRASES: R 36/38: Irritating to eyes and skin.

Use of the substance/preparation: Determination of chlorine dioxide

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006