

World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M00503

## SAFETY DATA SHEET

---

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name:** Nessler Reagent  
**Catalog Number:** 2119432

HACH LANGE GmbH  
Willstätterstrasse 11  
40549 Düsseldorf, Germany  
+49-(0)211-52880

Emergency Telephone Numbers:  
(Poison Information Center Main)  
(+49 (0) 6131 19240) 24 HR

**SDS Number:** M00503

**Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

**Chemical Family:** Not applicable

**Use of the substance/preparation:** Determination of ammonium nitrogen

**CAS No.:** Not applicable

**Hazard:** Causes severe burns. Poison. Cumulative poison. Experimental teratogen.

**Date of MSDS Preparation:**

**Day:** 08

**Month:** November

**Year:** 2004

**Additional Emergency Response Numbers:** Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33-(0)1-40370404, Italy: +39-02-66101029, Netherlands: +31-(0)30-2748888, Switzerland: +41-(0)1-2515151

---

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Sodium Hydroxide

**EEC Number:** 2151855

**CAS No.:** 1310-73-2

**Percent Range:** 10,0 - 20,0

**Percent Range Units:** weight / weight

**Ingredient EEC Symbol:** C - CORROSIVE

**Ingredient R phrase(s) (R phrase details given in Heading 16):** R 35

**TLV:** 2 mg/m<sup>3</sup> Ceiling/STEL

**PEL:** 2 mg/m<sup>3</sup>

**EU Occupational Exposure Limits:** 2 mg/m<sup>3</sup>

#### Demineralized Water

**EEC Number:** 2317912

**CAS No.:** 7732-18-5

**Percent Range:** 70,0 - 80,0

**Percent Range Units:** volume / volume

**Ingredient EEC Symbol:** Not applicable

**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

**Other component**

**EEC Number:** Not applicable

**CAS No.:** Not applicable

**Percent Range:** < 1,0

**Percent Range Units:** weight / weight

**Ingredient EEC Symbol:** Not applicable

**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

**Mercuric Iodide**

**EEC Number:** 2318738

**CAS No.:** 774-29-0. Contains mercury. Dispose according to local, state or federal laws.

**Percent Range:** 5,0 - 10,0

**Percent Range Units:** weight / weight

**Ingredient EEC Symbol:** T+ - VERY TOXIC N - Dangerous for the Environment

**Ingredient R phrase(s) (R phrase details given in Heading 16):** R 26/27/28 R 33 R 51/53

**TLV:** 0,1 mg(Hg)/m<sup>3</sup> (skin)

**PEL:** 0,1 mg(Hg)/m<sup>3</sup> (skin)

**EU Occupational Exposure Limits:** 0,1 mg/m<sup>3</sup>

**Sodium Iodide**

**EEC Number:** 2316793

**CAS No.:** 7681-82-5

**Percent Range:** 5,0 - 10,0

**Percent Range Units:** weight / weight

**Ingredient EEC Symbol:** Not applicable

**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** 3 mgm<sup>3</sup>

---

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:**

**Appearance:** Clear, yellow liquid

**Odor:** Not determined

**EU Symbols:** T+ - VERY TOXIC N - DANGEROUS FOR THE ENVIRONMENT

**R PHRASES:** R 26/27/28: Very toxic by inhalation, in contact with skin and if swallowed. R 33: Danger of cumulative effects. R 35: Causes severe burns. R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Protective Equipment:**

**Potential Health Effects:**

**Eye Contact (EC):** Causes burns

**Skin Contact (EC):** Causes burns

**Skin Absorption (EC):** Very toxic Will be absorbed through the skin. Effects similar to those of ingestion

**Target Organs (SA E):** Central nervous system Kidneys

**Ingestion (EC):** Very Toxic May cause: abdominal pain nausea vomiting diarrhea shock loosening of the teeth toxic nephritis (inflammation of the kidneys) liver damage kidney damage collapse death burns of the mouth, esophagus and stomach

**Target Organs (Ing E):** Central nervous system Liver Kidneys

**Inhalation:** Very Toxic May cause: mouth soreness nausea vomiting abdominal pain diarrhea headache muscular twitching central nervous system effects liver damage kidney damage loosening of the teeth

**Target Organs (Inh E):** Liver Central nervous system Kidneys

**Medical Conditions Aggravated:** Allergies or sensitivity to mercury. Pre-existing: Eye conditions Skin conditions Respiratory conditions Liver conditions Kidney conditions Central nervous system diseases

**Chronic Effects:** Mercury is a general protoplasmic poison; it circulates in the blood and is stored in the liver, kidneys, spleen and bones. Main symptoms are sore mouth, tremors and psychic disturbances. Iodines overdose, 'iodism', may cause skin rash, runny nose, headaches, fever and bronchitis. Chronic overexposure may cause central nervous system effects brain damage kidney damage liver damage

**Cancer / Reproductive Toxicity Information:**

This product does NOT contain any IARC listed chemicals.

**Additional Cancer / Reproductive Toxicity Information:** Contains: an experimental teratogen.

**Toxicologically Synergistic Products:** None reported

---

## 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.

**Skin Contact (First Aid):** Wash skin with plenty of water for 15 minutes. Call physician immediately.

**Ingestion (First Aid):** Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

**Inhalation:** Remove to fresh air.

---

## 5. FIRE FIGHTING MEASURES

**Flammable Properties:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition.

**Hazardous Combustion Products:** Toxic fumes of: mercury sodium oxides iodine compounds

**Fire / Explosion Hazards:** None reported

**Static Discharge:** None reported.

**Mechanical Impact:** None reported

**Extinguishing Media:** Use media appropriate to surrounding fire conditions

**Extinguishing Media NOT To Be Used:** Not applicable

**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Spill Response Notice:**

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

**Containment Technique:** Releases of this material may contaminate the environment. Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

**Clean-up Technique:** Mercury and its compounds are extremely toxic! Avoid breathing spilled material. Avoid contact with spilled material. Absorb spilled liquid with non-reactive sorbent material. Sweep up material. Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate area with commercially available mercury absorbing compounds.

**Evacuation Procedure:** Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

---

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

**Storage:** Keep away from: acids organic material ammonia Protect from: light heat freezing

**Special Packaging Instructions:** Not applicable

**Use of the substance/preparation:** Determination of ammonium nitrogen

---

## 8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

**Engineering Controls:** Have a safety shower nearby. Have an eyewash station nearby. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product. Maintain general industrial hygiene practices when using this product. Use a fume hood to avoid exposure to dust, mist or vapor.

**Personal Protective Equipment:**

**Eye Protection:** chemical splash goggles

**Skin / Hand Protection:** neoprene latex gloves lab coat

**Inhalation Protection:** laboratory fume hood

**Precautionary Measures:** Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: light heat freezing Keep away from: acids/acid fumes ammonia organic materials

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

---

## 9. PHYSICAL / CHEMICAL PROPERTIES

**Appearance:** Clear, yellow liquid

**Physical State:** Liquid

**Odor:** Not determined

**pH:** 12,1

**Vapor Pressure:** Not available

**Vapor Density (air = 1):** Not available

**Boiling Point:** 110 C decomposes

**Melting Point:** Not available

**Flash Point:** Not applicable

**Method:** Not applicable

**Autoignition Temperature:** Not available

**Flammability Limits:**

**Lower Explosion Limits:** Not applicable

**Upper Explosion Limits:** Not applicable

**Specific Gravity (water = 1):** 1,265

**Evaporation Rate (water = 1):** Not determined

**Volatile Organic Compounds Content:** Not applicable

**Partition Coefficient (n-octanol / water):** Not applicable

**Solubility:**

**Water:** Miscible

**Acid:** Not determined

**Other:** Not determined

**Metal Corrosivity:**

**Steel:** Not determined

**Aluminum:** Not determined

---

## 10. STABILITY / REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.

**Conditions to Avoid:** Exposure to light or contamination by organic materials will affect this product's stability. Extreme temperatures

**Reactivity / Incompatibility:** Incompatible with: acids oxidizers organic materials ammonia

**Hazardous Decomposition:** Toxic fumes of: mercury iodine compounds

**Hazardous Polymerization:** Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

**Product Toxicological Data:**

**LD50:** None reported

**LC50:** None reported

**Dermal Toxicity Data:** Mercuric Iodide Skin rat LD50 = 75 mg/kg

**Skin and Eye Irritation Data:** None reported

**Mutation Data:** None reported

**Reproductive Effects Data:** Mercuric Iodide Inhalation rat TCLo = 4870 ng/m<sup>3</sup>/24H - female 1-22 days after conception - post-implantation mortality

Mercuric Iodide Inhalation rat TCLo = 450 ng/m<sup>3</sup>/24H - female 1-22 days after conception - embryo or fetus - extra embryonic structures, fetotoxicity

**Ingredient Toxicological Data:** Mercuric Iodide Oral rat LD50 = 18 mg/kg; Sodium Hydroxide Oral rat LDLo = 500 mg/kg; Sodium Iodide Oral rat LD50 = 4340 mg/kg

This product does NOT contain any IARC listed chemicals.

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --

No ecological data available for this product.

**Ingredient Ecological Information:** --

No ecological data available for the ingredients of this product.

---

## 13. DISPOSAL CONSIDERATIONS

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

---

## 14. TRANSPORT INFORMATION

**I.C.A.O.:**

**I.C.A.O. Proper Shipping Name:** Corrosive Liquid, Toxic, N.O.S.

(Mercuric Iodide/Sodium Hydroxide Solution)

**ICAO Hazard Class:** 8

**ICAO Subsidiary Risk:** 6,1

**ICAO UN/ID Number:** UN2922

**ICAO Packing Group:** II

**I.M.O.:**

**I.M.O. Proper Shipping Name:** Corrosive Liquid, Toxic, N.O.S.

(Mercuric Iodide/Sodium Hydroxide Solution)

**I.M.O. Hazard Class:** 8

**I.M.O. Subsidiary Risk:** 6,1

**I.M.O. UN Number:** UN2922

**I.M.O. Packing Group:** II

**A.D.R.:**

**A.D.R. Proper Shipping Name:** Corrosive Liquid, Toxic, N.O.S.  
(Mercuric Iodide/Sodium Hydroxide Solution)

**A.D.R Hazard Class:** 8

**A.D.R. Subsidiary Risk:** 6,1

**A.D.R. UN-Number::** 2922

**A.D.R. Packing Group:** II

**Additional Information:** This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

---

## 15. REGULATORY INFORMATION

**National Inventories:**

**EEC Inventory Status:** All ingredients used to make this product are listed on EINECS / ELINCS.

**EEC Number:** Not applicable

**EEC LABEL COPY:**

**EU Symbols:** T+ - VERY TOXIC N - DANGEROUS FOR THE ENVIRONMENT

**R PHRASES:** R 26/27/28: Very toxic by inhalation, in contact with skin and if swallowed. R 33: Danger of cumulative effects. R 35: Causes severe burns. R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**S PHRASES:** S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 28b: After contact with skin, wash immediately with plenty of soap and water. S 35: This material and its container must be disposed of in a safe way. S 36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

---

## 16. OTHER INFORMATION

**References:** 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Vendor Information. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. In-house information. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment.

**R PHRASES:** R 26/27/28: Very toxic by inhalation, in contact with skin and if swallowed. R 33: Danger of cumulative effects. R 35: Causes severe burns. R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Use of the substance/preparation:** Determination of ammonium nitrogen

**Revision Summary:** Updates in Section(s) 14,

---

### Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY ©2006**