

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669 -3050

MSDS No: M00444

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: DEHA 2 Reagent
Catalog Number: 2168042

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49 -(0)211 -52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00444

Chemical Name: Not applicable.

Chemical Formula: Not applicable.

Chemical Family: Not applicable

Use of the substance/preparation: Determination of N,N -diethylhydroxylamine

CAS No.: Not applicable.

Hazard: Causes burns.

Date of MSDS Preparation:

Day: 12

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32 -(0)70 -245245, France: +33 (0)1 -40370404, Italy: +39 -026101029, Netherlands: +31 -(0)30 -2748888, Switzerland: +41 -(0)1 -2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ferric Nitrate

EEC Number: 2338995

CAS No.: ~~77828~~

Percent Range: 1,0 - 5,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: 1 mg/m³ (as Fe)

PEL: 1 mg/m³ (as Fe)

EU Occupational Exposure Limits: **Limits:** 3 mg/m³, Inhalable dust

Nitric Acid

EEC Number: 2317142

CAS No.: ~~76972~~

Percent Range: 5,0 - 15,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: C - CORROSIVE

Ingredient R phrase(s) (R phrase details given in Heading 1 6): R 34

TLV: 2 ppm

PEL: 2 ppm

EU Occupational Exposure Limits: 2 ppm (5,2 mg/m³)

Demineralized Water

EEC Number: 2317912

CAS No.: ~~77328~~

Percent Range: 85,0 - 95,0

Percent Range Units: weight / weight
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless
Odor: None
EU Symbols: C - CORROSIVE
R PHRASES: R 34: Causes burns.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes burns
Skin Contact (EC): Causes burns
Skin Absorption (EC): None Reported
Target Organs (SA E): None Reported
Ingestion (EC): Causes: burns Iron poisoning is indicated by pink urine discoloration. Very large doses may cause: abdominal cramps black stool diarrhea gastrointest inal tract irritation vomiting liver damage coma
Target Organs (Ing E): Liver
Inhalation: Causes: burns May cause: bronchitis pneumonitis teeth erosion
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Pre -existing: Eye conditions Kidney conditions Liver conditions Respiratory conditions Skin conditions
Chronic Effects: Chronic overexposure may cause adverse effects to the blood erosion of the teeth
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.
Ingestion (First Aid): Do not induce vomiting. Give 1 -2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.
Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. Strong oxidizer. Contact with combustible materials may cause a fire.
Hazardous Combustion Products: Toxic fumes of: nitrogen oxides.
Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable May react violently with: combustible materials
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Water.
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self -contained breathing apparatus pressure -demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non -reactive sorbent material. Stop spilled material from being released to the environment.

Clean -up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store in a cool, dry place. Keep away from: combustible materials metals

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Determination of N,N -diethylhydroxylamine

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Use a fume hood to avoid exposure to dust, mist or vapor.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling.

TLV: Not established.

PEL: Not established.

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless

Physical State: Liquid

Odor: None

pH: < 0.5

Vapor Pressure: Not determined.

Vapor Density (air = 1): Not determined.

Boiling Point: ~ 100°C (~212°F)

Melting Point: Not determined.

Flash Point: Not applicable.

Method: Not applicable

Autoignition Temperature: Not applicable.

Flammability Limits:

Lower Explosion Limits: Not applicable.

Upper Explosion Limits: Not applicable.

Specific Gravity (water = 1): 1.062

Evaporation Rate (water = 1): Not determined.

Volatile Organic Compounds Content: None.

Partition Coefficient (n -octanol / water): Not applicable.

Solubility:

Water: Miscible.

Acid: Miscible.

Other: Not determined.

Metal Corrosivity:

Steel: 52.2 in/yr (1325.9 mm/yr)

Aluminum: 0,12 in/yr (3,048 mm/yr)

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Excess moisture

Reactivity / Incompatibility: May react violently in contact with: combustible materials organic materials reducers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: hydrogen nitrate nitrogen oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported.

LC50: None reported.

Dermal Toxicity Data: None reported.

Skin and Eye Irritation Data: None reported.

Mutation Data: None reported.

Reproductive Effects Data: None reported.

--

Ingredient Toxicological Data: Nitric Acid: Oral rat LD₅₀ = 430 mg/kg; Inhalation rat LC₅₀ = 625 ppm/4 hours. Ferric Nitrate: Oral rat LD₅₀ = 3250 mg/kg.

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(<15% Nitric Acid/<5% Ferric Nitrate Solution)

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN3264

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(<15% Nitric Acid/<5% Ferric Nitrate Solution)

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN3264

I.M.O. Packing Group: II

A.D.R.:

A.D.R. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(<15% Nitric Acid/<5% Ferric Nitrate Solution)

A.D.R Hazard Class: 8
A.D.R. Subsidiary Risk: NA
A.D.R. UN -Number:: 3264
A.D.R. Packing Group: II
Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping
Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable.

EEC LABEL COPY:

EU Symbols: C - CORROSIVE

R PHRASES: R 34: Causes burns.

S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor) . Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332 -2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1 -42) Supplement 7. France: 1987. In-house information. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992 -1993. American Conference of Governmental Industrial Hygienists, 1992. Vendor Information.

R PHRASES: R 34: Causes burns.

Use of the substance/preparation: Determination of N,N -diethylhydroxylamine

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006