

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: COD2 Mercury-Free COD Reagent 0-150 ppm Range

Catalog Number: 2565025

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00556

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Determination of Chemical Oxygen Demand

CAS No.: Not applicable

Hazard: Causes severe burns. Harmful if inhaled. Recognized carcinogen.

Date of MSDS Preparation:

Day: 7

Month: 01

Year: 2005

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33-(0)1-40370404, Italy: +39-02-66101029, Netherlands: +31-(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732-18-5

Percent Range: 15,0 - 25,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Chromic Acid

EEC Number: 2368815

CAS No.: 13530-68-2

Percent Range: 0,1 - 1,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: 0,05 mg/m³ (Cr⁺⁶)

PEL: 0,5 mg/m³ (Cr⁺⁶), Ceiling; Proposed: 1µg Cr⁶/m³, TWA (4 Oct FR Pg 59305).

EU Occupational Exposure Limits: 0,05 mg/m³ (as Cr⁺⁶)

Silver Sulfate

EEC Number: 2336537

CAS No.: 10294-26-5

Percent Range: 0,1 - 1,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: 0,01 mg/m³ (Ag)
PEL: 0,01 mg/m³ (Ag)
EU Occupational Exposure Limits: 0,01 mg/m³

Sulfuric Acid

EEC Number: 2316395
CAS No.: 7664-93-9
Percent Range: 75,0 - 85,0
Percent Range Units: volume / volume
Ingredient EEC Symbol: C - CORROSIVE
Ingredient R phrase(s) (R phrase details given in Heading 16): R 35
TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL)
PEL: 1 mg/m³
EU Occupational Exposure Limits: 0,1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Turbid, light orange liquid
Odor: None
EU Symbols: C - CORROSIVE
R PHRASES: R 35: Causes severe burns.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes severe burns
Skin Contact (EC): Causes severe burns
Skin Absorption (EC): None Reported
Target Organs (SA E): Not applicable
Ingestion (EC): Causes: severe burns May cause: circulatory disturbances diarrhea nausea vomiting rapid pulse and respirations
Target Organs (Ing E): None Reported
Inhalation: Causes: severe burns May cause: difficult breathing mouth soreness teeth erosion
Target Organs (Inh E): Lungs
Medical Conditions Aggravated: Pre-existing: Eye conditions Respiratory conditions Skin conditions
Chronic Effects: Chronic overexposure may cause chronic irritation or inflammation of the lungs erosion of the teeth cancer accumulation of silver in body tissues which causes a slate-gray to bluish discoloration.
Cancer / Reproductive Toxicity Information:
An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes. Hexavalent Chromium Compounds
Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.
Ingestion (First Aid): Do not induce vomiting. Give large quantities of water. Never give anything by mouth to an unconscious person. Call physician immediately.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Hazardous Combustion Products: This material will not burn.

Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Releases of this material may contaminate the environment. Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike the spill to contain material for later disposal.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: light contamination by organic materials (will affect product stability) heat

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Determination of Chemical Oxygen Demand

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Use a fume hood to avoid exposure to dust, mist or vapor. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: light heat organic materials Keep away from: alkalies metals other combustible materials oxidizers reducers

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Turbid, light orange liquid

Physical State: Liquid

Odor: None

pH: < 0,5

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: ~ 105°C (~ 221°F)

Melting Point: Not applicable

Flash Point: Not applicable
Method: Not applicable
Autoignition Temperature: Not applicable
Flammability Limits:
 Lower Explosion Limits: Not applicable
 Upper Explosion Limits: Not applicable
Specific Gravity (water = 1): ~ 1,78
Evaporation Rate (water = 1): Not determined
Volatile Organic Compounds Content: None
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
 Water: Miscible
 Acid: Not determined
 Other: Not determined
Metal Corrosivity:
 Steel: Not determined
 Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Exposure to light or contamination by organic materials will affect this product's stability.
Reactivity / Incompatibility: May react violently in contact with: acetic acid caustics chlorosulfonic acid oxidizers reducers alkalies Incompatible with: metals
Hazardous Decomposition: Contact with metals may release flammable hydrogen gas. Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
 LD50: None reported
 LC50: None reported
 Dermal Toxicity Data: None reported
 Skin and Eye Irritation Data: None reported
 Mutation Data: None reported
 Reproductive Effects Data: None reported

--
Ingredient Toxicological Data: Sulfuric Acid: Oral rat LD₅₀ = 2140 mg/kg; Inhalation rat LC₅₀ = 87 ppm/4hr.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes. Hexavalent Chromium Compounds

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: Sulfuric Acid: The 48-hour TLM in flounder is 100-300 ppm.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Sulphuric Acid Solution

--

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN1830

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Sulphuric Acid Solution

--

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN1830

I.M.O. Packing Group: II

A.D.R.:

A.D.R. Proper Shipping Name: Sulphuric Acid Solution

--

A.D.R. Hazard Class: 8

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: 1830

A.D.R. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: C - CORROSIVE

R PHRASES: R 35: Causes severe burns.

S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Technical Judgment.

R PHRASES: R 35: Causes severe burns.

Use of the substance/preparation: Determination of Chemical Oxygen Demand

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

*World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050*

*Page 6
Date Printed 1/7/05
MSDS No: M00556*

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2005