

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00128

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Ammonia Cyanurate Reagent Powder Pillows
Catalog Number: 2395566

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00128

Chemical Name: Not Applicable

Chemical Formula: Not Applicable

Chemical Family: Not applicable

Use of the substance/preparation: Reagent for ammonia test

CAS No.: Not Applicable

Hazard: Causes burns.

Date of MSDS Preparation:

Day: 29

Month: 08

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Sodium Dichloroisocyanurate

EEC Number: 2207677

CAS No.: 2893789

Percent Range: 1,0 - 5,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

Lithium Hydroxide, Anhydrous

EEC Number: 2151834

CAS No.: 1310652

Percent Range: 1,0 - 5,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: C - CORROSIVE

Ingredient R phrase(s) (R phrase details given in Heading 16): R 34

TLV: STEL 2 mg/m³ (ceiling)

PEL: 2 mg/m³

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

Sodium Citrate

EEC Number: 2006753

CAS No.: 68042

Percent Range: 80,0 - 90,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

Sodium Tartrate

EEC Number: 2127733
CAS No.: 6106247
Percent Range: 5,0 - 15,0
Percent Range Units: weight / weight
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: White powder
Odor: Chlorine
EU Symbols: C - CORROSIVE
R PHRASES: R 34: Causes burns.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes burns
Skin Contact (EC): Causes burns
Skin Absorption (EC): None Reported
Target Organs (SA E): None Reported
Ingestion (EC): Causes: burns May cause: dizziness nausea kidney damage liver damage
Target Organs (Ing E): Liver Kidneys Central nervous system Bone marrow
Inhalation: Causes: burns May cause: shortness of breath coughing
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions
Chronic Effects: Lithium compounds have been implicated in development of aplastic anemia. Signs of lithium poisoning include dehydration, extreme weight loss, fine tremor of hands, nausea, vomiting and diarrhea, Chronic overexposure may cause central nervous system effects kidney damage liver damage
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with soap and plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.
Hazardous Combustion Products: May emit toxic and corrosive fumes.
Fire / Explosion Hazards: Not combustible.
Static Discharge: None reported.

Mechanical Impact: None reported
Extinguishing Media: Dry chemical. Carbon dioxide. Water.
Extinguishing Media NOT To Be Used: Not applicable. Not applicable. Not applicable.
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Cover spilled solid material with sand or other inert material. Stop spilled material from being released to the environment.

Clean-up Technique: Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing. Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat moisture. Store away from: acids / acid fumes.

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Reagent for ammonia test

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Use a fume hood to avoid exposure to dust, mist or vapor. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing. Do not breathe: dust. Wash thoroughly after handling. Keep away from: acids/acid fumes metals

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White powder

Physical State: Solid

Odor: Chlorine

pH: of a 5% solution = 12,33

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not applicable

Melting Point: >240 °C; >464 °F

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not determined

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,783

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: None reported

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 0,00 in/yr

Aluminum: 0,803 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Heating to decomposition. Extreme temperatures Excess moisture

Reactivity / Incompatibility: Incompatible with: acids

Hazardous Decomposition: Contact with acids releases toxic and/or corrosive fumes of: chlorides nitrogen oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None Reported

LC50: None Reported

Dermal Toxicity Data: None Reported

Skin and Eye Irritation Data: None Reported

Mutation Data: None Reported

Reproductive Effects Data: None Reported

--

Ingredient Toxicological Data: Sodium Citrate Oral rat LD50 > 8 g/kg; Sodium Tartrate Oral rabbit LD50 = 5290 mg/kg; Lithium Hydroxide Oral rat LD50 = 225 mg/kg; Sodium Dichloroisocyanurate Oral rat LD50 = 1400 mg/kg

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Lithium Hydroxide Mixture

--

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN2680

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Lithium Hydroxide Mixture

--

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA
I.M.O. UN Number: UN2680
I.M.O. Packing Group: II

A.D.R.:

A.D.R. Proper Shipping Name: Lithium Hydroxide Mixture

--

A.D.R Hazard Class: 8

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: 2680

A.D.R. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: C - CORROSIVE

R PHRASES: R 34: Causes burns.

S PHRASES: S 24/25: Avoid contact with skin and eyes. S 37: Wear suitable gloves.

16. OTHER INFORMATION

References: NIOSH Registry of Toxic Effects of Chemical Substances, 1985-86. Cincinnati: U.S. Department of Health and Human Services, April, 1987. Patty, Frank A. Industrial Hygiene and Toxicology, 3rd Revised Edition. Volume 2. New York: A Wiley-Interscience Publication, 1981. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Technical Judgment. In-house information. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

R PHRASES: R 34: Causes burns.

Use of the substance/preparation: Reagent for ammonia test

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006