

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00481

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: SPADNS Fluoride Reagent
Catalog Number: 2506025

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49 -(0)211 -52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00481

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Determination of fluoride

CAS No.: Not applicable

Hazard: Causes burns.

Date of MSDS Preparation:

Day: 12

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: + 49 (0)6131 19240, Belgium: +32 -(0)70 -245245, France: +33 (0)1 -40370404, Italy: +39 -0266101029, Netherlands: +31 -(0)30 -2748888, Switzerland: +41 -(0)1 -2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hydrochloric Acid

EEC Number: 2315957

CAS No.: 764700

Percent Range: 30,0 - 40,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: C - CORROSIVE

Ingredient R phrase(s) (R phrase details given in Heading 16): R 22 R 34 R 37

TLV: 5 ppm ceiling

PEL: 5 ppm ceiling

EU Occupational Exposure Limits: Hydrogen chloride: 5 ppm (8 mg/m³); STEL 10 ppm (15³)

Demineralized Water

EEC Number: 2317912

CAS No.: 773218

Percent Range: 60,0 - 70,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Other components, each

EEC Number: Not applicable

CAS No.: Not applicable

Percent Range: < 0,1

Percent Range Units: Not applicable

Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

Sodium Arsenite

EEC Number: 2320705
CAS No.: 77846
Percent Range: 0,01 - 0,1
Percent Range Units: weight / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: 0,01 mg (As) /m³
PEL: 0,01 mg (As) /m³
EU Occupational Exposure Limits: 0,1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Dark red liquid
Odor: Acidic
EU Symbols: C - CORROSIVE
R PHRASES: R 22: Harmful if swallowed. R 34: Causes burns. R 37: Irritating to respiratory system.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes burns
Skin Contact (EC): Causes burns
Skin Absorption (EC): None Reported
Target Organs (SA E): None Reported
Ingestion (EC): Causes: burns ulceration of the digestive tract abdominal pain nausea vomiting sedation muscular twitching
Target Organs (Ing E): None Reported
Inhalation: Causes: respiratory tract irritation choking difficult breathing teeth erosion
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Impaired pulmonary function such as obstructive airway diseases.
Chronic Effects: Chronic overexposure may cause erosion of the teeth
Cancer / Reproductive Toxicity Information:
An ingredient of this mixture is: IARC Group 3: Non-classifiable
Hydrochloric acid
Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire, corrosive and toxic gases may be generated by thermal decomposition.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable

Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Releases of this material may contaminate the environment. Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike large spills to keep spilled material from entering sewage and drainage systems or bodies of water.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use. Protect from: heat Keep away from: metals

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Determination of fluoride

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have a safety shower nearby. Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Protect from: heat Keep away from: metals

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Dark red liquid

Physical State: Liquid

Odor: Acidic

pH: < 0,5

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 105° C (221° F)

Melting Point: Not determined

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,015

Evaporation Rate (water = 1): 0,64
Volatile Organic Compounds Content: Not applicable
Partition Coefficient (n -octanol / water): Not applicable
Solubility:
Water: Soluble
Acid: Soluble
Other: Not determined
Metal Corrosivity:
Steel: 0,207 in/yr
Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Evaporation Heating to decomposition.
Reactivity / Incompatibility: May react violently in contact with: strong bases oxidizers Incompatible with: metals
Hazardous Decomposition: Contact with metals may release flammable hydrogen gas. Heating to decomposition releases toxic and/or corrosive fumes of: arsenic compounds chlorides
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: Oral rat LD50 = 540 mg/kg
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: None reported
Reproductive Effects Data: None reported
--

Ingredient Toxicological Data: Hydrochloric Acid: Oral rat LD50 = 900 mg/kg, Inhalation rat LC50 = 3124 ppm/1H;
Sodium Arsenite Oral rat LD50 = 41 mg/kg, Dermal rat LD50 = 150 mg/kg

An ingredient of this mixture is: IARC Group 3: Non-classifiable
Hydrochloric acid

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: LC100 trout 10 mg/L 24 -hr; LC50 shrimp 100 to 330 ppm/48 -hr (salt water); LC50 Starfish 100 to 330 mg/L/48 -hr; LC50 cockle 330 to 1,000 mg/L/48 -hr; TLm mosquito fish 282 ppm/96 -hr (fresh water); LC50 goldfish 178 mg/L

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:
I.C.A.O. Proper Shipping Name: Hydrochloric Acid Solution
--
ICAO Hazard Class: 8
ICAO Subsidiary Risk: NA
ICAO UN/ID Number: UN1789

ICAO Packing Group: II
I.M.O.:
I.M.O. Proper Shipping Name: Hydrochloric Acid Solution
--
I.M.O. Hazard Class: 8
I.M.O. Subsidiary Risk: NA
I.M.O. UN Number: UN1789
I.M.O. Packing Group: II
A.D.R.:
A.D.R. Proper Shipping Name: Hydrochloric Acid Solution
--
A.D.R. Hazard Class: 8
A.D.R. Subsidiary Risk: NA
A.D.R. UN -Number: 1789
A.D.R. Packing Group: II
Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:
EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.
EEC Number: Not applicable
EEC LABEL COPY:
EU Symbols: C - CORROSIVE
R PHRASES: R 22: Harmful if swallowed. R 34: Causes burns. R 37: Irritating to respiratory system.
S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 28a: After contact with skin, wash immediately with plenty of water. S 37/39: Wear suitable gloves and eye / face protection. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. OTHER INFORMATION

References: TLV's Threshold Limit Values and Biological Exposure Indices for 1992 -1993. American Conference of Governmental Industrial Hygienists, 1992. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332 -2983. In-house information. Technical Judgment. Outside Testing. NIOSH/OSHA Occupational Health Guidelines for Chemical Hazards. Cincinnati: Department of Health and Human Services, 1981. Vendor Information. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993.
R PHRASES: R 22: Harmful if swallowed. R 34: Causes burns. R 37: Irritating to respiratory system.
Use of the substance/preparation: Determination of fluoride
Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006