

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00187

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Molybdate 3 Reagent for Silica
Catalog Number: 199532

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00187

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Silica determination

CAS No.: Not applicable

Hazard: Causes eye burns. Harmful if inhaled. Contains a recognized carcinogen.

Date of MSDS Preparation:

Day: 06

Month: July

Year: 2007

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33-(0)1-40370404, Italy: +39-02-66101029, Netherlands: +31-(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732-18-5

Percent Range: 60,0 - 70,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Molybdic Acid

EEC Number: 2319705

CAS No.: 7782-91-4

Percent Range: 5,0 - 15,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: 10 mg/m³ as Mo

PEL: 10 mg/m³ as Mo

EU Occupational Exposure Limits: 5 mg/m³ as Mo

Sodium Bisulfate

EEC Number: 2316657

CAS No.: 10034-88-5

Percent Range: 10,0 - 20,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Xi - IRRITATING

Ingredient R phrase(s) (R phrase details given in Heading 16): R 41

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

Sulfuric Acid

EEC Number: 2316395

CAS No.: 7664-93-9

Percent Range: 5,0 - 15,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Xi - IRRITATING

Ingredient R phrase(s) (R phrase details given in Heading 16): R 37 R 41

TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL)

PEL: 1 mg/m³

EU Occupational Exposure Limits: 0,1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless to light yellow liquid

Odor: Not determined

EU Symbols: Xi - IRRITATING

R PHRASES: R 37: Irritating to respiratory system. R 41: Risk of serious damage to eyes.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes burns

Skin Contact (EC): May cause irritation

Skin Absorption (EC): None Reported

Target Organs (SA E): None Reported

Ingestion (EC): May cause: burns of the mouth and esophagus nausea vomiting diarrhea circulatory disturbances rapid pulse and respirations loss of appetite anemia liver damage Molybdenum compounds may cause loss of coordination, enzyme activity effects, copper deficiency and gout.

Target Organs (Ing E): Liver

Inhalation: May cause: irritation of nose and throat difficult breathing teeth erosion mouth soreness anemia liver damage

Target Organs (Inh E): Liver Teeth

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Liver conditions Gout

Chronic Effects: Molybdenum poisoning signs include loss of appetite, listlessness and reduced growth rate. Excessive exposure to molybdenum compounds may cause gout and anemia. Chronic overexposure may cause enzyme activity effects copper deficiency erosion of the teeth chronic irritation or inflammation of the lungs cancer

Cancer / Reproductive Toxicity Information:

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Hazardous Combustion Products: None reported

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Water. Dry chemical. Carbon dioxide

Extinguishing Media NOT To Be Used: Not applicable Not applicable Not applicable

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike large spills to keep spilled material from entering sewage and drainage systems or bodies of water.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Store between 10° and 25°C. Keep away from: oxidizers reducers alkalies

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Silica determination

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin / Hand Protection: lab coat disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Keep away from: oxidizers reducers alkalies

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless to light yellow liquid

Physical State: Liquid

Odor: Not determined

pH: < 0,5

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: ~ 100 °C

Melting Point: Not applicable

Flash Point: > 212 °F; > 100 °C

Method: Closed cup

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,2 - 1,3

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not determined

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 5,97 in/yr (151,6 mm/yr)

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures Heating to decomposition.

Reactivity / Incompatibility: Incompatible with: reducers oxidizers strong bases

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: Skin rabbit: 3-min: Very slight erythema, no edema @ 1 hr; 1-hr: Erythema and edema, absent - very slight @ 1 hr, clear by 24 hr; 4-hr: Erythema, absent to very slight @ 1hr, clear by 24 hr, edema absent.

Mutation Data: None reported
Reproductive Effects Data: None reported

--
Ingredient Toxicological Data: Sulfuric Acid: Oral rat LD₅₀ = 2140 mg/kg; Inhalation rat LC₅₀ = 347 ppm/ 1 hour. Sodium Bisulfate: Oral rat LD₅₀ = 2828 mg/kg; Oral rat LD₅₀ = 1600 mg/kg.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.

Ingredient Ecological Information: Sulfuric Acid: The 48-Hour TLm in flounder is 100-300 ppm.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(Sulphuric Acid/Sodium Bisulphate Solution)

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN3264

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(Sulphuric Acid/Sodium Bisulphate Solution)

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN3264

I.M.O. Packing Group: III

A.D.R.:

A.D.R. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(Sulphuric Acid/Sodium Bisulphate Solution)

A.D.R Hazard Class: 8

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number: 3264

A.D.R. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: Xi - IRRITATING

R PHRASES: R 37: Irritating to respiratory system. R 41: Risk of serious damage to eyes.

S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 39: Wear eye / face protection.

16. OTHER INFORMATION

References: CCINFO MSDS/FTSS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. In-house information. Technical Judgment. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987.

R PHRASES: R 37: Irritating to respiratory system. R 41: Risk of serious damage to eyes.

Use of the substance/preparation: Silica determination

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2007

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00341

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Citric Acid F Reagent
Catalog Number: 2254232

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00341

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Silica test color stabilization and phosphate removal

CAS No.: Not applicable

Hazard: Causes moderate eye irritation.

Date of MSDS Preparation:

Day: 12

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Propionic acid

EEC Number: 2011763

CAS No.: 79094

Percent Range: < 1,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: 10 ppm

PEL: 10 ppm

EU Occupational Exposure Limits: 10 ppm (31 mg/m³); STEL 20 ppm (62 mg/m³)

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: 75,0 - 85,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Citric Acid

EEC Number: 2010691

CAS No.: 77929

Percent Range: 15,0 - 25,0
Percent Range Units: weight / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless
Odor: None
EU Symbols: Not applicable
R PHRASES: Not applicable

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): May cause irritation
Skin Contact (EC): May cause irritation
Skin Absorption (EC): No effects anticipated
Target Organs (SA E): Not applicable
Ingestion (EC): None reported
Target Organs (Ing E): None Reported
Inhalation: No effects anticipated
Target Organs (Inh E): Not applicable
Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions
Chronic Effects: Citric acid chronic overexposure may cause effects due to the ability of citric acid to chelate metals, which could impair the body's ability to absorb calcium and iron.
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Not applicable
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.
Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: May react violently with: metal nitrates
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Silica test color stabilization and phosphate removal

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: lab coat disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Wash thoroughly after handling.

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless

Physical State: Liquid

Odor: None

pH: 1,0

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: > 100°C (> 212°F)

Melting Point: < 0°C (< 32°F)

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,07

Evaporation Rate (water = 1): 0,93

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not determined

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 0,324 in/yr

Aluminum: 0,005 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures
Reactivity / Incompatibility: May react violently in contact with: metal nitrates
Hazardous Decomposition: Toxic fumes of: carbon dioxide carbon monoxide
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: None reported
Reproductive Effects Data: None reported

--

Ingredient Toxicological Data: Citric Acid: Oral rat LD50 = 6730 mg/kg; Propionic Acid: Oral rat LD50 = 2600 mg/kg

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.
(Citric Acid Solution)
ICAO Hazard Class: 8
ICAO Subsidiary Risk: NA
ICAO UN/ID Number: UN3265
ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.
(Citric Acid Solution)
I.M.O. Hazard Class: 8
I.M.O. Subsidiary Risk: NA
I.M.O. UN Number: UN3265
I.M.O. Packing Group: III

A.D.R.:

A.D.R. Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.
(Citric Acid Solution)
A.D.R Hazard Class: 8
A.D.R. Subsidiary Risk: NA
A.D.R. UN-Number:: 3265
A.D.R. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: Not applicable

R PHRASES: Not applicable

S PHRASES: Not applicable

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information.

R PHRASES: Not applicable

Use of the substance/preparation: Silica test color stabilization and phosphate removal

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Amino Acid F Reagent Solution
Catalog Number: 2386420

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00386

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Silica determination

CAS No.: Not applicable

Hazard: Allergen May cause irritation.

Date of MSDS Preparation:

Day: 07

Month: March

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: 80,0 - 90,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Other component

EEC Number: Not applicable

CAS No.: Not applicable

Percent Range: < 1,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Aminomethylpropanol

EEC Number: 2047098

CAS No.: 124-68-5

Percent Range: 5,0 - 10,0

Percent Range Units: weight / weight
Ingredient EEC Symbol: Xi - IRRITATING
Ingredient R phrase(s) (R phrase details given in Heading 16): R 36/38 R 52/53
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

Sodium Metabisulfite

EEC Number: 2316730
CAS No.: 7684574
Percent Range: 5,0 - 10,0
Percent Range Units: weight / weight
Ingredient EEC Symbol: Xi - IRRITATING
Ingredient R phrase(s) (R phrase details given in Heading 16): R 36/38
TLV: 5 mg/m³ (ACGIH - TWA)
PEL: Not established
EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Yellow to Brown Liquid
Odor: Sweet, pungent
EU Symbols: Xi - IRRITATING
R PHRASES: R 36: Irritating to eyes.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): May cause irritation
Skin Contact (EC): Causes mild irritation
Skin Absorption (EC): Will be absorbed through the skin.
Target Organs (SA E): None Reported
Ingestion (EC): May cause: abdominal pain allergic respiratory reaction diarrhea liver damage Very large doses may cause: central nervous system depression circulatory disturbances
Target Organs (Ing E): None Reported
Inhalation: May cause: allergic respiratory reaction headache nausea vomiting
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Sulfites are strong sensitizers. Inhalation and ingestion may cause allergic respiratory reactions in asthmatics. Persons with respiratory conditions should take special care when working with products that contain sulfites.
Chronic Effects: Chronic overexposure may cause allergic respiratory reactions
Cancer / Reproductive Toxicity Information:
An ingredient of this mixture is: IARC Group 3: Non-classifiable Metabisulfites
Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen.
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Flush eyes with water. Call physician if irritation develops.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Can burn in fire, releasing toxic vapors.
Hazardous Combustion Products: Toxic fumes of: sulfur oxides. carbon monoxide, carbon dioxide. sodium oxides
Fire / Explosion Hazards: May react violently with: strong oxidizers
Static Discharge: None reported.

Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Absorb spilled liquid with non-reactive sorbent material. Sweep up material. Place material in a plastic bag. Mark bag 'Non-hazardous trash', and dispose of as normal refuse. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat, light. Keep away from: oxidizers.

Special Packaging Instructions: Not applicable.

Use of the substance/preparation: Silica determination.

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes. Do not breathe: mist/vapor. Wash thoroughly after handling. Protect from: light, heat. Keep away from: oxidizers.

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Yellow to Brown Liquid

Physical State: Liquid

Odor: Sweet, pungent

pH: 7,4

Vapor Pressure: Not available

Vapor Density (air = 1): Not available

Boiling Point: 99°C; 210°F

Melting Point: -7°C; 19°F

Flash Point: >200°F; 93,3°C

Method: Closed cup

Autoignition Temperature: Not available

Flammability Limits:

Lower Explosion Limits: Not available

Upper Explosion Limits: Not available

Specific Gravity (water = 1): 1,115

Evaporation Rate (water = 1): 0,84

Volatile Organic Compounds Content: Not available

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Metal Corrosivity:

Steel: 0,043 in/yr

Aluminum: 0,002 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Exposure to light. Extreme temperatures

Reactivity / Incompatibility: May react violently in contact with: oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides carbon dioxide carbon monoxide

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: Aminomethylpropanol: Skin at 1 hour exposure: erythema score of 1 @ 1hour, edema score of 0,67 @ 1hour - MILD; Skin at 4 hours exposure: erythema score of 1,33 @ 1 hour, edema score of 1,67 @ 1 hour - MILD

Mutation Data: Sodium Metabisulfite - cytogenic analysis hamster ovary 180 µg/l; sister chromatid exchange on hamster ovary 200 µg/l

Reproductive Effects Data: Sodium Metabisulfite - oral rat TDLo = 20g/kg effects on newborn - stillbirth; oral rat TDLo = 40 g/kg effects on newborn - weaning or lactation index

--

Ingredient Toxicological Data: Aminomethylpropanol Oral rat LD50 = 2900 mg/kg; Sodium metabisulfite: Oral rat LD₅₀ = 2000 mg/Kg.

An ingredient of this mixture is: IARC Group 3: Non-classifiable
Metabisulfites

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Sodium metabisulfite - 120 ppm/24, 48 & 96 hours / mosquito fish / TLm / fresh water (converting bisulfite figure to metabisulfite)

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: NA

ICAO Packing Group: NA
I.M.O.:
I.M.O. Proper Shipping Name: Not Currently Regulated
--
I.M.O. Hazard Class: NA
I.M.O. Subsidiary Risk: NA
I.M.O. UN Number: NA
I.M.O. Packing Group: NA

A.D.R.:
A.D.R. Proper Shipping Name: Not Currently Regulated
--
A.D.R Hazard Class: NA
A.D.R. Subsidiary Risk: NA
A.D.R. UN-Number:: NA
A.D.R. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: Xi - IRRITATING

R PHRASES: R 36: Irritating to eyes.

S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 39: Wear eye / face protection.

Ingredients: Sodium Metabisulfite;

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Outside Testing. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Technical Judgment.

R PHRASES: R 36: Irritating to eyes.

Use of the substance/preparation: Silica determination

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2007