

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01741

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Acid Digestion Vials for Low Range TOC
Catalog Number: 2760300

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01741

Chemical Name: Not Applicable

Chemical Formula: Not Applicable

Chemical Family: Not applicable

Use of the substance/preparation: Determination of chromium

CAS No.: Not Applicable

Hazard: Carcinogen. Causes eye burns.

Date of MSDS Preparation:

Day: 13

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: 80,0 - 90,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Sulfuric Acid

EEC Number: 2316395

CAS No.: 766499

Percent Range: 5,0 - 15,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Xi - IRRITATING

Ingredient R phrase(s) (R phrase details given in Heading 16): R 36/38

TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL)

PEL: 1 mg/m³

EU Occupational Exposure Limits: 0,1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: None
EU Symbols: Xi - IRRITATING
R PHRASES: R 36: Irritating to eyes.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes irritation

Skin Contact (EC): Causes irritation

Skin Absorption (EC): None Reported

Target Organs (SA E): None Reported

Ingestion (EC): May cause: irritation of the mouth and esophagus

Target Organs (Ing E): None Reported

Inhalation: May cause: irritation of nose and throat difficult breathing mouth soreness teeth erosion

Target Organs (Inh E): Lungs Teeth

Medical Conditions Aggravated: Pre-existing: Eye conditions Respiratory conditions Skin conditions

Chronic Effects: Chronic overexposure may cause cancer chronic irritation or inflammation of the lungs erosion of the teeth

Cancer / Reproductive Toxicity Information:

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Hazardous Combustion Products: This material will not burn.

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Do NOT use water. Alcohol foam. Carbon dioxide Dry chemical.

Extinguishing Media NOT To Be Used:

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Determination of chromium

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: lab coat disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation.

TLV: Not Established

PEL: Not Established

EU Occupational Exposure Limits:

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: None

pH: Not Determined

Vapor Pressure: Not Determined

Vapor Density (air = 1): Not Determined

Boiling Point: Not Determined

Melting Point: Not Determined

Flash Point: Not Applicable

Method: Not applicable

Autoignition Temperature: Not Applicable

Flammability Limits:

Lower Explosion Limits: Not Applicable

Upper Explosion Limits: Not Applicable

Specific Gravity (water = 1): Not Determined

Evaporation Rate (water = 1): Not Determined

Volatile Organic Compounds Content: Not Applicable

Partition Coefficient (n-octanol / water): Not Applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not Determined

Metal Corrosivity:

Steel: Not Determined

Aluminum: Not Determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures Heating to decomposition.

Reactivity / Incompatibility: Incompatible with: caustics metals combustible materials

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None Reported

LC50: None Reported

Dermal Toxicity Data: None Reported

Skin and Eye Irritation Data: This product is not corrosive to skin. Absent to very slight erythema. No edema. (OECD Number 404, Acute Dermal Irritation/Corrosion)

Mutation Data: None Reported

Reproductive Effects Data: None Reported

Ingredient Toxicological Data: Sulfuric Acid: Oral Rat LD₅₀ = 2140 mg/kg; Inhalation rat LC₅₀ = 347 ppm/1hr.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(< 45% Sulfuric Acid in Solution)

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN3264

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(< 45% Sulfuric Acid in Solution)

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN3264

I.M.O. Packing Group: III

A.D.R.:

A.D.R. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(< 45% Sulfuric Acid in Solution)

A.D.R. Hazard Class: 8

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number: 3264

A.D.R. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not Applicable

EEC LABEL COPY:

EU Symbols: Xi - IRRITATING

R PHRASES: R 36: Irritating to eyes.

S PHRASES: S 2: Keep out of reach of children. S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Outside Testing. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

R PHRASES: R 36: Irritating to eyes.

Use of the substance/preparation: Determination of chromium

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01742

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Low Range TOC Indicator Ampules
Catalog Number: 2789510

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01742

Chemical Name: Not Applicable

Chemical Formula: Not Applicable

Chemical Family: Not applicable

Use of the substance/preparation: Indicator

CAS No.: Not Applicable

Hazard: Practically non-toxic. No effects anticipated.

Date of MSDS Preparation:

Day: 13

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: > 90,0

Percent Range Units: volume / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Other components, each

EEC Number: Not applicable

CAS No.: Not applicable

Percent Range: < 1,0

Percent Range Units: weight / volume

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, blue liquid
Odor: None
EU Symbols: Not applicable
R PHRASES: Not applicable

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): No effects are anticipated
Skin Contact (EC): No effects are anticipated
Skin Absorption (EC): No effects anticipated
Target Organs (SA E): Not applicable
Ingestion (EC): No Effects Anticipated
Target Organs (Ing E): Not applicable
Inhalation: No effects anticipated
Target Organs (Inh E): Not applicable
Medical Conditions Aggravated: None reported
Chronic Effects: No effects anticipated
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Flush eyes with water. Call physician if irritation develops.
Skin Contact (First Aid): Wash skin with plenty of water.
Ingestion (First Aid): Give large quantities of water. If you feel unwell, contact a physician.
Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: This product will not burn or explode.
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material.

Clean-up Technique: Flush the spilled material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use. Protect from: heat

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Indicator

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: Not applicable

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes Wash thoroughly after handling. Protect from: heat

TLV: Not Established

PEL: Not Established

EU Occupational Exposure Limits:

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, blue liquid

Physical State: Liquid

Odor: None

pH: 10,15

Vapor Pressure: Not Determined

Vapor Density (air = 1): Not Determined

Boiling Point: Not Determined

Melting Point: Not Determined

Flash Point: Not Applicable

Method: Not applicable

Autoignition Temperature: Not Applicable

Flammability Limits:

Lower Explosion Limits: Not Applicable

Upper Explosion Limits: Not Applicable

Specific Gravity (water = 1): Not Determined

Evaporation Rate (water = 1): Not Determined

Volatile Organic Compounds Content: Not Applicable

Partition Coefficient (n-octanol / water): Not Applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not Determined

Metal Corrosivity:

Steel: Not Determined

Aluminum: Not Determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Heat Evaporation

Reactivity / Incompatibility: None reported

Hazardous Decomposition: None reported

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None Reported

LC50: None Reported

Dermal Toxicity Data: None Reported

Skin and Eye Irritation Data: None Reported

Mutation Data: None Reported

Reproductive Effects Data: None Reported

Ingredient Toxicological Data: --

No toxicological data available for the ingredients of this product.

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: NA

I.M.O. Packing Group: NA

A.D.R.:

A.D.R. Proper Shipping Name: Not Currently Regulated

--

A.D.R. Hazard Class: NA

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number: NA

A.D.R. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not Applicable

EEC LABEL COPY:

EU Symbols: Not applicable

R PHRASES: Not applicable

S PHRASES: Not applicable

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Technical Judgment. In-house information.

R PHRASES: Not applicable

Use of the substance/preparation: Indicator

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00039

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: TOC Persulfate
Catalog Number: 2790166

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00039

Chemical Name: Peroxydisulfuric Acid, Dipotassium Salt

Chemical Formula: K₂S₂O₈

Chemical Family: Oxidizing Agents

Use of the substance/preparation: Laboratory Reagent

CAS No.: 7727-21-1

Hazard: Causes severe eye irritation. Oxidizer. Allergen

Date of MSDS Preparation:

Day: 12

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33-(0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Potassium Persulfate

EEC Number: 231788

CAS No.: 7727-21-1

Percent Range: 100,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: O - Oxidizing Xn - HARMFUL

Ingredient R phrase(s) (R phrase details given in Heading 16): R 8 R 22

TLV: 5 mg/m³

PEL: Not established

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: White to light yellow crystals

Odor: None

EU Symbols: Xn - HARMFUL O - OXIDIZER

R PHRASES: R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/37/38: Irritating to eyes, respiratory system and skin. R 42/43: May cause sensitization by inhalation and skin contact.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes severe irritation

Skin Contact (EC): May cause irritation May cause allergic reaction

Skin Absorption (EC): None Reported

Target Organs (SA E): None Reported
Ingestion (EC): Harmful
Target Organs (Ing E): None Reported
Inhalation: Causes: irritation of nose and throat May cause: allergic respiratory reaction
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Pre-existing: Allergies or sensitivity to potassium persulfate.
Chronic Effects: Chronic overexposure may cause allergic skin reactions allergic respiratory reactions
Cancer / Reproductive Toxicity Information:
IARC Listed: No

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Strong oxidizer. Contact with combustible materials may cause a fire. During a fire, this product decomposes to form toxic gases.
Hazardous Combustion Products: Toxic fumes of: sulfur oxides.
Fire / Explosion Hazards: May react violently with: strong reducers combustible materials
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Water.
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:
Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.
Containment Technique: Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.
Clean-up Technique: Remove all combustible materials from the spill area. Cover with an inert material, such as sand. Sweep up material. Incinerate material at an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.
Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Keep away from: reducers oxidizable materials Protect from: moisture heat
Special Packaging Instructions: Not applicable
Use of the substance/preparation: Laboratory Reagent

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Use a fume hood to avoid exposure to dust, mist or vapor.
Personal Protective Equipment:
Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: lab coat disposable latex gloves
Inhalation Protection: laboratory fume hood
Precautionary Measures: Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. Keep away from: oxidizable materials reducers
TLV: 5 mg/m³
PEL: Not established
EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White to light yellow crystals
Physical State: Solid
Odor: None
pH: of 5% solution = 4,1
Vapor Pressure: Not applicable
Vapor Density (air = 1): Not applicable
Boiling Point: Not applicable
Melting Point: Decomposes at >100°C or 212°F
Flash Point: Not applicable
Method: Not applicable
Autoignition Temperature: Not determined
Flammability Limits:
Lower Explosion Limits: Not applicable
Upper Explosion Limits: Not applicable
Specific Gravity (water = 1): 2,477
Evaporation Rate (water = 1): Not applicable
Volatile Organic Compounds Content: 0,0%
Partition Coefficient (n-octanol / water): Not determined
Solubility:
Water: Soluble
Acid: Not determined
Other: Not determined
Metal Corrosivity:
Steel: 0,704 in/yr
Aluminum: 0,137 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Excess moisture Exposure to air. Heating to decomposition.
Reactivity / Incompatibility: May react violently in contact with: oxidizable material reducers
Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: Oral Rat LD50 = 802 mg/kg
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: Testing showed only slight erythema to rabbit skin.
Mutation Data: None reported
Reproductive Effects Data: None reported
--
Ingredient Toxicological Data: --
Not applicable
IARC Listed: No

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

Not applicable

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Potassium Persulphate

--

ICAO Hazard Class: 5,1

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN1492

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Potassium Persulphate

--

I.M.O. Hazard Class: 5,1

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN1492

I.M.O. Packing Group: III

A.D.R.:

A.D.R. Proper Shipping Name: Potassium Persulphate

--

A.D.R Hazard Class: 5,1

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: 1492

A.D.R. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: EINECS Listed: Yes

EEC Number: 2317818

EEC LABEL COPY:

EU Symbols: Xn - HARMFUL O - OXIDIZER

R PHRASES: R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/37/38: Irritating to eyes, respiratory system and skin. R 42/43: May cause sensitization by inhalation and skin contact.

S PHRASES: S 22: Do not breathe dust. S 24: Avoid contact with skin. S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 37: Wear suitable gloves.

16. OTHER INFORMATION

References: TLV's Threshld Limit Values and Biological Exposure Indices for 1992 -1993. American Conference of Governmental Industrial Hygienists, 1992. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th

Ed. Quincy, MA: National Fire Protection Association, 1991. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. CCINFO MSDS/FTSS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor).

R PHRASES: R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/37/38: Irritating to eyes, respiratory system and skin. R 42/43: May cause sensitization by inhalation and skin contact.

Use of the substance/preparation: Laboratory Reagent

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00489

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Buffer Solution, pH 2,0
Catalog Number: 45233

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M00489
Chemical Name: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Use of the substance/preparation: Buffer
CAS No.: Not applicable
Hazard: Causes eye burns.
Date of MSDS Preparation:
Day: 12
Month: 01
Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912
CAS No.: 7732185
Percent Range: 65,0 - 75,0
Percent Range Units: volume / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

Sodium Bisulfate

EEC Number: 2316657
CAS No.: 10034-88-5
Percent Range: 10,0 - 20,0
Percent Range Units: weight / volume
Ingredient EEC Symbol: Xi - IRRITATING
Ingredient R phrase(s) (R phrase details given in Heading 16): R 41
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

Sodium Sulfate

EEC Number: 2318209
CAS No.: 7757825
Percent Range: 10,0 - 20,0

Percent Range Units: weight / volume
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: None
EU Symbols: Xi - IRRITATING
R PHRASES: R 41: Risk of serious damage to eyes.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes severe irritation
Skin Contact (EC): May cause irritation
Skin Absorption (EC): None Reported
Target Organs (SA E): None Reported
Ingestion (EC): May cause: gastrointestinal tract irritation
Target Organs (Ing E): None Reported
Inhalation: No effects anticipated
Target Organs (Inh E): Not applicable
Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions
Chronic Effects: None reported
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Tests performed on this product / components gave insufficient evidence to classify for carcinogenicity.

Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician if irritation develops.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: None reported
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Buffer

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Wash thoroughly after handling. Protect from: freezing

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: None

pH: 2,0 @ 20°C

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 100°C (212°F)

Melting Point: Not determined

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,198

Evaporation Rate (water = 1): 0,54

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 0,124 in/yr

Aluminum: 0,012 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Evaporation Extreme temperatures

Reactivity / Incompatibility: May react violently in contact with: calcium hypochlorite

Hazardous Decomposition: Toxic fumes of: sodium oxides sulfur oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: None reported

Reproductive Effects Data: None reported

--

Ingredient Toxicological Data: Sodium Bisulfate: Oral rat LD₅₀ = 2828 mg/kg, Oral rat LD₅₀ = 1600 mg/kg; Sodium Sulfate: Oral mouse LD₅₀ = 5989 mg/kg

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Sodium Sulfate: Aquatic Toxicity- TLm 13500 mg/L bluegill sunfish / 96 hours, TLm 16500 mg/L mosquito fish / 96 hours

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: NA

I.M.O. Packing Group: NA

A.D.R.:

A.D.R. Proper Shipping Name: Not Currently Regulated

--

A.D.R Hazard Class: NA

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: NA

A.D.R. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: Xi - IRRITATING

R PHRASES: R 41: Risk of serious damage to eyes.

S PHRASES: S 24: Avoid contact with skin. S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information.

R PHRASES: R 41: Risk of serious damage to eyes.

Use of the substance/preparation: Buffer

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006