

World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M00297

# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name:** Molybdovanadate Reagent  
**Catalog Number:** 2076026

HACH LANGE GmbH  
Willstätterstrasse 11  
40549 Düsseldorf, Germany  
+49-(0)211-52880

Emergency Telephone Numbers:  
(Poison Information Center Main)  
(+49 (0) 6131 19240) 24 HR

**SDS Number:** M00297

**Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

**Chemical Family:** Not applicable

**Use of the substance/preparation:** Indicator for phosphate

**CAS No.:** Not applicable

**Hazard:** Harmful if inhaled. Carcinogen. Causes eye burns.

**Date of MSDS Preparation:**

**Day:** 12

**Month:** 01

**Year:** 2006

**Additional Emergency Response Numbers:** Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

### Ammonium Molybdate

**EEC Number:** 2347224

**CAS No.:** 12054-85-2

**Percent Range:** 1,0 - 5,0

**Percent Range Units:** weight / volume

**Ingredient EEC Symbol:** Not applicable

**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable

**TLV:** 5 mg/m<sup>3</sup> as Mo

**PEL:** 5 mg/m<sup>3</sup> as Mo

**EU Occupational Exposure Limits:** 5 mg/m<sup>3</sup> as Mo. 3 mg/m<sup>3</sup>, Inhalable dust. For ammonia<sub>g</sub> 20 ppm (14 mg/m<sup>3</sup>);

STEL: 50 ppm (36 mg/m<sup>3</sup>) Recommended

### Ammonium Metavanadate

**EEC Number:** 2322613

**CAS No.:** 7803556

**Percent Range:** < 1,0

**Percent Range Units:** weight / volume

**Ingredient EEC Symbol:** Not applicable

**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable

**TLV:** 0,05 mg/m<sup>3</sup> as V<sub>2</sub>O<sub>5</sub>

**PEL:** Ceiling 0.05 mg/m<sup>3</sup> as V<sub>2</sub>O<sub>5</sub>

**EU Occupational Exposure Limits:** For ammonia<sub>g</sub> 20 ppm (14 mg/m<sup>3</sup>); STEL: 50 ppm (36 mg/m<sup>3</sup>) Recommended

### Demineralized Water

**EEC Number:** 2317912

**CAS No.:** 7732185

**Percent Range:** 50,0 - 60,0

**Percent Range Units:** volume / volume  
**Ingredient EEC Symbol:** Not applicable  
**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable  
**TLV:** Not established  
**PEL:** Not established  
**EU Occupational Exposure Limits:** Not established

**Other component**

**EEC Number:** Not applicable  
**CAS No.:** Not applicable  
**Percent Range:** < 1,0  
**Percent Range Units:** weight / volume  
**Ingredient EEC Symbol:** Not applicable  
**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable  
**TLV:** Not established  
**PEL:** Not established  
**EU Occupational Exposure Limits:** Not established

**Sulfuric Acid**

**EEC Number:** 2316395  
**CAS No.:** 7664939  
**Percent Range:** 35,0 - 45,0  
**Percent Range Units:** weight / volume  
**Ingredient EEC Symbol:** C - CORROSIVE  
**Ingredient R phrase(s) (R phrase details given in Heading 16):** R 35  
**TLV:** 1 mg/m<sup>3</sup> (TWA); 3 mg/m<sup>3</sup> (STEL)  
**PEL:** 1 mg/m<sup>3</sup>  
**EU Occupational Exposure Limits:** 0,1 mg/m<sup>3</sup>

---

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:**

**Appearance:** Clear, yellow liquid  
**Odor:** None  
**EU Symbols:** C - CORROSIVE  
**R PHRASES:** R 35: Causes severe burns.

**Protective Equipment:**

**Potential Health Effects:**

**Eye Contact (EC):** Causes severe burns  
**Skin Contact (EC):** Causes severe burns  
**Skin Absorption (EC):** None Reported  
**Target Organs (SA E):** None Reported  
**Ingestion (EC):** Causes: severe burns May cause: loss of coordination copper deficiency gout May effect enzyme activity. Molybdenum compounds may cause loss of coordination, enzyme activity effects, copper deficiency and gout.  
**Target Organs (Ing E):** None Reported  
**Inhalation:** Causes: severe burns May cause: difficult breathing mouth soreness teeth erosion  
**Target Organs (Inh E):** Lungs  
**Medical Conditions Aggravated:** Pre-existing: Eye conditions Skin conditions Respiratory conditions Gout  
**Chronic Effects:** Molybdenum poisoning signs include loss of appetite, listlessness and reduced growth rate. Excessive exposure to molybdenum compounds may cause gout and anemia. Chronic overexposure may cause erosion of the teeth enzyme activity effects copper deficiency chronic irritation or inflammation of the lungs cancer  
**Cancer / Reproductive Toxicity Information:**  
An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen  
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.  
**Additional Cancer / Reproductive Toxicity Information:** Contains: an experimental teratogen. an experimental mutagen.

**Toxicologically Synergistic Products:** None reported

---

## 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.

**Skin Contact (First Aid):** Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

**Ingestion (First Aid):** Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

**Inhalation:** Remove to fresh air. Give artificial respiration if necessary. Call physician.

---

## 5. FIRE FIGHTING MEASURES

**Flammable Properties:** During a fire, corrosive and toxic gases may be generated by thermal decomposition. Not Flammable, but reacts with most metals to form flammable hydrogen gas.

**Hazardous Combustion Products:** Toxic fumes of: ammonia nitrogen oxides. sulfur oxides.

**Fire / Explosion Hazards:** May react violently with: reducers

**Static Discharge:** None reported.

**Mechanical Impact:** None reported

**Extinguishing Media:** Dry chemical. Do NOT use water.

**Extinguishing Media NOT To Be Used:** Not applicable Do NOT use water.

**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Spill Response Notice:**

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

**Containment Technique:** Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

**Clean-up Technique:** Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

**Evacuation Procedure:** Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

---

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

**Storage:** Store between 10° and 25°C. Protect from: light Store away from: oxidizers reducers metals

**Special Packaging Instructions:** Not applicable

**Use of the substance/preparation:** Indicator for phosphate

---

## 8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

**Engineering Controls:** Have an eyewash station nearby. Have a safety shower nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

**Personal Protective Equipment:**

**Eye Protection:** chemical splash goggles

**Skin / Hand Protection:** disposable latex gloves lab coat

**Inhalation Protection:** adequate ventilation

**Precautionary Measures:** Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: light

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

---

## 9. PHYSICAL / CHEMICAL PROPERTIES

**Appearance:** Clear, yellow liquid  
**Physical State:** Liquid  
**Odor:** None  
**pH:** < 0,5  
**Vapor Pressure:** Not determined  
**Vapor Density (air = 1):** Not determined  
**Boiling Point:** 100°C (212°F)  
**Melting Point:** Not determined  
**Flash Point:** Not applicable  
**Method:** Not applicable  
**Autoignition Temperature:** Not applicable  
**Flammability Limits:**  
**Lower Explosion Limits:** Not applicable  
**Upper Explosion Limits:** Not applicable  
**Specific Gravity (water = 1):** 1,375  
**Evaporation Rate (water = 1):** 0,06  
**Volatile Organic Compounds Content:** Not applicable  
**Partition Coefficient (n-octanol / water):** Not applicable  
**Solubility:**  
**Water:** Soluble  
**Acid:** Soluble  
**Other:** Not determined  
**Metal Corrosivity:**  
**Steel:** 11,273 in/yr  
**Aluminum:** Not determined

---

## 10. STABILITY / REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.  
**Conditions to Avoid:** Extreme temperatures Heating to decomposition.  
**Reactivity / Incompatibility:** May react violently in contact with: oxidizers reducers Incompatible with: metals  
**Hazardous Decomposition:** Heating to decomposition releases toxic and/or corrosive fumes of: ammonia nitrogen oxides sulfur oxides Contact with metals may release flammable hydrogen gas.  
**Hazardous Polymerization:** Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

**Product Toxicological Data:**

**LD50:** None reported

**LC50:** None reported

**Dermal Toxicity Data:** None reported

**Skin and Eye Irritation Data:** This product is not corrosive to skin. Slight to well defined erythema. Absent to slight edema. (OECD Number 404, Acute Dermal Irritation/Corrosion)

**Mutation Data:** Ammonium Metavanadate: DNA damage - Human lymphocytes and ovary - 200 µmol/L; Mutation in somatic cells - hamster - lung - 5 µmol/L

**Reproductive Effects Data:** Intraperitoneal hamster TDLo = 2820 µg/kg - Musculoskeletal abnormalities; Intraperitoneal hamster TDLo = 11280 µg/kg - Post-implantation mortality

--

**Ingredient Toxicological Data:** Sulfuric Acid: Oral rat LD50 = 2140 mg/kg, Inhalation rat LC50 = 347 ppm/1 hr; Ammonium Metavanadate: Oral rat LD50 = 58 mg/kg, Ammonium Molybdate (anhydrous): Oral rat LD50 = 333 mg/kg

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen  
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --

No ecological data available for this product.

**Ingredient Ecological Information:** Sulfuric Acid: The 48-Hour TLm in flounder is 100-300 ppm.

---

## 13. DISPOSAL CONSIDERATIONS

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

---

## 14. TRANSPORT INFORMATION

**I.C.A.O.:**

**I.C.A.O. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
(<45% Sulfuric Acid in Solution)

**ICAO Hazard Class:** 8

**ICAO Subsidiary Risk:** NA

**ICAO UN/ID Number:** UN3264

**ICAO Packing Group:** III

**I.M.O.:**

**I.M.O. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
(<45% Sulfuric Acid in Solution)

**I.M.O. Hazard Class:** 8

**I.M.O. Subsidiary Risk:** NA

**I.M.O. UN Number:** UN3264

**I.M.O. Packing Group:** III

**A.D.R.:**

**A.D.R. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
(<45% Sulfuric Acid in Solution)

**A.D.R. Hazard Class:** 8

**A.D.R. Subsidiary Risk:** NA

**A.D.R. UN-Number:** 3264

**A.D.R. Packing Group:** III

**Additional Information:** This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

---

## 15. REGULATORY INFORMATION

**National Inventories:**

**EEC Inventory Status:** All ingredients used to make this product are listed on EINECS / ELINCS.

**EEC Number:** Not applicable

**EEC LABEL COPY:**

**EU Symbols:** C - CORROSIVE

**R PHRASES:** R 35: Causes severe burns.

**S PHRASES:** S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

---

## 16. OTHER INFORMATION

**References:** 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987.

**R PHRASES:** R 35: Causes severe burns.

**Use of the substance/preparation:** Indicator for phosphate

**Revision Summary:** Updates in Section(s) 14,

---

**Legend:**

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY ©2006**

World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M00039

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name:** Potassium Persulfate  
**Catalog Number:** 2084766

HACH LANGE GmbH  
Willstätterstrasse 11  
40549 Düsseldorf, Germany  
+49-(0)211-52880

Emergency Telephone Numbers:  
(Poison Information Center Main)  
(+49 (0) 6131 19240) 24 HR

**SDS Number:** M00039

**Chemical Name:** Peroxydisulfuric Acid, Dipotassium Salt

**Chemical Formula:** K<sub>2</sub>S<sub>2</sub>O<sub>8</sub>

**Chemical Family:** Oxidizing Agents

**Use of the substance/preparation:** Laboratory Reagent

**CAS No.:** 7727-21-1

**Hazard:** Causes severe eye irritation. Oxidizer. Allergen

**Date of MSDS Preparation:**

**Day:** 12

**Month:** 01

**Year:** 2006

**Additional Emergency Response Numbers:** Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Potassium Persulfate

**EEC Number:** 2317818

**CAS No.:** 7727-21-1

**Percent Range:** 100,0

**Percent Range Units:** weight / weight

**Ingredient EEC Symbol:** O - Oxidizing Xn - HARMFUL

**Ingredient R phrase(s) (R phrase details given in Heading 16):** R 8 R 22

**TLV:** 5 mg/m<sup>3</sup>

**PEL:** Not established

**EU Occupational Exposure Limits:** 3 mg/m<sup>3</sup>, Inhalable dust

### 3. HAZARDS IDENTIFICATION

#### **Emergency Overview:**

**Appearance:** White to light yellow crystals

**Odor:** None

**EU Symbols:** Xn - HARMFUL O - OXIDIZER

**R PHRASES:** R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/37/38: Irritating to eyes, respiratory system and skin. R 42/43: May cause sensitization by inhalation and skin contact.

#### **Protective Equipment:**

#### **Potential Health Effects:**

**Eye Contact (EC):** Causes severe irritation

**Skin Contact (EC):** May cause irritation May cause allergic reaction

**Skin Absorption (EC):** None Reported

**Target Organs (SA E):** None Reported  
**Ingestion (EC):** Harmful  
**Target Organs (Ing E):** None Reported  
**Inhalation:** Causes: irritation of nose and throat May cause: allergic respiratory reaction  
**Target Organs (Inh E):** None Reported  
**Medical Conditions Aggravated:** Pre-existing: Allergies or sensitivity to potassium persulfate.  
**Chronic Effects:** Chronic overexposure may cause allergic skin reactions allergic respiratory reactions  
**Cancer / Reproductive Toxicity Information:**  
IARC Listed: No

**Additional Cancer / Reproductive Toxicity Information:** None reported  
**Toxicologically Synergistic Products:** None reported

---

#### 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.  
**Skin Contact (First Aid):** Wash skin with plenty of water. Call physician if irritation develops.  
**Ingestion (First Aid):** Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.  
**Inhalation:** Remove to fresh air. Give artificial respiration if necessary. Call physician.

---

#### 5. FIRE FIGHTING MEASURES

**Flammable Properties:** Strong oxidizer. Contact with combustible materials may cause a fire. During a fire, this product decomposes to form toxic gases.  
**Hazardous Combustion Products:** Toxic fumes of: sulfur oxides.  
**Fire / Explosion Hazards:** May react violently with: strong reducers combustible materials  
**Static Discharge:** None reported.  
**Mechanical Impact:** None reported  
**Extinguishing Media:** Water.  
**Extinguishing Media NOT To Be Used:** Not applicable  
**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

---

#### 6. ACCIDENTAL RELEASE MEASURES

**Spill Response Notice:**  
Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.  
**Containment Technique:** Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.  
**Clean-up Technique:** Remove all combustible materials from the spill area. Cover with an inert material, such as sand. Sweep up material. Incinerate material at an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.  
**Evacuation Procedure:** Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

---

#### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.  
**Storage:** Keep away from: reducers oxidizable materials Protect from: moisture heat  
**Special Packaging Instructions:** Not applicable  
**Use of the substance/preparation:** Laboratory Reagent

---

#### 8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

**Engineering Controls:** Have an eyewash station nearby. Use a fume hood to avoid exposure to dust, mist or vapor.  
**Personal Protective Equipment:**  
**Eye Protection:** safety glasses with top and side shields



**Skin / Hand Protection:** lab coat disposable latex gloves  
**Inhalation Protection:** laboratory fume hood  
**Precautionary Measures:** Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. Keep away from: oxidizable materials reducers  
**TLV:** 5 mg/m<sup>3</sup>  
**PEL:** Not established  
**EU Occupational Exposure Limits:** 3 mg/m<sup>3</sup>, Inhalable dust

---

## 9. PHYSICAL / CHEMICAL PROPERTIES

**Appearance:** White to light yellow crystals  
**Physical State:** Solid  
**Odor:** None  
**pH:** of 5% solution = 4,1  
**Vapor Pressure:** Not applicable  
**Vapor Density (air = 1):** Not applicable  
**Boiling Point:** Not applicable  
**Melting Point:** Decomposes at >100°C or 212°F  
**Flash Point:** Not applicable  
**Method:** Not applicable  
**Autoignition Temperature:** Not determined  
**Flammability Limits:**  
**Lower Explosion Limits:** Not applicable  
**Upper Explosion Limits:** Not applicable  
**Specific Gravity (water = 1):** 2,477  
**Evaporation Rate (water = 1):** Not applicable  
**Volatile Organic Compounds Content:** 0,0%  
**Partition Coefficient (n-octanol / water):** Not determined  
**Solubility:**  
**Water:** Soluble  
**Acid:** Not determined  
**Other:** Not determined  
**Metal Corrosivity:**  
**Steel:** 0,704 in/yr  
**Aluminum:** 0,137 in/yr

---

## 10. STABILITY / REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.  
**Conditions to Avoid:** Excess moisture Exposure to air. Heating to decomposition.  
**Reactivity / Incompatibility:** May react violently in contact with: oxidizable material reducers  
**Hazardous Decomposition:** Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides  
**Hazardous Polymerization:** Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

**Product Toxicological Data:**  
**LD50:** Oral Rat LD50 = 802 mg/kg  
**LC50:** None reported  
**Dermal Toxicity Data:** None reported  
**Skin and Eye Irritation Data:** Testing showed only slight erythema to rabbit skin.  
**Mutation Data:** None reported  
**Reproductive Effects Data:** None reported  
--  
**Ingredient Toxicological Data:** --  
Not applicable  
IARC Listed: No

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --

No ecological data available for this product.

**Ingredient Ecological Information:** --

Not applicable

---

### 13. DISPOSAL CONSIDERATIONS

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

---

### 14. TRANSPORT INFORMATION

**I.C.A.O.:**

**I.C.A.O. Proper Shipping Name:** Potassium Persulphate

--

**ICAO Hazard Class:** 5,1

**ICAO Subsidiary Risk:** NA

**ICAO UN/ID Number:** UN1492

**ICAO Packing Group:** III

**I.M.O.:**

**I.M.O. Proper Shipping Name:** Potassium Persulphate

--

**I.M.O. Hazard Class:** 5,1

**I.M.O. Subsidiary Risk:** NA

**I.M.O. UN Number:** UN1492

**I.M.O. Packing Group:** III

**A.D.R.:**

**A.D.R. Proper Shipping Name:** Potassium Persulphate

--

**A.D.R Hazard Class:** 5,1

**A.D.R. Subsidiary Risk:** NA

**A.D.R. UN-Number::** 1492

**A.D.R. Packing Group:** III

**Additional Information:** This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

---

### 15. REGULATORY INFORMATION

**National Inventories:**

**EEC Inventory Status:** EINECS Listed: Yes

**EEC Number:** 2317818

**EEC LABEL COPY:**

**EU Symbols:** Xn - HARMFUL O - OXIDIZER

**R PHRASES:** R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/37/38: Irritating to eyes, respiratory system and skin. R 42/43: May cause sensitization by inhalation and skin contact.

**S PHRASES:** S 22: Do not breathe dust. S 24: Avoid contact with skin. S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 37: Wear suitable gloves.

---

### 16. OTHER INFORMATION

**References:** TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th

Ed. Quincy, MA: National Fire Protection Association, 1991. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. CCINFO MSDS/FTSS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor).

**R PHRASES:** R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/37/38: Irritating to eyes, respiratory system and skin. R 42/43: May cause sensitization by inhalation and skin contact.

**Use of the substance/preparation:** Laboratory Reagent

**Revision Summary:** Updates in Section(s) 14,

---

**Legend:**

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY ©2006**

World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M01616

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name:** Phosphate Acid Reagent Vials  
**Catalog Number:** 2742900

HACH LANGE GmbH  
Willstätterstrasse 11  
40549 Düsseldorf, Germany  
+49-(0)211-52880

Emergency Telephone Numbers:  
(Poison Information Center Main)  
(+49 (0) 6131 19240) 24 HR

**SDS Number:** M01616

**Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

**Chemical Family:** Not applicable

**Use of the substance/preparation:** Standard solution

**CAS No.:** Not applicable

**Hazard:** Causes eye burns. Harmful if inhaled. Carcinogen.

**Date of MSDS Preparation:**

**Day:** 13

**Month:** 01

**Year:** 2006

**Additional Emergency Response Numbers:** Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Demineralized Water

**EEC Number:** 2317912

**CAS No.:** 7732185

**Percent Range:** 90,0 - 100,0

**Percent Range Units:** volume / volume

**Ingredient EEC Symbol:** Not applicable

**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

#### Sulfuric Acid

**EEC Number:** 2316395

**CAS No.:** 7664939

**Percent Range:** 1,0 - 5,0

**Percent Range Units:** volume / volume

**Ingredient EEC Symbol:** Xi - IRRITATING

**Ingredient R phrase(s) (R phrase details given in Heading 16):** R 36

**TLV:** 1 mg/m<sup>3</sup> (TWA); 3 mg/m<sup>3</sup> (STEL)

**PEL:** 1 mg/m<sup>3</sup>

**EU Occupational Exposure Limits:** 0,1 mg/m<sup>3</sup>

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:**

**Appearance:** Clear, colorless liquid  
**Odor:** None  
**EU Symbols:** Xi - IRRITATING  
**R PHRASES:** R 36: Irritating to eyes.

**Protective Equipment:**

**Potential Health Effects:**

**Eye Contact (EC):** Causes irritation  
**Skin Contact (EC):** No effects are anticipated  
**Skin Absorption (EC):** None Reported  
**Target Organs (SA E):** Not applicable  
**Ingestion (EC):** Causes irritation of the mouth and esophagus May cause: vomiting diarrhea  
**Target Organs (Ing E):** None Reported  
**Inhalation:** May cause: respiratory tract irritation teeth erosion mouth soreness difficult breathing  
**Target Organs (Inh E):** Lungs  
**Medical Conditions Aggravated:** Pre-existing: Eye conditions Respiratory conditions  
**Chronic Effects:** Chronic overexposure may cause erosion of the teeth chronic irritation or inflammation of the lungs cancer  
**Cancer / Reproductive Toxicity Information:**  
An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen  
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.  
**Additional Cancer / Reproductive Toxicity Information:** None reported  
**Toxicologically Synergistic Products:** None reported

---

#### 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.  
**Skin Contact (First Aid):** Wash skin with plenty of water.  
**Ingestion (First Aid):** Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.  
**Inhalation:** Remove to fresh air.

---

#### 5. FIRE FIGHTING MEASURES

**Flammable Properties:** Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition.  
**Hazardous Combustion Products:** This material will not burn.  
**Fire / Explosion Hazards:** This product will not burn or explode.  
**Static Discharge:** None reported.  
**Mechanical Impact:** None reported  
**Extinguishing Media:** Use media appropriate to surrounding fire conditions  
**Extinguishing Media NOT To Be Used:** Not applicable  
**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

---

#### 6. ACCIDENTAL RELEASE MEASURES

**Spill Response Notice:**

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

**Containment Technique:** Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

**Clean-up Technique:** Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9. Use sulfuric or citric acid to lower pH. Use soda ash or sodium bicarbonate to increase pH. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

**Evacuation Procedure:** Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation. If conditions warrant, increase the size of the evacuation.

---

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes. Do not breathe mist or vapors. Use with adequate ventilation. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

**Storage:** Store between 10° and 25°C.

**Special Packaging Instructions:** Not applicable

**Use of the substance/preparation:** Standard solution

---

## 8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

**Engineering Controls:** Have an eyewash station nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

**Personal Protective Equipment:**

**Eye Protection:** chemical splash goggles

**Skin / Hand Protection:** disposable latex gloves lab coat

**Inhalation Protection:** adequate ventilation

**Precautionary Measures:** Avoid contact with: eyes skin. Do not breathe: mist/vapor. Use with adequate ventilation. Protect from: heat

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

---

## 9. PHYSICAL / CHEMICAL PROPERTIES

**Appearance:** Clear, colorless liquid

**Physical State:** Liquid

**Odor:** None

**pH:** Not determined

**Vapor Pressure:** Not determined

**Vapor Density (air = 1):** Not determined

**Boiling Point:** Not determined

**Melting Point:** Not applicable

**Flash Point:** Not applicable

**Method:** Not applicable

**Autoignition Temperature:** Not determined

**Flammability Limits:**

**Lower Explosion Limits:** Not applicable

**Upper Explosion Limits:** Not applicable

**Specific Gravity (water = 1):** Not determined

**Evaporation Rate (water = 1):** Not determined

**Volatile Organic Compounds Content:** Not applicable

**Partition Coefficient (n-octanol / water):** Not applicable

**Solubility:**

**Water:** Soluble

**Acid:** Not determined

**Other:** Not determined

**Metal Corrosivity:**

**Steel:** Not determined

**Aluminum:** Not determined

---

## 10. STABILITY / REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.

**Conditions to Avoid:** Extreme temperatures. Heating to decomposition.

**Reactivity / Incompatibility:** Incompatible with: alkalies oxidizers reducers

**Hazardous Decomposition:** Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

**Hazardous Polymerization:** Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

**Product Toxicological Data:**

**LD50:** None reported

**LC50:** None reported

**Dermal Toxicity Data:** None reported

**Skin and Eye Irritation Data:** Skin irritation testing performed on 10% sulfuric acid showed SLIGHT to NO IRRITATION effects

**Mutation Data:** None reported

**Reproductive Effects Data:** None reported

--

**Ingredient Toxicological Data:** Sulfuric acid: oral rat LD50 = 2140 mg/kg; inhalation rat LC50 = 87 ppm/4h

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --

No ecological data available for this product.

**Ingredient Ecological Information:** --

No ecological data available for the ingredients of this product.

---

## 13. DISPOSAL CONSIDERATIONS

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

---

## 14. TRANSPORT INFORMATION

**I.C.A.O.:**

**I.C.A.O. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
(<10 % Sulphuric Acid Solution)

**ICAO Hazard Class:** 8

**ICAO Subsidiary Risk:** NA

**ICAO UN/ID Number:** UN3264

**ICAO Packing Group:** III

**I.M.O.:**

**I.M.O. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
(<10 % Sulphuric Acid Solution)

**I.M.O. Hazard Class:** 8

**I.M.O. Subsidiary Risk:** NA

**I.M.O. UN Number:** UN3264

**I.M.O. Packing Group:** III

**A.D.R.:**

**A.D.R. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
(< 10 % Sulphuric Acid Solution)

**A.D.R. Hazard Class:** 8

**A.D.R. Subsidiary Risk:** NA

**A.D.R. UN-Number:** 3264

**A.D.R. Packing Group:** III

**Additional Information:** This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

---

## 15. REGULATORY INFORMATION

**National Inventories:**

**EEC Inventory Status:** All ingredients used to make this product are listed on EINECS / ELINCS.

*EEC Number:* Not applicable  
*EEC LABEL COPY:*  
*EU Symbols:* Xi - IRRITATING  
*R PHRASES:* R 36: Irritating to eyes.  
*S PHRASES:* S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

---

## 16. OTHER INFORMATION

*References:* TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Technical Judgment. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Vendor Information. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987.

*R PHRASES:* R 36: Irritating to eyes.

*Use of the substance/preparation:* Standard solution

*Revision Summary:* Updates in Section(s) 14,

---

### Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2006



World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M01622

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name:** Sodium Hydroxide Solution, 1,54N  
**Catalog Number:** 2743042

HACH LANGE GmbH  
Willstätterstrasse 11  
40549 Düsseldorf, Germany  
+49-(0)211-52880

Emergency Telephone Numbers:  
(Poison Information Center Main)  
(+49 (0) 6131 19240) 24 HR

**SDS Number:** M01622

**Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

**Chemical Family:** Not applicable

**Use of the substance/preparation:** Standard solution

**CAS No.:** Not applicable

**Hazard:** Causes severe burns.

**Date of MSDS Preparation:**

**Day:** 13

**Month:** 01

**Year:** 2006

**Additional Emergency Response Numbers:** Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Sodium Hydroxide

**EEC Number:** 2151855

**CAS No.:** 1310732

**Percent Range:** 5,0 - 15,0

**Percent Range Units:** weight / volume

**Ingredient EEC Symbol:** C - CORROSIVE

**Ingredient R phrase(s) (R phrase details given in Heading 16):** R 35

**TLV:** 2 mg/m<sup>3</sup>

**PEL:** 2 mg/m<sup>3</sup>

**EU Occupational Exposure Limits:** 2 mg/m<sup>3</sup>

#### Demineralized Water

**EEC Number:** 2317912

**CAS No.:** 7732185

**Percent Range:** > 90,0

**Percent Range Units:** volume / volume

**Ingredient EEC Symbol:** Not applicable

**Ingredient R phrase(s) (R phrase details given in Heading 16):** Not applicable

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:**

**Appearance:** Clear, colorless liquid  
**Odor:** None  
**EU Symbols:** C - CORROSIVE  
**R PHRASES:** R 35: Causes severe burns.

**Protective Equipment:**

**Potential Health Effects:**

**Eye Contact (EC):** Causes severe burns  
**Skin Contact (EC):** Causes severe burns  
**Skin Absorption (EC):** None Reported  
**Target Organs (SA E):** None Reported  
**Ingestion (EC):** Causes: severe burns vomiting rapid pulse and respirations shock collapse death  
**Target Organs (Ing E):** None Reported  
**Inhalation:** Causes: severe burns  
**Target Organs (Inh E):** None Reported  
**Medical Conditions Aggravated:** Pre-existing: Eye conditions Skin conditions Respiratory conditions  
**Chronic Effects:** None reported  
**Cancer / Reproductive Toxicity Information:**  
This product does NOT contain any IARC listed chemicals.

**Additional Cancer / Reproductive Toxicity Information:** None reported  
**Toxicologically Synergistic Products:** None reported

---

#### 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.  
**Skin Contact (First Aid):** Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.  
**Ingestion (First Aid):** Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.  
**Inhalation:** Remove to fresh air.

---

#### 5. FIRE FIGHTING MEASURES

**Flammable Properties:** Material will not burn.  
**Hazardous Combustion Products:** This material will not burn.  
**Fire / Explosion Hazards:** None reported  
**Static Discharge:** None reported.  
**Mechanical Impact:** None reported  
**Extinguishing Media:** Use media appropriate to surrounding fire conditions  
**Extinguishing Media NOT To Be Used:** Not applicable  
**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

---

#### 6. ACCIDENTAL RELEASE MEASURES

**Spill Response Notice:**

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

**Containment Technique:** Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

**Clean-up Technique:** Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution.

**Evacuation Procedure:** Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

---

#### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

**Storage:** Protect from: heat Keep away from: acids

**Special Packaging Instructions:** Not applicable

**Use of the substance/preparation:** Standard solution

---

## 8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

**Engineering Controls:** Have a safety shower nearby. Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

**Personal Protective Equipment:**

**Eye Protection:** chemical splash goggles

**Skin / Hand Protection:** disposable latex gloves lab coat

**Inhalation Protection:** adequate ventilation

**Precautionary Measures:** Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: heat Keep away from: acids/acid fumes

**TLV:** Not established

**PEL:** Not established

**EU Occupational Exposure Limits:** Not established

---

## 9. PHYSICAL / CHEMICAL PROPERTIES

**Appearance:** Clear, colorless liquid

**Physical State:** Liquid

**Odor:** None

**pH:** >13

**Vapor Pressure:** Not determined

**Vapor Density (air = 1):** Not determined

**Boiling Point:** Not determined

**Melting Point:** Not applicable

**Flash Point:** Not applicable

**Method:** Not applicable

**Autoignition Temperature:** Not applicable

**Flammability Limits:**

**Lower Explosion Limits:** Not applicable

**Upper Explosion Limits:** Not applicable

**Specific Gravity (water = 1):** Not determined

**Evaporation Rate (water = 1):** Not determined

**Volatile Organic Compounds Content:** Not applicable

**Partition Coefficient (n-octanol / water):** Not applicable

**Solubility:**

**Water:** Miscible

**Acid:** Reacts with acid

**Other:** Not determined

**Metal Corrosivity:**

**Steel:** Not determined

**Aluminum:** Not determined

---

## 10. STABILITY / REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.

**Conditions to Avoid:** Heat Evaporation Exposure to air.

**Reactivity / Incompatibility:** May react violently in contact with: strong acids Incompatible with: halogenated organic compounds tin aluminum zinc nitro compounds

**Hazardous Decomposition:** No hazardous decomposition products known.

**Hazardous Polymerization:** Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

**Product Toxicological Data:**

*LD50:* None reported  
*LC50:* None reported  
*Dermal Toxicity Data:* None reported  
*Skin and Eye Irritation Data:* None reported  
*Mutation Data:* None reported  
*Reproductive Effects Data:* None reported

--  
**Ingredient Toxicological Data:** Sodium Hydroxide: Oral rat LDLo = 500 mg/kg

This product does NOT contain any IARC listed chemicals.

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --  
No ecological data available for this product.  
**Ingredient Ecological Information:** --  
No ecological data available for the ingredients of this product.

---

## 13. DISPOSAL CONSIDERATIONS

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

---

## 14. TRANSPORT INFORMATION

**I.C.A.O.:**  
**I.C.A.O. Proper Shipping Name:** Sodium Hydroxide Solution  
--  
**ICAO Hazard Class:** 8  
**ICAO Subsidiary Risk:** NA  
**ICAO UN/ID Number:** UN1824  
**ICAO Packing Group:** II

**I.M.O.:**  
**I.M.O. Proper Shipping Name:** Sodium Hydroxide Solution  
--  
**I.M.O. Hazard Class:** 8  
**I.M.O. Subsidiary Risk:** NA  
**I.M.O. UN Number:** UN1824  
**I.M.O. Packing Group:** II

**A.D.R.:**  
**A.D.R. Proper Shipping Name:** Sodium Hydroxide Solution  
--  
**A.D.R Hazard Class:** 8  
**A.D.R. Subsidiary Risk:** NA  
**A.D.R. UN-Number::** 1824  
**A.D.R. Packing Group:** II

**Additional Information:** This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

---

## 15. REGULATORY INFORMATION

**National Inventories:**  
**EEC Inventory Status:** All ingredients used to make this product are listed on EINECS / ELINCS.  
**EEC Number:** Not applicable  
**EEC LABEL COPY:**  
**EU Symbols:** C - CORROSIVE

**R PHRASES:** R 35: Causes severe burns.

**S PHRASES:** S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 37/39: Wear suitable gloves and eye / face protection. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

---

## 16. OTHER INFORMATION

**References:** 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. In-house information. FireProtection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992.

**R PHRASES:** R 35: Causes severe burns.

**Use of the substance/preparation:** Standard solution

**Revision Summary:** Updates in Section(s) 14,

---

### Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2006