

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01920

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Nitrate Reagent A
Catalog Number: HCT106A

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01920

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Determination of nitrate

CAS No.: Not applicable

Hazard: May cause irritation. Combustible.

Date of MSDS Preparation:

Day: 13

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: 75,0 - 85,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Other components, each

EEC Number: Not applicable

CAS No.: Not applicable

Percent Range: < 1,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Isopropanol

EEC Number: 2006617

CAS No.: 67630

Percent Range: 15,0 - 25,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: F - HIGHLY FLAMMABLE Xi- IRRITATING
Ingredient R phrase(s) (R phrase details given in Heading 16): R 11 R 36 R 67
TLV: 400 ppm (500 ppm STEL)
PEL: 400 ppm
EU Occupational Exposure Limits: 200 ppm (500 mg/m³)

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: Alcoholic
EU Symbols: Xi - IRRITATING
R PHRASES: R 10: Flammable. R 36: Irritating to eyes.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): May cause irritation
Skin Contact (EC): May cause irritation
Skin Absorption (EC): None Reported
Target Organs (SA E): None Reported
Ingestion (EC): May cause: irritation of the mouth and esophagus Very large doses may cause: drunkenness nausea vomiting blood pressure problems rapid pulse and respirations
Target Organs (Ing E): Central nervous system
Inhalation: May cause: irritation of nose and throat
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Pre-existing: Eye conditions Impaired pulmonary function such as obstructive airway diseases.
Chronic Effects: None reported
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Combustible Liquid Can burn in fire, releasing toxic vapors.
Hazardous Combustion Products: carbon monoxide, carbon dioxide.
Fire / Explosion Hazards: May react violently with: oxidizers Combustible liquid May ignite on contact with: heat sparks, flame, or other ignition sources
Static Discharge: Not applicable
Mechanical Impact: None reported
Extinguishing Media: Water.
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Absorb spilled liquid with non-reactive sorbent material. Incinerate material at an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat Keep away from: sparks, flames and other ignition sources

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Determination of nitrate

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin / Hand Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Wash thoroughly after handling. Protect from: heat Keep away from: sparks, flames and other ignition sources

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits:

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: Alcoholic

pH: 5,5

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 82° C 180° F

Melting Point: Not determined

Flash Point: 26° C 79° F

Method: Closed cup

Autoignition Temperature: Not determined

Flammability Limits:

Lower Explosion Limits: Not determined

Upper Explosion Limits: Not determined

Specific Gravity (water = 1): 0,95

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Not determined

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures Evaporation Contact with heat, sparks, open flames or other ignition sources. Exposure to air.

Reactivity / Incompatibility: Incompatible with: strong acids oxidizers

Hazardous Decomposition: Heating to decomposition releases: carbon monoxide carbon dioxide

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: Isopropanol: Cytogenetic analysis, Rat, Inhalation, 1030 µg/m³/16W (Intermittent)

Reproductive Effects Data: Isopropanol: Oral rat TDLo 11340 mg/kg-Maternal effects-menstrual cycle changes or disorders; Oral rat TDLo 5040 mg/kg-Litter size; Oral rat TDLo 20160 mg/kg-Pre-implantation mortality; Oral rat TDLo 32400µg/kg-Embryo or fetus death;

Oral rat TDLo 6480 mg/kg-Effects on newborn-growth statistics; Inhalation rat TCLo 3500 ppm/7H-Embryo or fetus death; Inhalation rat TCLo 10000 ppm/7H-Pre-implantation mortality, post-implantation mortality, embryo or fetus death

Ingredient Toxicological Data: Isopropanol: Oral rat LD50 = 5045mg/kg; Inhalation rat LCLo = 12000 ppm/8H; Dermal rabbit LD50 = 12800 mg/kg

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: Isopropanol: LD50 goldfish 5,000 mg/L/24 hr, LC50 brown shrimp 1,400 mg/L/48 hr, LC50 brown shrimp 1150 mg/L/96 hr, LC50 fathead minnows 11,160 mg/L/24 hr, cell multiplication test Microcystis aeruginosa (algae) 1,000 mg/L

No ecological data available for this product.

Ingredient Ecological Information:

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Alcohols, N.O.S.

(Isopropanol Solution)

ICAO Hazard Class: 3

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN1987

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Alcohol, N.O.S.

(Isopropanol Solution)

I.M.O. Hazard Class: 3

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN1987

I.M.O. Packing Group: III

A.D.R.:

A.D.R. Proper Shipping Name: Alcohols. N.O.S.

(Isopropanol Solution)

A.D.R Hazard Class: 3

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: 1987

A.D.R. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: Xi - IRRITATING

R PHRASES: R 10: Flammable. R 36: Irritating to eyes.

S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 39: Wear eye / face protection.

16. OTHER INFORMATION

References: Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. In-house information. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Outside Testing.

R PHRASES: R 10: Flammable. R 36: Irritating to eyes.

Use of the substance/preparation: Determination of nitrate

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01749

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Nitrate Vial Reagent
Catalog Number: HCT106R

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01749

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Determination of nitrate

CAS No.: Not applicable

Hazard: Causes severe burns. Harmful if inhaled. Recognized carcinogen.

Date of MSDS Preparation:

Day: 13

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: 1,0 - 10,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Phosphoric Acid

EEC Number: 2316332

CAS No.: 7664382

Percent Range: 25,0 - 35,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: C - CORROSIVE

Ingredient R phrase(s) (R phrase details given in Heading 16): R 35

TLV: 1 mg/m³

PEL: 1 mg/m³

EU Occupational Exposure Limits: 0,2 ppm (1 mg/m³); STEL 0,5 ppm (2 mg/m³)

Sulfuric Acid

EEC Number: 2316395

CAS No.: 7664939

Percent Range: 55,0 - 65,0

Percent Range Units: weight / weight
Ingredient EEC Symbol: C - CORROSIVE
Ingredient R phrase(s) (R phrase details given in Heading 16): R 35
TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL)
PEL: 1 mg/m³
EU Occupational Exposure Limits: 0,1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: Acidic
EU Symbols: C - CORROSIVE
R PHRASES: R 35: Causes severe burns.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes severe burns
Skin Contact (EC): Causes severe burns
Skin Absorption (EC): None Reported
Target Organs (SA E): None Reported
Ingestion (EC): May cause: abdominal pain nausea vomiting collapse death Causes: severe burns
Target Organs (Ing E): None Reported
Inhalation: May cause: coughing difficult breathing chest pain irritation of nose and throat Causes: severe burns
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Persons with impaired liver, kidney or respiratory function may be more susceptible to the effects of Phosphoric Acid. Pre-existing: Eye conditions Skin conditions
Chronic Effects: Chronic overexposure may cause dermatitis chronic irritation or inflammation of the lungs cancer
Cancer / Reproductive Toxicity Information:
An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen
Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.
Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire, corrosive and toxic gases may be generated by thermal decomposition.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: metals Protect from: heat

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Determination of nitrate

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: heat Keep away from: metals

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits:

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: Acidic

pH: <1

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,3

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Not determined

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Excess moisture Extreme temperatures Heating to decomposition.

Reactivity / Incompatibility: May react violently in contact with: strong bases sulfites Incompatible with: plastics

Hazardous Decomposition: Contact with metals may release flammable hydrogen gas. Heating to decomposition releases toxic and/or corrosive fumes of: phosphorus oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: Phosphoric Acid: Skin: 595 mg/24h SEVERE; Eye: 199 mg SEVERE

Mutation Data: None reported

Reproductive Effects Data: None reported

--

Ingredient Toxicological Data: Phosphoric Acid: Oral rat LD50 = 1530 mg/kg, Dermal rabbit LD50 = 2740 mg/kg,

Sulfuric Acid: Oral rat LD50 = 2140 mg/kg; Inhalation rat LC50 = 347 ppm/1hr.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Phosphoric Acid: TLm mosquito fish = 138 mg/L/24-96H in turbid water @ 22-24° C;

Sulfuric Acid: The 48-Hour TLm in flounder is 100 - 300 ppm.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(Sulfuric Acid/Phosphoric Acid Mixture)

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN3264

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(Sulfuric Acid/Phosphoric Acid Mixture)

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN3264

I.M.O. Packing Group: II

A.D.R.:

A.D.R. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

(Sulfuric Acid/Phosphoric Acid Mixture)

A.D.R Hazard Class: 8

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: 3264

A.D.R. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: C - CORROSIVE

R PHRASES: R 35: Causes severe burns.

S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 37/39: Wear suitable gloves and eye / face protection. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. OTHER INFORMATION

References: TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Technical Judgment. Vendor Information.

R PHRASES: R 35: Causes severe burns.

Use of the substance/preparation: Determination of nitrate

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01919

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Nitrate Zero Solution
Catalog Number: HCT106Z

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01919
Chemical Name: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Use of the substance/preparation: Standard solution
CAS No.: Not applicable
Hazard: Practically non-toxic.
Date of MSDS Preparation:
Day: 13
Month: 01
Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33-(0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912
CAS No.: 7732185
Percent Range: > 99,0
Percent Range Units: weight / weight
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

Sulfuric Acid

EEC Number: 2316395
CAS No.: 7664939
Percent Range: < 0,1
Percent Range Units: weight / weight
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL)
PEL: 1 mg/m³
EU Occupational Exposure Limits: 0,1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: None
EU Symbols: Not applicable
R PHRASES: Not applicable

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): No effects are anticipated
Skin Contact (EC): No effects are anticipated
Skin Absorption (EC): None Reported
Target Organs (SA E): Not applicable
Ingestion (EC): Practically non-toxic
Target Organs (Ing E): Not applicable
Inhalation: No effects anticipated
Target Organs (Inh E): Not applicable
Medical Conditions Aggravated: None reported
Chronic Effects: No effects anticipated
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Flush eyes with water. Call physician if irritation develops.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.
Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: This product will not burn or explode.
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Special Packaging Instructions: Not applicable
Use of the substance/preparation: Standard solution

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes Wash thoroughly after handling.

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: None

pH: 2.0

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 100° C 212° F

Melting Point: 0° C 32° F

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1.00

Evaporation Rate (water = 1): 1

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Exposure to air. Extreme temperatures

Reactivity / Incompatibility: None reported

Hazardous Decomposition: No hazardous decomposition products known.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: None reported

Reproductive Effects Data: None reported

--
Ingredient Toxicological Data: Sulfuric Acid: Oral rat LD50 = 2140 mg/kg; Inhalation rat LC50 = 347 ppm/1hr.

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Sulfuric Acid: The 48-Hour TLm in flounder is 100 - 300 ppm.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: NA

I.M.O. Packing Group: NA

A.D.R.:

A.D.R. Proper Shipping Name: Not Currently Regulated

--

A.D.R Hazard Class: NA

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: NA

A.D.R. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: --

EEC LABEL COPY:

EU Symbols: Not applicable

R PHRASES: Not applicable

S PHRASES: Not applicable

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. In-house information. Lefevre, Marc J. First Aid Manual for Chemical Accidents, 2nd Ed. New York: Van Nostrand Reinhold Company, 1989. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. EU Occupational Exposure Limits On Line.

R PHRASES: Not applicable

Use of the substance/preparation: Standard solution

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006