

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01808

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Nickel Reagent A
Catalog Number: HCT167A

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01808

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Laboratory Reagent

CAS No.: Not applicable

Hazard: Causes burns.

Date of MSDS Preparation:

Day: 13

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Sodium Hydroxide

EEC Number: 2151855

CAS No.: 1310732

Percent Range: 10,0 - 20,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: C - CORROSIVE

Ingredient R phrase(s) (R phrase details given in Heading 16): R 35

TLV: 2 mg/m³

PEL: 2 mg/m³

EU Occupational Exposure Limits: 2 mg/m³

Demineralized Water

EEC Number: 2317912

CAS No.: 7732185

Percent Range: 80,0 - 90,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

Other component

EEC Number: Not applicable

CAS No.: Not applicable

Percent Range: < 1,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: None
EU Symbols: C - CORROSIVE
R PHRASES: R 35: Causes severe burns.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes severe burns
Skin Contact (EC): Causes burns
Skin Absorption (EC): None Reported
Target Organs (SA E): None Reported
Ingestion (EC): Harmful Causes: severe burns Can cause: rapid pulse and respirations vomiting shock collapse
Target Organs (Ing E): None Reported
Inhalation: Causes: burns
Target Organs (Inh E): None Reported
Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions
Chronic Effects: None reported
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: May react violently with: strong acids flammable liquids organic materials
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Releases of this material may contaminate the environment. Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike the spill to contain material for later disposal.

Clean-up Technique: Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: acids flammable liquids organic material Store in a cool, dry place. Keep container tightly closed when not in use.

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Laboratory Reagent

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin / Hand Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Keep away from: acids/acid fumes organic materials

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: None

pH: 14 at 20 °C

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 145 °C (293 °F)

Melting Point: -17 °C (1 °F)

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1,2

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Heat Evaporation Extreme temperatures

Reactivity / Incompatibility: May react violently in contact with: strong acids flammable liquids aluminum tin zinc nitromethane nitro compounds halogenated organic compounds

Hazardous Decomposition: None reported

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: Sodium Hydroxide: Skin rabbit 500 mg/24 hour SEVERE; Eye rabbit 50 µg/24 hour SEVERE; Eye rabbit 1 mg/24 hours SEVERE; Eye rabbit 100 mg rinse SEVERE; Eye rabbit 1% SEVERE; Eye rabbit 400 µg MILD

Mutation Data: None reported

Reproductive Effects Data: None reported

--

Ingredient Toxicological Data: Sodium Hydroxide: Oral rat LDLo = 500 mg/kg

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Sodium Hydroxide Solution

--

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN1824

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Sodium Hydroxide Solution

--

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN1824

I.M.O. Packing Group: II

A.D.R.:

A.D.R. Proper Shipping Name: Sodium Hydroxide Solution

--

A.D.R Hazard Class: 8

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: 1824

A.D.R. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: C - CORROSIVE

R PHRASES: R 35: Causes severe burns.

S PHRASES: S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 28a: After contact with skin, wash immediately with plenty of water. S 37/39: Wear suitable gloves and eye / face protection. S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989.

R PHRASES: R 35: Causes severe burns.

Use of the substance/preparation: Laboratory Reagent

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01810

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Nickel Vial Reagent
Catalog Number: HCT167R

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01810

Chemical Name: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Use of the substance/preparation: Laboratory Reagent

CAS No.: Not applicable

Hazard: Oxidizer. Harmful if swallowed

Date of MSDS Preparation:

Day: 13

Month: 01

Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32(0)70 -245245, France: +33 (0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ammonium Persulfate

EEC Number: 2317865

CAS No.: 7727540

Percent Range: 60,0 - 70,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: O - Oxidizing Xn - HARMFUL

Ingredient R phrase(s) (R phrase details given in Heading 16): R 8 R 22

TLV: 5 mg/m³ as S₂O₈

PEL: Not established.

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust. For ammonia_g 20 ppm (14 mg/m³); STEL: 50 ppm (36 mg/m³) Recommended.

Citric Acid

EEC Number: 2010691

CAS No.: ~~77929~~

Percent Range: 30,0 - 40,0

Percent Range Units: weight / weight

Ingredient EEC Symbol: Not applicable

Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: 3 mg/m³, Inhalable dust

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: White crystals

Odor: None

EU Symbols: O - OXIDIZER Xn - HARMFUL

R PHRASES: R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/38: Irritating to eyes and skin. R 43: May cause sensitization by skin contact.

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): Causes irritation

Skin Contact (EC): Causes irritation May cause: skin sensitization

Skin Absorption (EC): None Reported

Target Organs (SA E): None Reported

Ingestion (EC): Harmful May cause: burns of the mouth and esophagus

Target Organs (Ing E): None Reported

Inhalation: May cause: respiratory tract irritation

Target Organs (Inh E): None Reported

Medical Conditions Aggravated: Pre-existing: Dermatitis

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Remove contaminated clothing. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Strong oxidizer. Contact with combustible materials may cause a fire.

Hazardous Combustion Products: Toxic fumes of: ammonia nitrogen oxides. sulfur oxides.

Fire / Explosion Hazards: May react violently with: combustible materials

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Water.

Extinguishing Media NOT To Be Used: Not applicable

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

Clean-up Technique: Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store in a cool, dry place. Keep away from: combustible materials organic material oxidizable materials

Special Packaging Instructions: Not applicable

Use of the substance/preparation: Laboratory Reagent

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: lab coat disposable latex gloves

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: dust Wash thoroughly after handling.

Keep away from: organic materials other combustible materials oxidizable materials

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White crystals

Physical State: Solid

Odor: None

pH: 1,5 at 20 °C

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not applicable

Melting Point: Decomposes at 60 °C (140 °F)

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not determined

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): Not determined

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Not determined

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures Heating to decomposition.

Reactivity / Incompatibility: May react violently in contact with: iron Incompatible with: aluminum combustible materials hydrogen peroxide halides

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: ammonia nitrogen oxides sulfur oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: Citric acid: Skin rabbit 500 mg/24 hour MODERATE; Eye rabbit 750 µg/24 hour SEVERE.

Mutation Data: None reported

Reproductive Effects Data: None reported

--

Ingredient Toxicological Data: Ammonium persulfate: LD50 = 820 mg/kg. Citric acid: LD50 = 6730 mg/kg.

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Ammonium Persulphate Mixture

--

ICAO Hazard Class: 5,1

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: UN1444

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Ammonium Persulphate Mixture

--

I.M.O. Hazard Class: 5,1

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: UN1444

I.M.O. Packing Group: III

A.D.R.:

A.D.R. Proper Shipping Name: Ammonium Persulphate Mixture

--

A.D.R Hazard Class: 5,1

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: 1444

A.D.R. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: Not applicable

EEC LABEL COPY:

EU Symbols: O - OXIDIZER Xn - HARMFUL

R PHRASES: R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/38: Irritating to eyes and skin. R 43: May cause sensitization by skin contact.

S PHRASES: S 22: Do not breathe dust. S 24: Avoid contact with skin. S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 37/39: Wear suitable gloves and eye / face protection. S 17: Keep away from combustible material.

16. OTHER INFORMATION

References: Vendor Information. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. In-house information. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Cassaret and Doull's Toxicology, 3rd Ed. New York: Macmillan Publishing Co., Inc., 1986. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor).

R PHRASES: R 8: Contact with combustible material may cause fire. R 22: Harmful if swallowed. R 36/38: Irritating to eyes and skin. R 43: May cause sensitization by skin contact.

Use of the substance/preparation: Laboratory Reagent

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01919

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Nickel Zero Solution
Catalog Number: HCT167Z

HACH LANGE GmbH
Willstätterstrasse 11
40549 Düsseldorf, Germany
+49-(0)211-52880

Emergency Telephone Numbers:
(Poison Information Center Main)
(+49 (0) 6131 19240) 24 HR

SDS Number: M01919
Chemical Name: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Use of the substance/preparation: Standard solution
CAS No.: Not applicable
Hazard: Practically non-toxic.
Date of MSDS Preparation:
Day: 13
Month: 01
Year: 2006

Additional Emergency Response Numbers: Austria: +49 (0)6131 19240, Belgium: +32-(0)70-245245, France: +33-(0)1-40370404, Italy: +39-0266101029, Netherlands: +31 -(0)30-2748888, Switzerland: +41-(0)1-2515151

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

EEC Number: 2317912
CAS No.: 7732185
Percent Range: > 99,0
Percent Range Units: weight / weight
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: Not established
PEL: Not established
EU Occupational Exposure Limits: Not established

Sulfuric Acid

EEC Number: 2316395
CAS No.: 7664939
Percent Range: < 0,1
Percent Range Units: weight / weight
Ingredient EEC Symbol: Not applicable
Ingredient R phrase(s) (R phrase details given in Heading 16): Not applicable
TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL)
PEL: 1 mg/m³
EU Occupational Exposure Limits: 0,1 mg/m³

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: None
EU Symbols: Not applicable
R PHRASES: Not applicable

Protective Equipment:

Potential Health Effects:

Eye Contact (EC): No effects are anticipated
Skin Contact (EC): No effects are anticipated
Skin Absorption (EC): None Reported
Target Organs (SA E): Not applicable
Ingestion (EC): Practically non-toxic
Target Organs (Ing E): Not applicable
Inhalation: No effects anticipated
Target Organs (Inh E): Not applicable
Medical Conditions Aggravated: None reported
Chronic Effects: No effects anticipated
Cancer / Reproductive Toxicity Information:
This product does NOT contain any IARC listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID MEASURES

Eye Contact: Flush eyes with water. Call physician if irritation develops.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.
Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: This product will not burn or explode.
Static Discharge: None reported.
Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Special Packaging Instructions: Not applicable
Use of the substance/preparation: Standard solution

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin / Hand Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes Wash thoroughly after handling.

TLV: Not established

PEL: Not established

EU Occupational Exposure Limits: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: None

pH: 2.0

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 100° C 212° F

Melting Point: 0° C 32° F

Flash Point: Not applicable

Method: Not applicable

Autoignition Temperature: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Specific Gravity (water = 1): 1.00

Evaporation Rate (water = 1): 1

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Exposure to air. Extreme temperatures

Reactivity / Incompatibility: None reported

Hazardous Decomposition: No hazardous decomposition products known.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: None reported

Reproductive Effects Data: None reported

--
Ingredient Toxicological Data: Sulfuric Acid: Oral rat LD50 = 2140 mg/kg; Inhalation rat LC50 = 347 ppm/1hr.

This product does NOT contain any IARC listed chemicals.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Sulfuric Acid: The 48-Hour TLm in flounder is 100 - 300 ppm.

13. DISPOSAL CONSIDERATIONS

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO UN/ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. UN Number: NA

I.M.O. Packing Group: NA

A.D.R.:

A.D.R. Proper Shipping Name: Not Currently Regulated

--

A.D.R Hazard Class: NA

A.D.R. Subsidiary Risk: NA

A.D.R. UN-Number:: NA

A.D.R. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

National Inventories:

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

EEC Number: --

EEC LABEL COPY:

EU Symbols: Not applicable

R PHRASES: Not applicable

S PHRASES: Not applicable

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. In-house information. Lefevre, Marc J. First Aid Manual for Chemical Accidents, 2nd Ed. New York: Van Nostrand Reinhold Company, 1989. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. EU Occupational Exposure Limits On Line.

R PHRASES: Not applicable

Use of the substance/preparation: Standard solution

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006