# SIGMA-ALDRICH

# SAFETY DATA SHEET

according to EC directive 2001/58/EC Version 3.0 Revision Date 23.03.2007 Print Date 20.02.2008

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name : 2-Propanol

Product Number : 24137 Brand : Riedel

Company : Sigma-Aldrich Company Ltd.

The Old Brickyard

NEW ROAD, GILLINGHAM

Dorset SP8 4XT

**UNITED KINGDOM** 

Telephone : +44 (0)1747 833000 Fax : +44 (0)1747 833313 Emergency Phone # : +44 (0)1747 833100

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Isopropanol

Formula : C3H8O Molecular Weight : 60.1 g/mol

CAS-No.	EC-No.	Index-No.	Classification	Concentration [%]
Propan-2-ol				
67-63-0	200-661-7	603-117-00-0	F, Xi, R11- R36- R67	-

## 3. HAZARDS IDENTIFICATION

# Risk advice to man and the environment

Highly flammable. Irritating to eyes. Vapours may cause drowsiness and dizziness.

### 4. FIRST AID MEASURES

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. Carbon dioxide (CO2)

### Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 7. HANDLING AND STORAGE

### Handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### Storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
Propan-2-ol	67-63-0	STEL	500 ppm 1,250 mg/m3	1997-01-01	UK. Health and Safety Commission, EH 40/2005, Workplace exposure limits
		TWA	400 ppm 999 mg/m3	1997-01-01	UK. Health and Safety Commission, EH 40/2005, Workplace exposure limits

### Personal protective equipment

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

# Eye protection

Safety glasses

## Skin and body protection

impervious clothing, Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Appearance**

Form liquid
Colour colourless

# Safety data

pH no data available

Melting point -89.5 °C

Boiling point 81.0 - 83.0 °C

Flash point 12.0 °C - closed cup

Ignition temperature 425 °C

Lower explosion limit 2 %(V)

Upper explosion limit 12.7 %(V)

Vapour pressure 43.2 hPa at 20.0 °C

58.7 hPa at 25.0 °C

Density 0.78 g/cm3

Water solubility completely soluble Partition coefficient log Pow: 0.05

(n-octanol/water)

### 10. STABILITY AND REACTIVITY

### Storage stability

Stable under recommended storage conditions.

### Conditions to avoid

Heat, flames and sparks.

#### Materials to avoid

Oxidizing agents, acids, Acid anhydrides, Halogens, Aluminum

# **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions.

Carbon oxides

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

LD50 Oral - rat - 5,045 mg/kg

Riedel - 24137 www.sigma-aldrich.com Page 3 of 5

Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Somnolence (general depressed activity).

LC50 Inhalation - rat - 8 h - 16000 ppm

LD50 Dermal - rabbit - 12,800 mg/kg

### Irritation and corrosion

Skin - rabbit - Mild skin irritation

Eyes - rabbit - Eye irritation - 24 h

#### Sensitization

Remarks: no data available

# **Chronic exposure**

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

# Signs and Symptoms of Exposure

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects.

### **Potential Health Effects**

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** Causes eye irritation.

**Ingestion** May be harmful if swallowed.

Target Organs Gastrointestinal tract, Liver, Cardiovascular system., Kidney, Nerves.,

### 12. ECOLOGICAL INFORMATION

### Elimination information (persistence and degradability)

Biodegradability Remarks: no data available

**Ecotoxicity effects** 

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates.

EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h

Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h

Toxicity to algae EC50 - Scenedesmus subspicatus - > 2,000.00 mg/l - 72 h

EC50 - No information available. - > 1,000.00 mg/l - 24 h

### Further information on ecology

no data available

Riedel - 24137 www.sigma-aldrich.com Page 4 of 5

#### 13. DISPOSAL CONSIDERATIONS

#### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

ADR/RID

UN-No.: 1219 Class: 3 Packing group: II

Proper shipping name: ISOPROPANOL

**IMDG** 

UN-No.: 1219 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: ISOPROPANOL

Marine pollutant: No

**IATA** 

UN-No.: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol

# 15. REGULATORY INFORMATION

### Labelling according to EC Directives

**EC** Label

Hazard symbols

F Highly flammable

Xi Irritant

R-phrase(s)

R11 Highly flammable. R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

S-phrase(s)

S 7 Keep container tightly closed.

S16 Keep away from sources of ignition - No smoking.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

### 16. OTHER INFORMATION

# **Further information**

Copyright (2007): Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Riedel - 24137 www.sigma-aldrich.com Page 5 of 5