

1. Identification


Product Code **1110332**

Product Name **ALUMINIUM SULPHATE 16H₂O pure**

Molecular Formula **Al₂(SO₄)₃·16H₂O =630.38**

CAS Number **16828-11-8**

Supplier: **CAMLAB LIMITED**
Norman Way Industrial Estate
Over
Cambridge
England
CB4 5WE



Phone **01954 233110**


Fax **01954 233101**

Emergency Telephone **08:00-17:00 01954 233110**
24hr 112
(Have this document to hand)

2. Composition

Component	CAS No	EEC No	Conc w/w	Classification & Risk Phrases	Exp (See 8.1)
Aluminium salts, soluble	16828-11-8	233-135-0	54.0%	Xi : R41	WEL

3. Hazards Identification



Risk of serious damage to eyes.

4. First Aid Measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. If discomfort persists OBTAIN MEDICAL ATTENTION.

Inhalation Remove from exposure.

Ingestion If conscious give plenty of water to drink. OBTAIN MEDICAL ATTENTION.

5. Fire Fighting Measures

Hazards Presents no specific fire danger.

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

6. Accidental Release Measures

Personal Protection Avoid breathing dust-wear respiratory protective equipment. Do not allow general use of area until it is safe to do so.

Environmental Keep non-neutralised material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

Major Spillage Shovel/sweep up into container for removal Wash area down with copious amounts of water.

6. Accidental Release Measures (continued)

Minor Spillage Wash area down with copious amounts of water.

7. Storage & Handling

Handling Precautions Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.
Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

Storage Conditions Well ventilated, cool, dry storage . Protect against ingress of moisture.

8.1 Workplace Exposure Limits

Workplace Exposure Limits	Long Term (8hr TWA):	-	ppm	2.000	mg m-3
	Short Term (15min Period):	-	ppm	-	mg m-3

8.2 Personal Protection

Respiratory If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.

Hands Wear gloves.

Eyes Use chemical splash proof glasses or goggles.

Skin Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

9. Physical & Chemical Properties

Appearance	White powder.
Odour	No specific odour.
pH	2 @ 20 °C
Boiling point	Not available
Melting point	86.5 °C
Flash point	Not available
Upper Flammable Limit	Not available
Lower Flammable Limit	Not available
Auto Ignition	Not available
Explosive properties	No.
Oxidising Properties	No.
Vapour Pressure	Negligible
Relative Density	1.6900 °C
Water Solubility	Very soluble in water.

10. Stability & Reactivity

Chemical Stability Stable under normal conditions

Conditions to Avoid Contact with most metal surfaces, e.g. galvanised metal, aluminium, copper zinc and their alloys.

Materials to Avoid Alkalis. Contact with chlorites, hypochlorites and sulphites will emit toxic gases.

Hazardous Liberates toxic and acidic dense white fumes of sulphur dioxide.

Decomposition Products

11. Toxicological Information

Eyes Contact with the solid or dust will be extremely irritating to eyes and can cause chemical eye burns.

Skin Will release sulphuric acid in contact with moisture which will cause severe irritation.

LD50 Skin Not available

Ingest Low order of acute toxicity.

LD50 Ingest Oral Rat >5000 mg/Kg

11. Toxicological Information (continued)

Inhalation	Prolonged exposure to dust or fume concentrations above the occupational exposure limits will produce irritation of the eyes and respiratory tract.
Carcinogenicity	Not considered to be a carcinogen.
Mutagenicity	Not considered to be a mutagen.
Reproductive Effects	None identified.

12. Ecological

Hydrolyses to produce sulphuric acid and gelatinous aluminium hydroxide. This may lead to localised adverse effects arising from the physical properties of the gel.

13. Disposal Considerations

Disposal Methods	Dispose of to a licensed land fill site.
Contaminated Packaging	Wash out containers with water.

14. Transport Information


Proper Shipping Name	Non-restricted
UN Number	Non-restricted
UN Classification	None
Subsidiary Risk	None
Flash Point	Not available
Packing Group	None
Transport Category	None
Marine pollutant	No
ADR Hazard ID	Non-restricted

15. Regulatory Information

Labelling	Irritant.
Classification	

Label Symbols

Xi



Risk & safety Phrases	Risk of serious damage to eyes. Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear eye/face protection.
-----------------------	--

EEC Number	233-135-0
------------	-----------

16. Other Information

Document Information	This document has been prepared in accordance with directive 88/379/EEC.
----------------------	--

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.

Revision Date: 21/01/10.

Data reviewed and PDF file generated: 17/03/10.

Copyright 2010 Camlab Limited.