Camlab Limited – Material Safety Data Sheet


(Have this document to hand)

1. Identification Product Code 1110528 NICKEL CHLORIDE 6H2O pure Product Name NiCl₂.6H₂O =237.69 Molecular Formula 7791-20-0 CAS Number CAMLAB LIMITED Supplier: Norman Way Industrial Estate Over Cambridge England CB4 5WE 01954 233110 Phone 01954 233101 Fax 08:00-17:00 01954 233110 Emergency Telephone 24hr 112

2. Composition

Component	CAS No	EEC No	Conc w/w	Classification & Risk Phrases	Exp (See 8.1)
Nickel compounds, inorganic,	7791-20-0	231-743-0	> 24.7%	T N : R25,R43,R50/53 :Carc.Cat 3	N/A

3. Hazards Identification



4. I list Ald Medsules		
Eyes	Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.	
Skin	Remove contaminated clothing immediately and wash before re-use. Thoroughly wash off skin with soap and water. If discomfort persists OBTAIN MEDICAL ATTENTION.	
Inhalation	Remove from exposure.	
Ingestion	Wash out the patients mouth thoroughly with water. OBTAIN MEDICAL ATTENTION URGENTLY.	

5. Fire Fighting Measures		
Hazards	Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire- fighters should wear protective clothing and breathing apparatus. May evolve toxic fumes if involved in a fire.	
Extinguishing Media	Consider what other flammable materials are present and act accordingly.	
Unsuitable Media	Nothing specified.	

6. Accidental Release Measures

PersonalEvacuate area immediately. Avoid breathing dust-wear respiratory protective equipment. DoProtectionnot allow general use of area until it is safe to do so.EnviromentalNotify the Environmental Agency and local Environmental Health Officer if major spillage
occurs.

6. Accidental Release Measures (continued)

limits.

Major Spillage	Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable container for disposal. Carry out this operation under fume extraction. Wash area down with copious amounts of water.
Minor Spillage	Wash area down with copious amounts of water.
7. Storage & Han	ndling
Handling Precautions	Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.
	Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended

Storage Conditions Well ventilated, cool, dry storage .

8.1 Workplace Exposure Limits

No prescribed exposure limits available

8.2 Personal Protection		
Respiratory	If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.	
Hands	Use nitrile gloves or PVC gauntlets.	
Eyes	Use chemical splash proof glasses or goggles.	
Skin	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.	

9. Physical & Chemical Properties

Appearance	Green deliquescent crystals or crystalline powder.
Odour	Odourless.
рH	4
Boiling point	Not available
Melting point	Not available
Flash point	Not available
Upper Flammable Limit	Not available
Lower Flammable Limit	Not available
Auto Ignition	Not available
Explosive properties	No.
Oxidising Properties	No.
Vapour Presure	Not available
Relative Density	Not available
Water Solubility	Very soluble in water.

10. Stability & Reactivity

Chemical Stability	Stable under normal conditions
Conditions to Avoid	No specific conditions.
Materials to Avoid	No specific materials to avoid.
Hazardous Decomposition Products	Will decompose to emit fumes of nickel/ nickel oxide and irritant fumes of hydrogen chloride.

11. Toxicological Information		
Eyes	Contact with the solid or dust will be irritating to the eyes.	
Skin	Contact with the solid or dust will be irritating to the skin. Repeated exposure may cause dermatitis.	
LD50 Skin	Not available	
Ingest	Ingestion may cause gastrointestinal irritation.	

11. Toxicological Information (continued)tation.)		
LD50 Ingest	Not available	
Inhalation	Prolonged exposure to dust or fume concentrations above the occupational exposure limits may produce irritation of the eyes, nose, throat and respiratory tract.	
Carcinogenicity	Carcinogen – category 3. It is suspected as a long term carcinogen in man but evidence is inconclusive.	
Mutagenicity	Not considered to be a mutagen.	
Reproductive Effects	No information is available.	

12. Ecological

Nickel salts are harmful to the environment.

13. Disposal Considerations

Disposal Methods

Dissolve in water and adjust pH to 7, then precipitate out as the sulphide. Filter off the insoluble material and dispose of at a licensed land-fill site. Destroy excess sulphide with sodium hypochlorite, neutralise the solution and wash to drain with copious amounts of water.

TOXIC

Contaminated Packaging Use a licensed waste disposer.

2 No

60

14. Transport Information

Proper Shipping Name UN Number UN Classification Subsidiary Risk Flash Point Packing Group Transport Category Marine pollutant ADR Hazard ID

Toxic Solid, Inorganic, N.O.S. (Nickel Chloride) 3288 6.1 Toxic None Not available III

15. Regulatory Information

Labelling Toxic, Dangerous for the Environment. Classification Label Symbols Т Ν Risk & safety Phrases Toxic if swallowed. May cause sensitisation by skin contact. Very Toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment. Avoid contact with skin. Wear suitable gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label). Avoid release to the environment, refer to special instructions/safety data sheet. Carcinogen category: 3 EEC Number 231-743-0

16. Other Information

Document Information This document has been prepared in accordance with directive 88/379/EEC.

> The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.

16. Other Information (continued)

Revision Date: 8/05/07. Data reviewed and PDF file generated: 17/03/10. Copyright 2010 Camlab Limited.