Camlab Limited – Material Safety Data Sheet

1. Identification Product Code 1110664 SODIUM NITRATE pure Product Name NaNO3 =84.99 Molecular Formula 7631-99-4 CAS Number CAMLAB LIMITED Supplier: Norman Way Industrial Estate Over Cambridge England CB4 5WE 01954 233110 Phone 01954 233101 Fax 08:00-17:00 01954 233110 Emergency Telephone 24hr112

(Have this document to hand)

2. Composition

Component	CAS No	EEC No	Conc w/w	Classification & Risk Phrases	Exp (See 8.1)
Sodium nitrate	7631-99-4	231-554-3	> 98.0%	O Xn : R8,R22	N/A

Contact with combustible material may cause fire. Harmful if swallowed.

3. Hazards Identification



 4. First Aid Measures

 Eyes
 Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.

 Skin
 Wash off skin thoroughly with water.

 Inhalation
 Remove from exposure. If material has reacted with an acid to form, nitrous fumes, Obtain immediate medical attention even if patient is not complaining of discomfort.

 Ingestion
 If conscious give plenty of water to drink. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply

artificial resuscitation. OBTAIN MEDICAL ATTENTION URGENTLY.

5. Fire Fighting Measures		
Hazards	Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire- fighters should wear protective clothing and breathing apparatus. May evolve toxic fumes if involved in a fire. Mixtures with combustible materials are flammable. Mixtures with finely divided combustible materials can react explosively.	
Extinguishing Media	Water spray.	
Unsuitable Media	Nothing specified.	

6. Accidental Rel	ease Measures
Personal Protection	Evacuate area immediately. If contact with acid is possible, use full protective clothing and breathing apparatus. Only re-enter area with full protective clothing and breathing apparatus.
Enviromental	Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.
Major Spillage	Shovel/sweep up into container for removal Wash area down with copious amounts of water.
Minor Spillage	Wash area down with copious amounts of water.

7. Storage & Handling Handling Precautions Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing. Ensure Local Exhaust Ventilation maintains dust concentrations to a minimum. Storage Conditions Well ventilated, cool, dry storage . Store in a suitable area for oxidising agents. Keep well separated from combustible materials.

8.1 Workplace Exposure Limits

No prescribed exposure limits available

8.2 Personal Protection		
Respiratory	If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.	
Hands	Wear gloves.	
Eyes	Use chemical splash proof glasses or goggles.	
Skin	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.	

9. Physical & Chemical Properties

Appearance White or pale yellow tinted crystals or crystalline powder. Odour No specific odour. рΗ 7 (In solution) Boiling point 380.0 °C 309.0 °C Melting point Not available Flash point Upper Flammable Limit Not available Not available Lower Flammable Limit Auto Ignition Not available Explosive properties No. A strong oxidising agent. Oxidising Properties Vapour Presure Not available Relative Density 2.2610 °C Water Solubility 88%

10. Stability & Reactivity

Chemical Stability	Stable under normal conditions
Conditions to Avoid	Avoid contact with acids or combustible materials.
Materials to Avoid	Acids : reacts to form poisonous nitrous fumes. Combustible materials. Ammonium salts, phthalic anhydride, thiosulphates, or urea. Cyanides.
Hazardous Decomposition Products	Not flammable but will assist a fire, producing irritant and toxic fumes of oxides of nitrogen.

11. Toxicological Information	
Eyes	Contact with the solid or dust may be irritating to the eyes.
Skin	The solid and solutions may be irritating to the skin.
LD50 Skin	Not available
Ingest	Harmful if swallowed. Repeated small doses cause a fall in blood pressure, rapid pulse, headache and visual disturbances. Larger doses cause nausea, vomiting, cyanosis, collapse and coma.
LD50 Ingest	Oral Rat 3236 mg/Kg
Inhalation	Presents no significant health hazard by inhalation.
Carcinogenicity	Not considered to be a carcinogen.
Mutagenicity	Not considered to be a mutagen.
Reproductive Effects	None identified.

12. Ecological

Low levels are readily bio-degraded in the environment. Higher levels are toxic to marine and plant life.

13. Disposal Considerations

Disposal Methods

Do not dispose of as domestic waste.

Contaminated Packaging Wash out containers with water.

14. Transport Information

Proper Shipping Name Sodium Nitrate			
UN Number	1498		
UN Classification	5.1 Oxidising agent		
Subsidiary Risk	None		
Flash Point	Not available		
Packing Group	III		
Transport Category	3		
Marine pollutant	No		
ADR Hazard ID	50		



15. Regulatory Information		
Labelling Classification	Oxidising, Harmful.	
Label Symbols		
Risk & safety Phrases	Contact with combustible material may cause fire. Harmful if swallowed.	
EEC Number	231-554-3	

16. Other Information

Document Information This document has been prepared in accordance with directive 88/379/EEC.

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.

16. Other Information (continued)

Revision Date: 10/03/06. Data reviewed and PDF file generated: 17/03/10. Copyright 2010 Camlab Limited.