# Camlab Limited - Material Safety Data Sheet

#### 1. Identification

Product Code CC/1198-EH

Product Name LEAD NITRATE pure

Molecular Formula  $Pb(NO_3)_2 = 331.21$ 

CAS Number 10099-74-8

Supplier:



CAMLAB LIMITED

Norman Way Industrial Estate Over Cambridge England CB4 5WE

Phone 01954 233110 Fax 01954 233101

Emergency Telephone 08:00-17:00 01954 233110

24hr 112

(Have this document to hand)

# 2. Composition

| Component CAS No EEC No |           | EEC No | Conc w/w | Classification & Risk Phrases      | Exp (See 8.1) |  |
|-------------------------|-----------|--------|----------|------------------------------------|---------------|--|
| Lead compounds          | 6080-56-4 |        | 99.0%    | O T N : R61,R33,R40,R48/22,R50/53, | WEL           |  |
|                         |           |        |          | R62                                |               |  |

#### 3. Hazards Identification







May cause harm to the unborn child. Harmful by inhalation and if swallowed. Danger of cumulative effects. Very Toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment. Possible risk of impaired fertility.

## 4. First Aid Measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes,

holding the eye open. If discomfort persists OBTAIN MEDICAL

ATTENTION.

Skin Wash off skin thoroughly with water.

Inhalation Remove from exposure. If material has reacted with an acid to form, nitrous fumes, Obtain

immediate medical attention even if patient is not complaining of discomfort.

Ingestion If conscious give plenty of water to drink. Keep warm and at rest. If there is difficulty

in breathing give oxygen if available. If breathing stops or shows signs of failing, apply

artificial resuscitation. OBTAIN MEDICAL ATTENTION URGENTLY.

#### 5. Fire Fighting Measures

Hazards Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-

fighters should wear protective clothing and breathing apparatus. May evolve toxic fumes if involved in a fire. Mixtures with combustible materials are flammable. Mixtures with finely

divided combustible materials can react explosively.

Extinguishing

Media

Water spray.

Unsuitable

Nothing specified.

Media

#### 6. Accidental Release Measures

Evacuate area immediately. If contact with acid is possible, use full protective clothing Personal Protection

and breathing apparatus. Only re-enter area with full protective clothing and breathing

apparatus.

Enviromental Keep material out of sewers, storm drains, surface waters and soil. Notify the

Environmental Agency and local Environmental Health Officer if major spillage occurs.

Major Spillage Shovel/sweep up into container for removal Wash area down with copious amounts of water.

Minor Spillage Wash area down with copious amounts of water.

# 7. Storage & Handling

Handling Precautions Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations to a minimum.

Well ventilated, cool, dry storage . Store in a suitable area for oxidising agents. Keep Storage Conditions

well separated from combustible materials.

## 8.1 Workplace Exposure Limits

| С  | omponent      | CAS No    | Workplace Exposure Limits |        |            | Maximum Exposure Limits |           |        |            |        |
|----|---------------|-----------|---------------------------|--------|------------|-------------------------|-----------|--------|------------|--------|
|    |               |           | Long Term                 |        | Short Term |                         | Long Term |        | Short Term |        |
|    |               |           | ppm                       | mg m-3 | ppm        | mg m-3                  | ppm       | mg m-3 | ppm        | mg m-3 |
| Le | ead compounds | 6080-56-4 | _                         | 0.0500 | _          | -                       | _         | _      | _          | -      |

#### 8.2 Personal Protection

Respiratory If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.

Hands Wear gloves.

Eyes Use chemical splash proof glasses or goggles.

Skin Avoid contact with skin. If skin contact or contamination of clothing is likely, protective

clothing must be worn.

## 9. Physical & Chemical Properties

Appearance White translucent crystals.

Odour No specific odour. 3 (20% solution) Нq

Boiling point 0.0 °C 470.0 °C Melting point Flash point Not available Not available Upper Flammable Limit Lower Flammable Limit Not available Auto Ignition Not available

Explosive properties No. Oxidising Properties Yes.

Not available Vapour Presure 4.5300 °C Relative Density Water Solubility 538

# 10. Stability & Reactivity

Chemical Stability Stable under normal conditions

Avoid contact with acids or combustible materials. Conditions to Avoid

Materials to Avoid Acids: reacts to form poisonous nitrous fumes. Combustible materials.

Not flammable but will assist a fire, producing irritant and toxic fumes of oxides of

Decomposition Products nitrogen.

## 11. Toxicological Information

Eyes Contact with the solid or dust may be irritating to the eyes but unlikely to cause serious

injury.

Skin Unlikely to be an irritant on brief or occasional exposure.

LD50 Skin Not available

Ingest Moderately toxic by ingestion.

LD50 Ingest Not available

Inhalation Inhalation of the dust may cause ultra structural changes to the lungs and effect the

central nervous system.

Carcinogenicity No conclusive evaluation of its carcinogenic properties has been made.

Mutagenicity Significant increases in chromosome aberrations have been reported.

Reproductive Effects No information is available.

Other Information Chronic lead poisoning may occur from dust inhalation. Anaemia and other blood effects are

the most common. Early symptoms of poisoning include fatigue, headache, sleep disturbances, aching bones and muscles, gastrointestinal disturbances and reduced appetite. Large doses affect the central nervous system causing severe headaches, convulsions, coma, kidney

damage and death.

## 12. Ecological

Lead salts are harmful to the environment.

## 13. Disposal Considerations

Disposal Methods Dispose of to a licensed land fill site.

Contaminated Packaging Use a licensed waste disposer.

#### 14. Transport Information

Proper Shipping Name Lead Nitrate

UN Number 146

UN Classification 5.1 Oxidising agent

Subsidiary Risk 6.1 Toxic Flash Point Not available

Packing Group II
Transport Category 2
Marine pollutant Yes
ADR Hazard ID 56







#### 15. Regulatory Information

Labelling Oxidising, Toxic, Dangerous for the Environment.

Classification

Label Symbols



Τ



Ν



Risk & safety Phrases

May cause harm to the unborn child. Harmful by inhalation and if swallowed. Danger of cumulative effects. Very Toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment. Possible risk of impaired fertility. Avoid exposure - obtain special instruction before use. In case of accident or if you feel unwell, seek medical advice immediately (show the label). This material and/or its container must be disposed of as hazardous waste. Avoid release to the environment, refer to special instructions/safety data sheet.

EEC Number 233-245-9

# 16. Other Information

Document Information

This document has been prepared in accordance with directive 88/379/EEC.

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.

Revision Date: 10/03/06.

Data reviewed and PDF file generated: 17/03/10.

Copyright 2010 Camlab Limited.