
# **Camlab Limited – Material Safety Data Sheet**

1. Identification	
Product Code	CC/1570-CO
Product Name	BARIUM NITRATE pure
Molecular Formula	$Ba(NO_3)_2 = 261.34$
CAS Number	10022-31-8
supplier: camlab	CAMLAB LIMITED Norman Way Industrial Estate Over Cambridge England CB4 5WE
Phone Fax	01954 233110 01954 233101
Emergency Telephone	08:00-17:00 01954 233110 24hr 112 (Have this document to hand)

# 2. Composition

Component	CAS No	EEC No	Conc w/w	Classification & Risk Phrases	Exp (See 8.1)
Barium nitrate	10022-31-8	233-020-5	> 98.0%	O Xn : R8,R20/22	N/A

#### 3. Hazards Identification



Contact with combustible material may cause fire. Harmful by inhalation and if swallowed.

4. First Aid Measures		
Eyes	Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.	
Skin	Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use.	
Inhalation	Remove from exposure.	
Ingestion	If conscious give plenty of water to drink. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. OBTAIN MEDICAL ATTENTION URGENTLY.	

5. Fire Fighting Measures		
Hazards	Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire- fighters should wear protective clothing and breathing apparatus. May evolve toxic fumes if involved in a fire. Mixtures with combustible materials are flammable.	
Extinguishing Media	Water spray.	
Unsuitable Media	Nothing specified.	

6. Accidental Release Measures		
Personal Protection	Presents no major hazards.	
Enviromental	Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.	
Major Spillage	Shovel/sweep up into container for removal Wash area down with copious amounts of water.	
Minor Spillage	Wash area down with copious amounts of water.	

#### 7. Storage & Handling

Handling Precautions Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing. No specific precautions. Storage Conditions Well ventilated, cool, dry storage . Store in a suitable area for oxidising agents. Keep well separated from combustible materials.

# 8.1 Workplace Exposure Limits

No prescribed exposure limits available

8.2 Personal Protection		
Respiratory	If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.	
Hands	Wear gloves.	
Eyes	Use chemical splash proof glasses or goggles.	
Skin	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.	

# 9. Physical & Chemical Properties

Appearance	White deliquescent crystalline material.
Odour	No specific odour.
рH	6 @ 20 °C
Boiling point	Not available
Melting point	592.0 °C
Flash point	Not available
Upper Flammable Limit	Not available
Lower Flammable Limit	Not available
Auto Ignition	Not available
Explosive properties	No.
Oxidising Properties	Yes.
Vapour Presure	Not available
Relative Density	1.8200 °C
Water Solubility	98

# 10. Stability & Reactivity

Chemical Stability	Stable under normal conditions
Conditions to Avoid	Do not allow to impregnate wood or other organic materials.
Materials to Avoid	Combustible materials. Many organic compounds.
Hazardous Decomposition Products	Not flammable but will assist a fire, producing irritant and toxic fumes of oxides of nitrogen.

#### 11. Toxicological Information

Eyes

Contact with the solid or dust may be irritating to the eyes.

Skin

The solid and solutions may be irritating to the skin.

# 11. Toxicological Information (continued)

LD50 Skin	Not available
Ingest	Low order of acute toxicity.
LD50 Ingest	Rabbit LDlo 150mg/Kg
Inhalation	Presents no significant health hazard by inhalation.
Carcinogenicity	No information is available.
Mutagenicity	No information is available.
Reproductive Effects	No information is available.

# 12. Ecological

Low levels are readily bio-degraded in the environment. Higher levels are toxic to marine and plant life.

# 13. Disposal Considerations

Contaminated Packaging Wash out containers with water.

2

#### 14. Transport Information

Proper Shipping Name
UN Number
UN Classification
Subsidiary Risk
Flash Point
Packing Group
Transport Category
Marine pollutant
ADR Hazard ID

Barium Nitrate 1446 5.1 Oxidising agent 6.1 Toxic Not available ΙI No 56



# 15. Regulatory Information

Labelling Classification	Oxidising, Harmful.
Label Symbols	
Risk & safety Phrases	Contact with combustible material may cause fire. Harmful by inhalation and if swallowed. Keep out of reach of children. After contact with skin, wash immediately with plenty of water.
EEC Number	233-020-5

# 16. Other Information

Document Information	This document has been prepared in accordance with directive 88/379/EEC.
	The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.
	Revision Date: 19/11/03. Data reviewed and PDF file generated: 17/03/10. Copyright 2010 Camlab Limited.