Camlab Limited – Material Safety Data Sheet

| 1. Identification | |
|---------------------|---|
| Product Code | CC/2521-DA |
| Product Name | HYDROCHLORIC ACID 5.0M (5N) A.R. |
| Molecular Formula | HCl =36.46 |
| CAS Number | 7647-01-0 |
| Supplier: | CAMLAB LIMITED |
| camlab | Norman Way Industrial Estate Over Cambridge England CB4 5WE |
| Phone Fax | 01954 233110 01954 233101 |
| Emergency Telephone | 08:00-17:00 01954 233110 24hr 112 (Have this document to hand) |

| Component | CAS No | EEC No | Conc w/w | Classification & Risk Phrases | Exp (See 8.1) |
|-------------------|-----------|-----------|----------|-------------------------------|---------------|
| Hydrochloric acid | 7647-01-0 | 231-595-7 | 18.0% | Xi : R34,R37 | WEL |

3. Hazards Identification

Irritating to eyes, respiratory system and skin.

| 4. First Aid Mo | easures |
|-----------------|--|
| Eyes | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION. |
| Skin | Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. In severe cases or if exposure has been great, OBTAIN MEDICAL ATTENTION. |
| Inhalation | Remove from exposure. |
| Ingestion | Wash out the patients mouth thoroughly with water. OBTAIN MEDICAL ATTENTION URGENTLY. |

| 5. Fire Fighting Measures | | | |
|---------------------------|--|--|--|
| Hazards | Presents no specific fire danger. | | |
| Extinguishing Media | Consider what other flammable materials are present and act accordingly. | | |
| Unsuitable Media | Nothing specified. | | |

6. Accidental Release Measures

PersonalUse approved personal protective equipment. Evacuate area immediately. Do not allow general
use of area until it is safe to do so.EnviromentalKeep non-neutralised material out of sewers, storm drains, surface waters and soil. Notify
the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6. Accidental Release Measures (continued)

| Major Spillage | Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water. |
|----------------------|---|
| Minor Spillage | Neutralise spill with soda ash, lime, calcium carbonate or sodium bicarbonate. Wash area down with copious amounts of water. |
| 7. Storage & Han | Idling |
| Handling Precautions | Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate |

clothing. Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits. Storage Conditions Well ventilated, cool, dry storage .

8.1 Workplace Exposure Limits

| Component | CAS No | Workplace Exposure Limits | | Maximum Exposure Limits | |
|-------------------|-----------|---------------------------|-------------|-------------------------|------------|
| | | Long Term | Short Term | Long Term | Short Term |
| | | ppm mg m–3 | ppm mg m–3 | ppm mg m–3 | ppm mg m–3 |
| Hydrochloric acid | 7647-01-0 | 1.000 2.000 | 5.000 8.000 | | |

| 8.2 Personal Protection | | | |
|-------------------------|--|--|--|
| Respiratory | Use L.E.V. or natural ventilation to maintain vapour concentrations below exposure limits. If not, use a well maintained chemical cartridge respirator, or use self contained breathing apparatus. | | |
| Hands | Use nitrile gloves or PVC gauntlets. | | |
| Eyes | Use chemical splash proof glasses or goggles. | | |
| Skin | If skin contact or contamination of clothing is likely, protective clothing must be worn. | | |

9. Physical & Chemical Properties

| Appearance | Clear colourless liquid. |
|-----------------------|-------------------------------|
| Odour | Odourless. |
| рH | 1 @ 20 °C |
| Boiling point | 108.6 °C |
| Melting point | 55.0- °C |
| Flash point | Not available |
| Upper Flammable Limit | Not available |
| Lower Flammable Limit | Not available |
| Auto Ignition | Not available |
| Explosive properties | No. |
| Oxidising Properties | No. |
| Vapour Presure | Not available |
| Relative Density | 1.0820 °C |
| Water Solubility | Completely miscible in water. |

10. Stability & Reactivity

| Chemical Stability | Stable under normal conditions |
|-------------------------------------|---|
| Conditions to Avoid | No specific conditions. |
| Materials to Avoid | Alkalis. Potassium permanganate. Reacts with most metals to produce extremely flammable hydrogen gas. |
| Hazardous Decomposition Products | Will decompose to emit toxic and irritant fumes of hydrogen chloride. |

| 11. Toxicological Information | | |
|-------------------------------|--|--|
| Eyes | The liquid is irritating to the eyes but unlikely to cause serious injury. | |
| Skin | The liquid will be an irritant on brief or occasional exposure. May cause burns on prolonged contact. | |
| LD50 Skin | Not available | |
| Ingest | Ingestion of large amounts may produce severe mouth burns, and if swallowed extensive damage to the oesophagus. Symptoms may include salivation, thirst, difficulty in swallowing, pain, shock and vomiting. | |
| LD50 Ingest | Not available | |
| Inhalation | Presents no significant health hazard by inhalation. | |
| Carcinogenicity | Not considered to be a carcinogen. | |
| Mutagenicity | Not considered to be a mutagen. | |
| Reproductive Effects | None identified. | |
| Other Information | 5-10ppm is the threshold for irritation with severe irritation occurring at 50-100 ppm. | |

12. Ecological

Neutralised material presents no specific environmental hazard.

13. Disposal Considerations

Disposal Methods

Dilute in a large excess of water and carefully neutralise with soda ash, then wash to drain with copious amounts of water.

CORROSIVE

Contaminated Packaging Carefully neutralise with a weak sodium hydroxide solution then wash out thoroughly with water. Use a licensed waste disposer.

14. Transport Information

| Proper Shipping Name | Hydrochloric Acid | |
|----------------------|-------------------|--|
| UN Number | 1789 | |
| UN Classification | 8 Corrosive | |
| Subsidiary Risk | None | |
| Flash Point | Not available | |
| Packing Group | II | |
| Transport Category | 2 | |
| Marine pollutant | No | |
| ADR Hazard ID | 80 | |

15. Regulatory Information

| ······································ | |
|--|---|
| Labelling Classification | Irritant. |
| Label Symbols | Xi |
| Risk & safety Phrases | Irritating to eyes, respiratory system and skin. Keep out of reach of children. After contact with skin, wash immediately with plenty of water. |

EEC Number

231-595-7

Ref: CC/2521-DA -21/02/06

16. Other Information

Document Information This document has been prepared in accordance with directive 88/379/EEC.

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.

Revision Date: 21/02/06. Data reviewed and PDF file generated: 17/03/10. Copyright 2010 Camlab Limited.