Camlab Limited - Material Safety Data Sheet

1. Identification

CC/3081-DH Product Code

SODIUM HYDROXIDE 5.0M (5N) A.R. Product Name

1310-73-2 CAS Number

Supplier:



CAMLAB LIMITED

Norman Way Industrial Estate

Over Cambridge England CB4 5WE

01954 233110 Phone Fax 01954 233101

08:00-17:00 01954 233110 Emergency Telephone

> 24hr 112 (Have this document to hand)

2. Composition

Component	CAS No	EEC No	Conc w/w	Classification & Risk Phrases	Exp (See 8.1)
Sodium hydroxide	1310-73-2	215-185-5	20.0%	C : R35	WEL

3. Hazards Identification



Causes severe burns.

4. First Aid Measures

Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open.

OBTAIN MEDICAL ATTENTION URGENTLY.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash

before re-use. If irritation persists or there is any sign of skin damage, seek IMMEDIATE

MEDICAL ASSISTANCE

Inhalation Remove from exposure. Keep warm and at rest.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. OBTAIN MEDICAL

ATTENTION URGENTLY.

5. Fire Fighting Measures

Hazards Presents no specific fire danger.

Extinguishing

Media

Consider what other flammable materials are present and act accordingly.

Unsuitable

Nothing specified.

Media

6. Accidental Release Measures

Personal Avoid breathing vapour. Use approved personal protective equipment. Evacuate area Protection

immediately. Do not allow other people to enter area. Do not allow general use of area

until it is safe to do so.

Enviromental Keep non-neutralised material out of sewers, storm drains, surface waters and soil. Notify

the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6. Accidental Release Measures (continued)

Major Spillage Contain spill with inert material. Neutralise with 5M hydrochloric acid. Wash area down

with copious amounts of water.

Minor Spillage Wash area down with copious amounts of water.

7. Storage & Handling

Handling Precautions Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate

clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended

limits.

Storage Conditions Store in a dry place protected against moisture and water. Keep well separated from acids,

metals, explosives, organic peroxides and ignitable materials.

8.1 Workplace Exposure Limits

Component	CAS No	Workplace Exposure Limits			Maximum Exposure Limits				
		Long Term		Short Term		Long Term		Short Term	
		ppm	mg m-3	ppm	mg m-3	ppm	mg m-3	ppm	mg m-3
Sodium hydroxide	1310-73-2	-	_	-	2.000	-	-	-	-

8.2 Personal Protection

Respiratory In cases where a spray or mist may be formed, use L.E.V. or natural ventilation to maintain

vapour concentrations below exposure limits. If not, use a well maintained chemical

cartridge respirator, or use self contained breathing apparatus.

Hands Use nitrile gloves or PVC gauntlets.

Eyes Use chemical full face shield.

Skin If skin contact or contamination of clothing is likely, protective clothing must be worn.

Wear PVC oversuit.

9. Physical & Chemical Properties

Appearance Clear colourless liquid.

Odour Odourless. 14 @ 20 °C рН Boiling point 107.0 °C 13.0- °C Melting point Not available Flash point Upper Flammable Limit Not available Lower Flammable Limit Not available Auto Ignition Not available

Explosive properties No. Oxidising Properties No.

Vapour Presure Not applicable Relative Density 1.1825 °C

Water Solubility Completely soluble in water.

10. Stability & Reactivity

Chemical Stability Stable under normal conditions

Conditions to Avoid No specific conditions.

Materials to Avoid Acids. Warm ammoniacal silver nitrate. 4-chloro-2-methylphenol. Nitrobenzene. Sodium

tetrahydroborate. Bromine. Reacts with aluminium and zinc to produce extremely flammable

hydrogen gas. Chloroform and methanol.

Hazardous Toxic and acidic dense white fumes.

Decomposition Products

11. Toxicological Information

Eyes The liquid and solutions will cause severe burns. Damage can range from severe irritation

and corneal scarring to permanent blindness.

Skin Contact with the liquid or solutions will not lead to immediate pain but damage begins at

once. Severe ulceration and scarring may occur in serious cases.

LD50 Skin Not available

oesophagus.

LD50 Ingest Rabbit 500ml/Kg

Inhalation Presents no significant health hazard by inhalation.

Carcinogenicity Not considered to be a carcinogen.

Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified.

12. Ecological

Small amounts present no specific environmental hazard. Neutralised material presents no specific environmental hazard.

13. Disposal Considerations

Disposal Methods Do not dispose of as domestic waste.

Contaminated Packaging Clean out with a weak hydrochloric acid solution then wash out thoroughly with water.

14. Transport Information

Proper Shipping Name Sodium Hydroxide Solution

UN Number 1824

UN Classification 8 Corrosive

Subsidiary Risk None

Flash Point Not available

Packing Group II
Transport Category 2
Marine pollutant No
ADR Hazard ID 80



15. Regulatory Information

Labelling Corrosive.

Classification

Label Symbols



Risk & safety Phrases Causes severe burns. Keep locked up and out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves

and eye/face protection. In case of accident or if you feel unwell, seek medical advice

immediately (show the label).

EEC Number 215-185-5

16. Other Information

Document Information

This document has been prepared in accordance with directive 88/379/EEC.

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.

Revision Date: 27/11/06.

Data reviewed and PDF file generated: 17/03/10.

Copyright 2010 Camlab Limited.