

# Camlab Limited – Material Safety Data Sheet

## 1. Identification


Product Code CC/2005-CO

Product Name **POTASSIUM IODATE A.R.**

Molecular Formula **KIO<sub>3</sub> =214.00**

CAS Number **7758-05-6**

Supplier: **CAMLAB LIMITED**



**Norman Way Industrial Estate  
Over  
Cambridge  
England  
CB4 5WE**

Phone **01954 233110**

Fax **01954 233101**

Emergency Telephone **08:00-17:00 01954 233110**  
**24hr 112**  
**(Have this document to hand)**

## 2. Composition

Component	CAS No	EEC No	Conc w/w	Classification & Risk Phrases	Exp (See 8.1)
Potassium Iodate	7758-05-6	231-831-0	> 99.0%	O : R9	N/A

## 3. Hazards Identification



Explosive when mixed with combustible material.

## 4. First Aid Measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.

Skin Wash off skin thoroughly with water.

Inhalation Remove from exposure.

Ingestion Wash out the patients mouth thoroughly with water. In severe cases or if exposure has been great, OBTAIN MEDICAL ATTENTION.

## 5. Fire Fighting Measures

Hazards Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus. May evolve toxic fumes if involved in a fire.

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

## 6. Accidental Release Measures

Personal Protection Presents no major hazards.

Environmental Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

## 6. Accidental Release Measures (continued)

Major Spillage	Shovel/sweep up into container for removal Wash area down with copious amounts of water.
Minor Spillage	Wash area down with copious amounts of water.

## 7. Storage & Handling

Handling Precautions	Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.  Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.
Storage Conditions	Well ventilated, cool, dry storage . Keep well separated from combustible materials.

## 8.1 Workplace Exposure Limits

No prescribed exposure limits available

## 8.2 Personal Protection

Respiratory	If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.
Hands	Wear gloves.
Eyes	Use chemical splash proof glasses or goggles.
Skin	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

## 9. Physical & Chemical Properties

Appearance	White crystalline powder or granules.
Odour	No specific odour.
pH	Not available
Boiling point	Not available
Melting point	560.0 °C
Flash point	Not available
Upper Flammable Limit	Not available
Lower Flammable Limit	Not available
Auto Ignition	Not available
Explosive properties	Can form explosive mixtures with organic matter.
Oxidising Properties	Yes.
Vapour Pressure	Not available
Relative Density	3.9790 °C
Water Solubility	7.5%

## 10. Stability & Reactivity

Chemical Stability	Stable under normal conditions
Conditions to Avoid	Decomposes violently on heating.
Materials to Avoid	Combustible materials.
Hazardous	May produce hazardous fumes if involved in a fire.
Decomposition Products	

## 11. Toxicological Information

Eyes	Contact with the solid or dust may be irritating to the eyes.
Skin	Presents no significant hazard by skin contact.
LD50 Skin	Not available
Ingest	Ingestion of large amounts may cause diarrhoea, nausea, vomiting, hyperpnoea and convulsions.
LD50 Ingest	Not available

## 11. Toxicological Information (continued)

Inhalation	Presents no significant health hazard by inhalation.
Carcinogenicity	Not considered to be a carcinogen.
Mutagenicity	Not considered to be a mutagen.
Reproductive Effects	None identified.

## 12. Ecological

No specific environmental hazard.

## 13. Disposal Considerations

Disposal Methods	Do not dispose of as domestic waste.
Contaminated Packaging	Wash out containers with water.

## 14. Transport Information

Proper Shipping Name	Oxidizing Solid, N.O.S. (Potas
UN Number	1479
UN Classification	5.1 Oxidising agent
Subsidiary Risk	None
Flash Point	Not available
Packing Group	II
Transport Category	2
Marine pollutant	No
ADR Hazard ID	50



## 15. Regulatory Information

Labelling	Oxidising.
Classification	

Label Symbols

0



Risk & safety Phrases Explosive when mixed with combustible material. This material and its container must be disposed of in a safe way.

EEC Number 231-831-0

## 16. Other Information

Document Information This document has been prepared in accordance with directive 88/379/EEC.

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.

Revision Date: 17/04/07.

Data reviewed and PDF file generated: 19/07/07.

Copyright 2007 Camlab Limited.